



For over 150 years, Smith & Wesson has been a leader. A leader in innovation. A leader in design. A leader in manufacturing. That is the legacy of Horace Smith and D.B. Wesson. Smith & Wesson has become part of the fabric of America's past and present. Now we look to the future.

The Smith & Wesson brand is one of the most recognizable in the world. As we continue to develop leading technology and build superior handguns, we remain committed to bringing our customers the finest products to create an exciting and complete shooting experience. This year's innovations, the Model 460XVR - with the highest muzzle velocity of any production revolver on earth - and the unequaled new family of 1911's show our dedication to innovative handgun manufacturing. You can expect no less from Smith & Wesson...and we expect no less from ourselves. That is our pledge to you. That is the future of Smith & Wesson.

Trectail & police



### REVOLVER FEATURE CODES ACTION A2- Sing FRAME SIZE SM- Small/Compact MD- Medium <u>FINISH</u> ZB- Blue/Black ZC- Clear Cote Single Action/ SA- Adjustable Sight Double Action SB-Black Blade Front Sight AD- Double Action Only Gray Interchangeable LG - Large BARREL BC- Carbon Steel BF- Full Lug BO- One Piece XL- Extra Large ZM- Matte Front Sight Fixed Sight Gold Bead Front Sight Satin Stainless **GRIPS** GC- CT Lasergrips GR- Rubber Grips HI-VIZ Front Sight Integral Front Sight CYLINDER MATERIAL CA- Alloy CC- Carbon Steel Powerport Stainless Steel Traditional BP-GW- Wood Grips SP-Patridge Front Sight Red Ramp Front Sight Finger Groove Grips Stainless Steel CT- Titanium White Outline Heavy Barrel Two Piece Adjustable Rear Sight FRAME MATERIAL Alloy Frame Stainless Steel Frame FC- Carbon Steel Frame PISTOL FEATURE CODES FRAME SIZE FINISH ACTION SIGHTS Adjustable Sight Black Blade Front Sight SM- Small/Compact MD- Medium Blue/Black Clear Cote Single Action/ Double Action LG - Large XL- Extra Large Gray Melonite Interchangeable Front Sight Dot Front Sight AD- Double Action Only ZG-ZL-ZM-Traditional Double SD-Action Matte GRIPS Fixed Sight Gold Bead Front Sight Satin Stainless GC- CT Lasergrips GR- Rubber Grips GW- Wood Grips GC-GR-BARREL Two-Tone BC- Carbon Steel HI-VIZ Front Sight Novak Lo Mount Carry ZW- Camo

Light Barrel One Piece

Stainless Traditional

Heavy Barrel

Finger Groove Grips

Stainless Steel

Carbon Steel DM- Stainless Melonite

GP- Plastic Grip

SLIDE

FRAME MATERIAL
FA- Alloy Frame
FS- Stainless Steel Frame

Polymer Frame

Carbon Steel Frame Stainless Melonite

Night Sights(Both Sights) Patridge Front Sight

Red Ramp Front Sight Black Post Sight

SN-

### **Table of Contents**

| New for 2005                        |
|-------------------------------------|
| Model 460XVR                        |
| Model 6196                          |
| Model 6206                          |
| Model 607                           |
| Model 625 – Jerry Miculek7          |
| Crimson Trace® Handguns8-9          |
| 1911 Family                         |
| Model 22A12                         |
| Model 410S Crimson Trace 12         |
| Doug Koenig14                       |
| Pistols                             |
| 1911 Family                         |
| Laser Engraving18                   |
| Tactical Series – TSW               |
| Sigma Series                        |
| SW990L Series                       |
| Chiefs Special Series               |
| Model 4040PD                        |
| American Pride Series™23            |
| LadySmith®24                        |
| Rimfire25                           |
| Revolvers                           |
| Jerry Miculek26                     |
| Small Frame                         |
| Rimfire28                           |
| Scandium29                          |
| Airweight                           |
| Stainless Steel31                   |
| Medium Frame32-33                   |
| Large Frame                         |
| X-Frame                             |
| Performance Center®                 |
| Handguns                            |
| Services                            |
| Custom Engraving                    |
| Handcuffs                           |
| S&W Academy, Shooting Sports        |
| Center, Retail Store                |
|                                     |
|                                     |
| The manufacturer's suggested retail |

prices and other specifications and terms stated in this publication are subject to change without notice. While Smith & Wesson attempts to provide accurate information, there may sometimes be inadvertent inaccuracies. Smith & Wesson is not responsible for, and reserves the right to correct, any such inaccuracies.

### **NEW FOR 2005**

### Model 460XVR™

Introducing the Model 460XVR with the highest muzzle velocity of any production revolver.



| Model  | SKU    | Caliber     | Capacity | Action | Frame | Barrel        | Overall Length | Weight          | Grips | Sights | Material | Finish | MSRP    |
|--------|--------|-------------|----------|--------|-------|---------------|----------------|-----------------|-------|--------|----------|--------|---------|
| 460XVR | 163460 | 460 S&W Mag | g. 5     | A2     | XL    | 8-3/8"/21.3cm | 15"/38.1cm     | 72.5oz./2055.4g | GR    | SA/SH  | FS/CS    | ZS \$  | 1253.00 |


We all grew up hearing the phrase, "Faster than a speeding bullet...," but not when it is fired from Smith & Wesson's new Model 460XVR, with the highest muzzle velocity of any production revolver on earth. The Model 460XVR is so revolutionary that it required an entirely new designation...XVR, X-treme Velocity Revolver.

Starting with their Extra Large Frame, the Smith & Wesson engineers worked to deliver maximum velocity - over 2,300 feet per second – to reach the target faster than ever before. The 460XVR has interchangeable compensators to accommodate every load and includes a HI-VIZ® Green-dot front sight for accurate target acquisition. Plus, its "gain-twist" rifled barrel means superb long-range accuracy (beyond 200 yards) with every shot! Only Smith & Wesson could deliver this much power, this much velocity and this much accuracy in a precision, production revolver.



### Model 460XVR™

SKU: 163460 460 S&W Magnum®




# **Interchangeable Compensators**

Interchangeable compensators for the Model 460XVR are included so you can adjust recoil depending upon the load. Two Compensators are included with each removable compensator revolver - one for lead and one for jacketed bullets.


### **NEW FOR 2005**

### Model 619 and Model 620



| Model | JILO   | Caliber      | Capacit | y Actioi | i i i aiiie | Dailei      | Overall Length | Weight         | Grips | Jigiits | Material | 1 1111311 | MISINI   |
|-------|--------|--------------|---------|----------|-------------|-------------|----------------|----------------|-------|---------|----------|-----------|----------|
| 619   | 164301 | .357/.38 S&W | +P 7    | A2       | MD          | 4"B2/10.2cm | 9-1/2"/24.1cm  | 37.5oz/1063.1g | GR    | SF/SI   | FS/CS    | ZS        | \$615.00 |
|       |        |              |         |          |             |             |                |                |       |         |          |           |          |
| 620   | 164401 | .357/.38 S&W | +P 7    | A2       | MD          | 4"B2/10.2cm | 9-1/2"/24.1cm  | 37.9oz/1074.5g | GR    | SW/SR   | FS/CS    | ZS        | 669.00   |
|       |        |              |         |          |             |             |                | _              |       |         |          |           |          |

### Model 60 **NEW FOR 2005** Model 60 and Model 625 The Smith & Wesson® Model 60, the world's first stainless steel revolver, was a success from its introduction in 1965. Praised by both law enforcement and sportsmen, the Model 60 was a stainless steel version of the Chiefs Special® and began the era of stainless steel handgun production. New for 2005 is a $5^{\prime\prime}$ barrel length added to a lineup of 2-1/8 $^{\prime\prime}$ and 3" barrels. The Model 60 is the perfect choice for those seeking a small frame, all-steel revolver with greater recoil Model 60 control and proven performance. SKU: 162440 .357 Magnum®/ .38 S&W Special +P Model 625 - Jerry Miculek Professional Series™ Jerry Miculek knows a little about ultra-fast performance. His record 12 shots, two loads of six with a reload in between, in under three seconds set the standard for speed shooting. Smith & Wesson and Jerry Miculek have collaborated to design a revolver to deliver ultra-fast performance - the new Model 625 Jerry Miculek Series. Its special features include a Miculek Style .265" Wide Grooved Speed Trigger, special Wooden "Jerry Miculek" Grip and Gold Bead Patridge Front Sight on an interchangeable front sight base. It comes complete with five Full-Moon Clips for ultra-fast "Jerry Miculek" style reloads. The Jerry Miculek Professional Series revolver comes with its own unique serial number run starting at JMP0000. SMITH & WESSON



| Model  | SKU    | Caliber      | Capacity | / Action | Frame | Barrel      | Overall Length | Weight         | Grips | Sights | Material | Finish | MSRP     |
|--------|--------|--------------|----------|----------|-------|-------------|----------------|----------------|-------|--------|----------|--------|----------|
| 60     | 162440 | .357/.38 S&W | +P 5     | A2       | SM    | 5"B2/12.7cm | 9-5/8"/24.4cm  | 30.5oz/864.7g  | GW    | SA/SB  | FS/CS    | ZS     | \$671.00 |
|        |        |              |          |          |       |             |                |                |       |        |          |        |          |
| 625 JM | 160936 | .45 ACP      | 6        | A2       | LG    | 4"BF/10.2cm | 9-3/8"/23.8cm  | 43.0oz/1219.1g | GW    | SA/SP  | FS/CS    | ZS     | 845.00   |



Superior handgun performance has always been the goal of Smith & Wesson's expert gunsmiths. Crimson Trace® Lasergrips are now available on five new models to enhance their performance. Crimson Trace Laser technology gives every shooter ultimate target acquisition and accuracy.

Designed to be activated by your grip, the Rubber Overmold Activation Button immediately turns the laser beam on, acquiring the target at the speed of light and holding the point of aim through thousands of rounds of fire. The bright, clear beam lets the shooter focus on the target instead of the gun, saving critical time. Often just the sight of a laser can cause a subject to submit, avoiding a more serious encounter.

Exclusive to Smith & Wesson, the Model SW1911 with Olive Drab Crimson Trace Lasergrip and the Model 1911PD with Desert Tan Crimson Trace Lasergrip, deliver outstanding performance to what are already considered America's finest pistols.

The Model 410S has a Dual Activation Button in the Rubber Overmold which allows ambidextrous use. Advanced targeting technology combined with Smith & Wesson's superior handgun performance delivers extreme accuracy and consistency. A perfect pistol combination for any serious shooter.

Crimson Trace Lasergrips are available on three small frame revolvers – Model 637, Model 642 and Model 432PD – and utilize a Laser Wraparound Grip that is both compact and comfortable. "Combat Rubber" is used throughout the entire grip for maximum recoil control and comfort, even on the most lightweight revolvers. The modestly contoured, longer grip design delivers fast grip registration, natural aim and is easily activated by left or right-handed shooters. For the ultimate targeting acquisition in a small frame revolver turn to Smith & Wesson with Crimson Trace Lasergrip technology.

Smith & Wesson

Model 1911PD with Exclusive Desert Tan Lasergrip (Actual Laser Beam; Image Not Enhanced)



Model 1911PD

EXCLUSIVE Desert Tan Lasergrip

SKU: 108296

.45 ACP

# **NEW FOR 2005 Crimson Trace® Lasergrips**

#### INSTINCTIVE ACTIVATION

Just grip your gun naturally and the laser comes on. No on/off switch to find. No extra button to push. No fumbling when seconds count.

### • LIGHTENING FAST TARGET ACQUISITION

You'll shoot faster and more precisely than you ever thought possible with a handgun. Lasergrips clear, bright, long-lasting laser beam puts you on target at the speed of light.

#### • REPEATABLE PINPOINT ACCURACY

Tack-driving accuracy time after time. The laser adjusts easily and holds point of aim through thousands of rounds of fire.


#### • ENHANCED FIELD OF VISION

Now you can confidently focus on the target instead of the gun - the natural reaction whenever under pressure.




| Model    | SKU      | Caliber     | Capacity | Action | Frame | Barrel          | Overall Length | Weight         | Grips | Sights | Material | Finish | MSRP      |
|----------|----------|-------------|----------|--------|-------|-----------------|----------------|----------------|-------|--------|----------|--------|-----------|
| SW1911   | 108295   | .45 ACP     | 8+1      | AS     | LG    | 5"BS/12.7cm     | 8.7"/22.1cm    | 39.0oz/1105.6g | GC    | SL/SD  | FS/DS    | ZM     | \$1281.00 |
| SW1911PI | D 108296 | .45 ACP     | 8+1      | AS     | MD    | 4-1/4"BS/10.8cm | 7.95"/20.0cm   | 28.0oz/793.8g  | GC    | SL/SD  | FA/DC    | ZB     | 1330.00   |
| 410S     | 104747   | .40 S&W     | 10+1     | AT     | LG    | 4"BS/10.2cm     | 7-1/2"/19.1cm  | 28.5oz/807.9g  | GC    | SF/SD  | FA/DS    | ZM     | 933.00    |
| 637      | 163052   | .38 S&W+P   | 5        | A2     | SM    | 1-7/8"BO/4.8cm  | 6-5/16"/16.0cm | 15.0oz/425.2g  | GC    | SF/SI  | FA/CS    | ZM     | 695.00    |
| 432PD    | 163669   | .32 H&R Mag | . 6      | AD     | SM    | 2"BO/5.1cm      | 6-7/16"/16.4cm | 13.5oz/382.7g  | GC    | SF/SB  | FA/CC    | ZB     | 732.00    |
| 642      | 163811   | .38 S&W+P   | 5        | AD     | SM    | 1-7/8"B2/4.8cm  | 6-5/16"/16.0cm | 15.0oz/425.0g  | GC    | SF/SI  | FA/CS    | ZM     | 695.00    |





## **NEW FOR 2005** 1911 Family of Pistols

John Moses Browning began his gunsmithing career in Ogden, Utah over 125 years ago. With more than 100 handgun and rifle patents, he is considered the father of the 1911. The Model 1911 has evolved since those



| Model    | SKU      | Caliber   | Capacity | Action | Frame | Barrel          | Overall Length | Weight         | Grips | Sights | Material | Finish | MSRP     |
|----------|----------|-----------|----------|--------|-------|-----------------|----------------|----------------|-------|--------|----------|--------|----------|
| SW1911   | 108285   | .45 ACP   | 8+1      | AS     | LG    | 5"BS/12.7cm     | 8.7"/22.1cm    | 38.5oz/1091.5g | GW    | SL/SD  | FC/DC    | ZB     | \$960.00 |
| SW1911P  | D 108286 | .45 ACP   | 8+1      | AS     | LG    | 5"BS/12.7cm     | 8.7"/22.1cm    | 29.5oz/836.3g  | GW    | SL/SD  | FA/DC    | ZB     | 1029.00  |
| SW1911 E | к 108287 | .45 ACP   | 8+1      | AS     | LG    | 5"BS/12.7cm     | 8.7"/22.1cm    | 41.0oz/1162.3g | GW    | SA/SB  | FS/DC    | ZB     | 1213.00  |
| SW1911   | 108295   | .45 ACP   | 8+1      | AS     | LG    | 5"BS/12.7cm     | 8.7"/22.1cm    | 39.0oz/1105.6g | GC    | SL/SD  | FS/DS    | ZM     | 1281.00  |
| SW1911P  | D 108296 | .45 ACP   | 8+1      | AS     | MD    | 4-1/4"BS/10.8cm | 7.95"/20.0cm   | 28.0oz/793.8g  | GC    | SL/SD  | FA/DC    | ZB     | 1330.00  |
| SW1911   | 170258   | .45 ACP   | 8+1      | AS     | LG    | 5"/12.7cm       | 8.7"/22.1cm    | 41.0oz/1162.3g | GW    | SA/SV  | FS/DS    | ZS     | 2112.00  |
| SW1911   | 170261   | .45 ACP   | 8+1      | AS     | LG    | 5"/12.7cm       | 8.7"/22.1cm    | 41.0oz/1162.3g | GW    | SA/SV  | FS/DS    | ZT     | 2112.00  |
| SW1911   | к 170257 | .38 Super | 10+1     | AS     | LG    | 5"/12.7cm       | 8.7"/22.1cm    | 41.5oz/1176.5g | GP    | SA/SV  | FS/DS    | ZT     | 2320.00  |



| wodei    | SKU       | Caliber | Capacity | Action | rrame | barrei          | Overall Length | vveignt        | Grips | Signts | iviateriai | rınısn | IVISKE  |
|----------|-----------|---------|----------|--------|-------|-----------------|----------------|----------------|-------|--------|------------|--------|---------|
| SW1911   | 170258    | .45 ACP | 8+1      | AS     | LG    | 5"/12.7cm       | 8.7"/22.1cm    | 41.0oz/1162.3g | GW    | SA/SV  | FS/DS      | ZS     | 2112.00 |
| SW1911 [ | ok 108287 | .45 ACP | 8+1      | AS     | LG    | 5"BS/12.7cm     | 8.7"/22.1cm    | 41.0oz/1162.3g | GW    | SA/SB  | FS/DC      | ZB     | 1213.00 |
| 22A      | 107437    | .22 LR  | 10+1     | AS     | LG    | 5-1/2"BL/13.9cm | 9-1/2"/24.1cm  | 32.0oz/907.2g  | GR    | SA/SH  | FA/DS      | ZT     | 401.00  |
| SW1911P  | D 108296  | .45 ACP | 8+1      | AS     | MD    | 4-1/4"BS/10.8cm | 7.95"/20.0cm   | 28.0oz/793.8g  | GC    | SL/SD  | FA/DC      | ZB     | 1330.00 |
| SW1911   | 108295    | .45 ACP | 8+1      | AS     | LG    | 5"BS/12.7cm     | 8.7"/22.1cm    | 39.0oz/1105.6g | GC    | SL/SD  | FS/DS      | ZM     | 1281.00 |
| 945      | 170173    | .45 ACP | 8+1      | AS     | LG    | 5"/12.7cm       | 8-3/4"/22.2cm  | 40.5oz/1148.2g | GW    | SA/SV  | FS/DS      | ZT     | 2086.00 |
|          |           |         |          |        |       |                 |                |                |       |        |            |        |         |


### **NEW PISTOLS FOR 2005**

In 2005, Smith & Wesson is continuing our commitment to pistols while raising the bar on quality and performance. Our newest SW1911 pistols include a Carbon Steel Model SW1911, a high-performance Doug Koenig Professional Series SW1911 and a 5" Scandium Model SW1911. For ultimate accuracy, Crimson Trace® Laser technology is offered in two colors on two Model SW1911s and on the Model 410S. The Model 22A, with polished sides on the slide and barrel, has been added to the line of superior performance Rimfire pistols. Smith & Wesson is the premium handgun manufacturer in terms of pistol variety, quality and performance.






| Model    | SKU      | Caliber   | Capacity | Action | Frame | Barrel      | Overall Length | Weight         | Grips | Sights | Material | Finish | MSRP     |
|----------|----------|-----------|----------|--------|-------|-------------|----------------|----------------|-------|--------|----------|--------|----------|
| SW1911   | 170261   | .45 ACP   | 8+1      | AS     | LG    | 5"/12.7cm   | 8.7"/22.1cm    | 41.0oz/1162.3g | GW    | SA/SV  | FS/DS    | ZT     | 2112.00  |
| SW1911PI | D 108286 | .45 ACP   | 8+1      | AS     | LG    | 5"BS/12.7cm | 8.7"/22.1cm    | 29.5oz/836.3g  | GW    | SL/SD  | FA/DC    | ZB     | 1029.00  |
| SW1911   | 108285   | .45 ACP   | 8+1      | AS     | LG    | 5"BS/12.7cm | 8.7"/22.1cm    | 38.5oz/1091.5g | GW    | SL/SD  | FC/DC    | ZB     | \$960.00 |
| SW1911 D | к 170257 | .38 Super | 10+1     | AS     | LG    | 5"/12.7cm   | 8.7"/22.1cm    | 41.5oz/1176.5g | GW    | SA/SV  | FS/DS    | ZT     | 2320.00  |
| 410S     | 104747   | .40 S&W   | 10+1     | AT     | LG    | 4"BS/10.2cm | 7-1/2"/19.1cm  | 28.5oz/807.9g  | GC    | SF/SD  | FA/DS    | ZM     | 933.00   |
|          |          |           |          |        |       |             |                |                |       |        |          |        |          |



Doug Koenig is considered by many to be *the world's most accurate pistol shooter*. The first handgun he ever bought was the Smith & Wesson Model 686. That was the beginning of a remarkable winning relationship between Doug Koenig and Smith & Wesson. He began competitive shooting in 1989 and within four years had won the Bianchi Cup (2 titles) and the World IPSC Championship. At the age of 20 he became the first shooter to fire a perfect score (1920) at the National Action Pistol Championships. Doug has won the Master's International Pistol Match 11 times and, since its inception, has been the only competitor to fire a perfect score (5 perfect scores in 9 championships). In fact, Doug has fired more perfect scores in the sport of action pistol than any other shooter in the world since his first perfect score was shot in 1990. He is truly a master of the sport. Doug has come to represent the best of Smith & Wesson...accuracy, reliability and performance. By the way, his choice of handgun is the Smith & Wesson Model SW1911.




Over 90 years ago Joe Wesson, son of founder D.B. Wesson, began developing Smith & Wesson's first pistol, soon to be known as the Smith & Wesson® .35 Automatic. D.B. instilled in his son the belief that Smith & Wesson handguns should be the best, safest and most reliable handguns in the world. This has been behind every pistol built at Smith & Wesson and continues today.

Smith & Wesson produces more pistol models and chamberings than any other handgun manufacturer in the world. From the .22 Rimfire to 9mm to the superior ergonomics of the Sigma Series® and the uncomparable performance of Smith & Wesson's family of 1911s – reliability, quality and performance are built into every model. With the largest variety of models and construction materials, you are sure to find the pistol that best suits your needs. Whether for law enforcement, personal protection or competitive target shooting, the pistol owner will find the performance unequalled. That is how Joe Wesson wanted it and how the gunsmiths at Smith & Wesson build them today.









www.smitb-wesson.com



### Model SW1911

When Smith & Wesson introduced their version of John Browning's famous 1911 in 2003, the response was overwhelming. That success was followed in 2004 with the Model SW1911 Adjustable, competition ready with adjustable rear sight and match trigger, and a Commander-sized, lightweight Scandium framed Model SW1911. The response was once again overwhelming. Now, for 2005, Smith & Wesson is showing their commitment to excellence in pistol manufacturing with the addition of five new 1911 models.

For the ultimate competitive shooting pistol, Smith & Wesson is introducing the Doug Koenig Professional Series Model SW1911, designed in collaboration with Doug Koenig, the world's most accurate pistol shooter. The two models feature Doug Koenig's Speed Hammer, Flat Competition Speed Trigger with Overtravel Stop and a variety of other special features that deliver superior accuracy and performance.

The new Carbon Steel Frame Model SW1911, with a 5" barrel, has Novak Lo Mount Carry Sights and an Aluminum Match Trigger with Overtravel Stop. The strength of the carbon steel frame and the proven design of the Model SW1911 combine for an extremely strong and dependable pistol. New also is the Scandium Alloy Frame SW1911 with 5" barrel, for a more lightweight, highly durable body.

With a remarkable selection of SW1911s, Smith & Wesson continues its tradition of innovation and its commitment to bringing shooters the finest quality and high performance firearms.



# Specifications www.smitb-wesson.com



| Model    | SKU      | Caliber | Capacity | Action | Frame | Barrel          | Overall Length | Weight         | Grips | Sights | Material | Finish | MSRP    |
|----------|----------|---------|----------|--------|-------|-----------------|----------------|----------------|-------|--------|----------|--------|---------|
| SW1911P  | D 108286 | .45 ACP | 8+1      | AS     | LG    | 5"BS/12.7cm     | 8.7"/22.1cm    | 29.5oz/836.3g  | GW    | SL/SD  | FA/DC    | ZB     | 1029.00 |
| SW1911 E | к 108287 | .45 ACP | 8+1      | AS     | LG    | 5"BS/12.7cm     | 8.7"/22.1cm    | 41.0oz/1162.3g | GW    | SA/SB  | FS/DC    | ZB     | 1213.00 |
| SW1911   | 108295   | .45 ACP | 8+1      | AS     | LG    | 5"BS/12.7cm     | 8.7"/22.1cm    | 39.0oz/1105.6g | GC    | SL/SD  | FS/DS    | ZM     | 1281.00 |
| SW1911P  | D 108296 | .45 ACP | 8+1      | AS     | MD    | 4-1/4"BS/10.8cm | 7.95"/20.0cm   | 28.0oz/793.8g  | GC    | SL/SD  | FA/DC    | ZB     | 1330.00 |

# Chiefs Special® and Model 4040PD


The Chiefs Special and Model 4040PD have been described as *the perfect personal defense pistols*. The lightweight, compact design and unequaled reliability of the Chiefs Special deliver assurance that when needed you are protected. They are available in 9mm or .45 ACP.

The Model 4040PD, our first Scandium pistol, features a lightweight and compact 7+1 capacity for the ultimate defense. This pistol is available in .40 S&W.

Technology & power...Smith & Wesson. It's what you've come to expect from us.








Specifications
www.smitb-wesson.com

### Tactical<sup>™</sup> Series Pistols - TSW

Smith & Wesson Tactical Series Pistols are *Operfect as either a duty handgun for law enforcement or as personal protection for any civilian*. Compact and built with alloy frames, they are available as either 9mm or .40 S&W. The Tactical Series™ has Novak Lo Mount Carry sights for greater accuracy and are outfitted with a standard accessory equipment rail to hold a light or laser. With a checkered front strap and ambidextrous decocking lever for both right and left-handed shooters, they stand ready to perform during any emergency. (Night sights are available for Law Enforcement Only.)








| Model   | SKU    | Caliber | Capacity | Action | Frame | Barrel         | Overall Length | Weight        | Grips | Sights | Material | Finish | MSRP     |
|---------|--------|---------|----------|--------|-------|----------------|----------------|---------------|-------|--------|----------|--------|----------|
| 3913TSW | 104531 | 9mm     | 8+1      | AT     | SM    | 3-1/2"BS/8.9cm | 6-3/4"/17.1cm  | 24.8oz/703.1g | GP    | SL/SD  | FA/DS    | ZM     | \$834.00 |
|         |        |         |          |        |       |                |                |               |       |        |          |        |          |
| 4013TSW | 104444 | .40 S&W | 9+1      | AT     | SM    | 3-1/2"BS/8.9cm | 6-3/4"/17.1cm  | 26.8oz/759.8g | GP    | SL/SD  | FA/DS    | ZM     | 973.00   |





moment you raise it, your point of aim is straight, every time. Aiming a Sigma is as natural as pointing your finger! The Sigma Series is available in either 9mm or .40 S&W and both are available with a matte stainless slide and either a black frame or a NATO green frame.



SKU: 120025 9mm





# Specifications

www.smitb-wesson.com





|        |        | •       |      |    |    |                 |               |               |    | 9     |       |    |          |
|--------|--------|---------|------|----|----|-----------------|---------------|---------------|----|-------|-------|----|----------|
| SW990L | 120231 | 9mm     | 10+1 | AD | SM | 3-1/2"BS/8.9cm  | 6.6"/16.8cm   | 23.0oz/652.1g | GP | SA/SD | FP/DM | ZL | \$694.00 |
| SW990L | 120233 | .40 S&W | 8+1  | AD | SM | 3-1/2"BS/8.9cm  | 6.6"/16.8cm   | 22.5oz/637.9g | GP | SA/SD | FP/DM | ZL | 694.00   |
| SW990L | 120230 | 9mm     | 10+1 | AD | LG | 4"BS/10.2cm     | 7-1/8"/18.1cm | 25.4oz/720.1g | GP | SA/SD | FP/DM | ZL | 694.00   |
| SW990L | 220230 | 9mm     | 16+1 | AD | LG | 4"BS/10.2cm     | 7-1/8"/18.1cm | 25.4oz/720.1g | GP | SA/SD | FP/DM | ZL | 694.00   |
| SW990L | 120232 | .40 S&W | 10+1 | AD | LG | 4-1/8"BS/10.5cm | 7-1/4"/18.4cm | 25.2oz/714.4g | GP | SA/SD | FP/DM | ZL | 694.00   |
| SW990L | 220232 | .40 S&W | 12+1 | AD | LG | 4-1/8"BS/10.5cm | 7-1/4"/18.4cm | 25.2oz/714.4g | GP | SA/SD | FP/DM | ZL | 694.00   |
| SW990L | 120223 | .45 ACP | 10+1 | AD | LG | 4-1/4"BS/10.8cm | 7-1/2"/19.1cm | 25.6oz/725.8g | GP | SA/SD | FP/DM | ZL | 736.00   |
|        |        |         |      |    |    |                 |               |               |    |       |       |    |          |



7-3/8"/18.7cm

7-3/8"/18.7cm

7-1/2"/19.1cm

7-1/2"/19.1cm

7-1/2"/19.1cm

7-1/2"/19.1cm

7-1/2"/19.1cm

28.0oz/793.8q

28.0oz/793.8g

28.5oz/807.9q

28.5oz/807.9g

28.5oz/807.9q

28.5oz/807.9g

28.5oz/807.9q

GP

GP

GP

GP

GP

GP

GC

SF/SD

SF/SD

SF/SD

SF/SD

SF/SD

SF/SD

SF/SD

FA/DS

FA/DS

FA/DC

FA/DC

FA/DS

FA/DS

FA/DS

ZM

7M

ZB

ΖB

ZM

ΖM

ZM

602.00

602.00

649.00

649.00

669.00

669.00

933.00

910S

910S

410

410

410S

410S

410S

104783

204783

104740

204740

104744

204744

104747

9mm

9<sub>mm</sub>

.40 S&W

.40 S&W

.40 S&W

.40 S&W

.40 S&W

10 + 1

15+1

10+1

11+1

10 + 1

11+1

10+1

ΑT

ΑT

ΑT

ΑT

ΑT

ΑT

LG

IG

LG

LG

LG

LG

LG

4"BS/10.2cm

4"BS/10.2cm

4"BS/10.2cm

4"BS/10.2cm

4"BS/10.2cm

4"BS/10.2cm

4"BS/10.2cm





# Specifications www.smitb-wesson.com



| Model | SKU    | Caliber | Capacity | Action | Frame | Barrel          | Overall Length | Weight         | Grips | Sights | Material | Finish | MSRP      |
|-------|--------|---------|----------|--------|-------|-----------------|----------------|----------------|-------|--------|----------|--------|-----------|
| 41    | 130511 | .22 LR  | 10+1     | AS     | LG    | 5-1/2"BX/13.9cm | 10-1/2"/26.7cm | 41.0oz/1162.4g | GW    | SA/SP  | FC/DC    | ZB     | \$1062.00 |
| 41    | 130512 | .22 LR  | 10+1     | AS     | LG    | 7"BL/17.8cm     | 12"/30.5cm     | 42.0oz/1190.7g | GW    | SA/SP  | FC/DC    | ZB     | \$1062.00 |
| 22A   | 107400 | .22 LR  | 10+1     | AS     | LG    | 4"BL/10.2cm     | 8"/20.3cm      | 28.0oz/793.8g  | GP    | SA/SP  | FA/DS    | ZB     | 293.00    |
| 22A   | 107410 | .22 LR  | 10+1     | AS     | LG    | 5-1/2"BL/13.9cm | 9-1/2"/24.1cm  | 32.0oz/907.2g  | GP    | SA/SP  | FA/DS    | ZB     | 324.00    |
| 22A   | 107431 | .22 LR  | 10+1     | AS     | LG    | 5-1/2"BB/13.9cm | 9-1/2"/24.1cm  | 39.0oz/1105.7g | GW    | SA/SP  | FA/DS    | ZB     | 407.00    |
| 22A   | 107430 | .22 LR  | 10+1     | AS     | LG    | 7"BL/17.8cm     | 11"/27.9cm     | 42.0oz/1190.7g | GP    | SA/SP  | FA/DS    | ZB     | 367.00    |
| 22A   | 107435 | .22 LR  | 10+1     | AS     | LG    | 5-1/2"BT/13.9cm | 9-1/2"/24.1cm  | 39.0oz/1105.7g | GP    | SA/SP  | FA/DS    | ZW     | 367.00    |
| 22A   | 107426 | .22 LR  | 10+1     | AS     | LG    | 5-1/2"BB/13.9cm | 9-1/2"/24.1cm  | 39.0oz/1105.7g | GP    | SA/SH  | FA/DS    | ZB     | 429.00    |
| 22A   | 107437 | .22 LR  | 10+1     | AS     | LG    | 5-1/2"BL/13.9cm | 9-1/2"/24.1cm  | 39.0oz/1105.7g | GR    | SA/SH  | FA/DS    | ZT     | 401.00    |
| 22S   | 107300 | .22 LR  | 10+1     | AS     | LG    | 5-1/2"BL/13.9cm | 9-1/2"/24.1cm  | 41.0oz/1162.4g | GP    | SA/SP  | FS/DS    | ZG     | 396.00    |



| ivioaei | <b>SKU</b> | Caliber      | Capacity | Action | rrame | Баггеі         | Overall Length  | vveignt       | Grips | Signts | iviateriai | rınısn | IVIDRP   |
|---------|------------|--------------|----------|--------|-------|----------------|-----------------|---------------|-------|--------|------------|--------|----------|
| 36LS    | 161490     | .38 S&W+P    | 5        | A2     | SM    | 1-7/8"BT/4.8cm | 6-3/16"/15.7cm  | 20.0oz/280.7g | GW    | SF/SB  | FC/CC      | ZB     | \$568.00 |
|         |            |              |          |        |       |                |                 |               |       |        |            |        |          |
| 60LS    | 162414     | .357/.38 S&W | +P 5     | A2     | SM    | 2-1/8"BF/5.4cm | 6-9/16"/16.7cm  | 21.5oz/609.5g | GW    | SF/SB  | FS/CS      | ZM     | 621.00   |
|         |            |              |          |        |       |                |                 |               |       |        |            |        |          |
| 642LS   | 163808     | .38 S&W+P    | 5        | AD     | SM    | 1-7/8"BF/4.8cm | 6-5/16"/16.0cm  | 14.5oz/411.1g | GW    | SF/SI  | FA/CS      | ZM     | 633.00   |
|         |            |              |          |        |       |                |                 | _             |       |        |            |        |          |
| 3913LS  | 108290     | 9MM          | 8+1      | AT     | SM    | 3-1/2"BS/8.9cm | 6-13/16"/17.3cm | 24.8oz/703.1g | GP    | SL/SD  | FA/DS      | ZM     | 858.00   |
|         |            |              |          |        |       |                |                 |               |       |        |            |        |          |







# **Laser Engraving**

*Make your handgun as unique as you are* with Smith & Wesson laser engraving. LaserSmith technology lets you personalize your handgun in many ways – from initials and names to select artwork – quickly and very affordable. Any stainless steel or carbon steel component of your Smith & Wesson handgun can be laser engraved to stand alone as your own personal statement.


For a brochure detailing the laser engraving process, with illustrations of artwork available, call 1-800-331-0852.





The first time you see Jerry Miculek in action you are in disbelief. Is it a trick? Did it really happen? Only in slow-motion can you really appreciate his artistry. With more championships than any other living revolver shooter, Jerry is known as *the fastest revolver shooter in the world*. His record of twelve rounds – two 6 round loads with a reload in between – in under three seconds is unequalled.

Jerry has won the International Revolver Championship for the last 12 years, holds six World Shoot-Off Championships and earned five revolver speed shooting world records. It is a record of accomplishment that stands above all the rest. He chose Smith & Wesson because it is "...amazingly fast, accurate, and above all else, 100% reliable." If you are lucky enough to see him in action, you will be in awe...and notice that he shoots a Smith & Wesson Model 625.



The tradition of innovation at Smith & Wesson began with the very first model Horace Smith & D.B. Wesson introduced in 1857, the revolutionary .22 Rimfire. That tradition has continued for over 150 years and continues today with the introduction of the Model 460XVR with the highest muzzle velocity of any production revolver on earth.

Smith & Wesson has always been the leader in innovation and quality. Our customers trust us to build the very best handguns. Our gunsmiths and engineers continually develop the advancements we have become known for. We manufacture the widest range of revolver models – from the most lightweight, full-featured personal protection to the world's most powerful revolver and now the world's highest velocity revolver – all with the same commitment Horace and D.B made in 1857, to deliver the finest, most accurate and reliable products possible.





# Specifications

www.smltb-wesson.com

| SKU    | Caliber  | Capacity   | Action   | Frame   | Barrel  | Overall Length   | Weight  | Grips  | Sights   | Material   | Finish   | MSRP   |
|--------|--|--|--|---|---|--|---|--|--|--|--|--|
| 160222 | .22 LR   | 8  | A2   | SM  | 1-7/8"B2/5.1cm  | 6-3/16"/15.7cm   | 10.5oz/297.7g   | GR   | SF/SI  | FA/CA  | ZC   | \$603.00   |
| 160221 | .22 LR   | 8  | A2   | SM  | 3"B2/7.6cm  | 7-3/16"/18.3cm   | 11.9oz/337.4g   | GR   | SA/SH  | FA/CA  | ZC   | 658.00   |
| 160228 | .22 Mag.   | 7  | A2   | SM  | 1-7/8"B2/5.1cm  | 6-3/16"/15.7cm   | 10.6oz/300.5g   | GW   | SF/SI  | FA/CA  | ZB   | 647.00   |
| 160584 | .22 LR   | 10   | A2   | MD  | 4"BF/10.2cm   | 9-1/8"/23.2cm  | 41.0oz/1162.4g  | GR   | SA/SP  | FS/CS  | ZS   | 707.00   |
| 160568 | .22 LR   | 6  | A2   | MD  | 6"BF/15.2cm   | 11-1/8"/28.3cm   | 45.0oz/1275.8g  | GR   | SA/SP  | FS/CS  | ZS   | 686.00   |
| 160578 | .22 LR   | 10   | A2   | MD  | 6"BF/15.2cm   | 11-1/8"/28.3cm   | 45.0oz/1275.8g  | GR   | SA/SP  | FS/CS  | ZS   | 734.00   |
| 163668 | .22 Mag.   | 6  | A2   | MD  | 6"BF/15.2cm   | 11-1/8"/28.3cm   | 45.0oz/1275.8g  | GR   | SA/SP  | FS/CS  | ZS   | 703.00   |
|        | 160222<br>160221<br>160228<br>160584<br>160568<br>160578 | 160222 .22 LR<br>160221 .22 LR<br>160228 .22 Mag.<br>160584 .22 LR<br>160568 .22 LR<br>160578 .22 LR | 160222 .22 LR 8<br>160221 .22 LR 8<br>160228 .22 Mag. 7<br>160584 .22 LR 10<br>160568 .22 LR 6<br>160578 .22 LR 10 | 160222     .22 LR     8     A2       160221     .22 LR     8     A2       160228     .22 Mag.     7     A2       160584     .22 LR     10     A2       160568     .22 LR     6     A2       160578     .22 LR     10     A2 | 160222     .22 LR     8     A2     SM       160221     .22 LR     8     A2     SM       160228     .22 Mag.     7     A2     SM       160584     .22 LR     10     A2     MD       160568     .22 LR     6     A2     MD       160578     .22 LR     10     A2     MD | 160222     .22 LR     8     A2     SM     1-7/8"B2/5.1cm       160221     .22 LR     8     A2     SM     3"B2/7.6cm       160228     .22 Mag.     7     A2     SM     1-7/8"B2/5.1cm       160584     .22 LR     10     A2     MD     4"BF/10.2cm       160568     .22 LR     6     A2     MD     6"BF/15.2cm       160578     .22 LR     10     A2     MD     6"BF/15.2cm | 160222         .22 LR         8         A2         SM         1-7/8"B2/5.1cm         6-3/16"/15.7cm           160221         .22 LR         8         A2         SM         3"B2/7.6cm         7-3/16"/18.3cm           160228         .22 Mag.         7         A2         SM         1-7/8"B2/5.1cm         6-3/16"/15.7cm           160584         .22 LR         10         A2         MD         4"BF/10.2cm         9-1/8"/23.2cm           160568         .22 LR         6         A2         MD         6"BF/15.2cm         11-1/8"/28.3cm           160578         .22 LR         10         A2         MD         6"BF/15.2cm         11-1/8"/28.3cm | 160222         .22 LR         8         A2         SM         1-7/8"B2/5.1cm         6-3/16"/15.7cm         10.5oz/297.7g           160221         .22 LR         8         A2         SM         3"B2/7.6cm         7-3/16"/18.3cm         11.9oz/337.4g           160228         .22 Mag.         7         A2         SM         1-7/8"B2/5.1cm         6-3/16"/15.7cm         10.6oz/300.5g           160584         .22 LR         10         A2         MD         4"BF/10.2cm         9-1/8"/23.2cm         41.0oz/1162.4g           160568         .22 LR         6         A2         MD         6"BF/15.2cm         11-1/8"/28.3cm         45.0oz/1275.8g           160578         .22 LR         10         A2         MD         6"BF/15.2cm         11-1/8"/28.3cm         45.0oz/1275.8g | 160222         .22 LR         8         A2         SM         1-7/8"B2/5.1cm         6-3/16"/15.7cm         10.5oz/297.7g         GR           160221         .22 LR         8         A2         SM         3"B2/7.6cm         7-3/16"/18.3cm         11.9oz/337.4g         GR           160228         .22 Mag.         7         A2         SM         1-7/8"B2/5.1cm         6-3/16"/15.7cm         10.6oz/300.5g         GW           160584         .22 LR         10         A2         MD         4"BF/10.2cm         9-1/8"/23.2cm         41.0oz/1162.4g         GR           160568         .22 LR         6         A2         MD         6"BF/15.2cm         11-1/8"/28.3cm         45.0oz/1275.8g         GR           160578         .22 LR         10         A2         MD         6"BF/15.2cm         11-1/8"/28.3cm         45.0oz/1275.8g         GR | 160222       .22 LR       8       A2       SM       1-7/8"B2/5.1cm       6-3/16"/15.7cm       10.5oz/297.7g       GR       SF/SI         160221       .22 LR       8       A2       SM       3"B2/7.6cm       7-3/16"/18.3cm       11.9oz/337.4g       GR       SA/SH         160228       .22 Mag.       7       A2       SM       1-7/8"B2/5.1cm       6-3/16"/15.7cm       10.6oz/300.5g       GW       SF/SI         160584       .22 LR       10       A2       MD       4"BF/10.2cm       9-1/8"/23.2cm       41.0oz/1162.4g       GR       SA/SP         160568       .22 LR       6       A2       MD       6"BF/15.2cm       11-1/8"/28.3cm       45.0oz/1275.8g       GR       SA/SP         160578       .22 LR       10       A2       MD       6"BF/15.2cm       11-1/8"/28.3cm       45.0oz/1275.8g       GR       SA/SP | 160222       .22 LR       8       A2       SM       1-7/8"B2/5.1cm       6-3/16"/15.7cm       10.5oz/297.7g       GR       SF/SI       FA/CA         160221       .22 LR       8       A2       SM       3"B2/7.6cm       7-3/16"/18.3cm       11.9oz/337.4g       GR       SA/SH       FA/CA         160228       .22 Mag.       7       A2       SM       1-7/8"B2/5.1cm       6-3/16"/15.7cm       10.6oz/300.5g       GW       SF/SI       FA/CA         160584       .22 LR       10       A2       MD       4"BF/10.2cm       9-1/8"/23.2cm       41.0oz/1162.4g       GR       SA/SP       FS/CS         160568       .22 LR       6       A2       MD       6"BF/15.2cm       11-1/8"/28.3cm       45.0oz/1275.8g       GR       SA/SP       FS/CS         160578       .22 LR       10       A2       MD       6"BF/15.2cm       11-1/8"/28.3cm       45.0oz/1275.8g       GR       SA/SP       FS/CS | 160222         .22 LR         8         A2         SM         1-7/8"B2/5.1cm         6-3/16"/15.7cm         10.5oz/297.7g         GR         SF/SI         FA/CA         ZC           160221         .22 LR         8         A2         SM         3"B2/7.6cm         7-3/16"/18.3cm         11.9oz/337.4g         GR         SA/SH         FA/CA         ZC           160228         .22 Mag.         7         A2         SM         1-7/8"B2/5.1cm         6-3/16"/15.7cm         10.6oz/300.5g         GW         SF/SI         FA/CA         ZB           160584         .22 LR         10         A2         MD         4"BF/10.2cm         9-1/8"/23.2cm         41.0oz/1162.4g         GR         SA/SP         FS/CS         ZS           160588         .22 LR         6         A2         MD         6"BF/15.2cm         11-1/8"/28.3cm         45.0oz/1275.8g         GR         SA/SP         FS/CS         ZS           160578         .22 LR         10         A2         MD         6"BF/15.2cm         11-1/8"/28.3cm         45.0oz/1275.8g         GR         SA/SP         FS/CS         ZS |



| Model       | SKU    | Caliber      | Capacity | Action | Frame | Barrel         | Overall Length | Weight        | Grips | Sights | Material | Finish | MSRP     |
|-------------|--------|--------------|----------|--------|-------|----------------|----------------|---------------|-------|--------|----------|--------|----------|
| 325PD       | 163415 | .45 ACP      | 6        | A2     | LG    | 2-1/2"B2/6.4cm | 7-1/4"/18.4cm  | 21.5oz/609.5g | GW    | SA/SH  | FA/CT    | ZB     | \$939.00 |
| 329PD       | 163414 | .44 Mag/44 S | Spec 6   | A2     | LG    | 4"B2/10.2cm    | 9-1/2"/24.1cm  | 26.0oz/737.1g | GW    | SA/SH  | FA/CT    | ZB     | 960.00   |
| 340         | 163060 | .357/.38 S&V | V+P 5    | AD     | SM    | 1-7/8"B2/4.8cm | 6-5/16"/16.0cm | 12.0oz/340.2g | GR    | SF/SB  | FA/CT    | ZM     | 838.00   |
| 340PD       | 163061 | .357/.38 S&V | V+P 5    | AD     | SM    | 1-7/8"B2/4.8cm | 6-5/16"/16.0cm | 12.0oz/340.2g | GR    | SF/SR  | FA/CT    | ZB     | 862.00   |
| 340PD       | 163062 | .357/.38 S&V | V+P 5    | AD     | SM    | 1-7/8"B2/4.8cm | 6-5/16"/16.0cm | 12.0oz/340.2g | GR    | SF/SH  | FA/CT    | ZB     | 877.00   |
| 360PD       | 163063 | .357/.38 S&V | V+P 5    | A2     | SM    | 1-7/8"B2/4.8cm | 6-5/16"/16.0cm | 12.0oz/340.2g | GR    | SF/SR  | FA/CT    | ZB     | 834.00   |
| 360PD       | 163064 | .357/.38 S&V | V+P 5    | A2     | SM    | 1-7/8"B2/4.8cm | 6-5/16"/16.0cm | 12.0oz/340.2g | GR    | SF/SH  | FA/CT    | ZB     | 858.00   |
| 360         | 163065 | .357/.38 S&V | V+P 5    | A2     | SM    | 1-7/8"B2/4.8cm | 6-5/16"/16.0cm | 12.0oz/340.2g | GR    | SF/SB  | FA/CT    | ZM     | 818.00   |
| 360 Kit Gun | 163067 | .357/.38 S&V | V+P 5    | A2     | SM    | 3-1/8"B2/7.9cm | 7-1/2"/19.1cm  | 12.0oz/340.2g | GR    | SA/SH  | FA/CT    | ZM     | 865.00   |
| 386         | 163687 | .357/.38 S&V | V+P 7    | A2     | MD    | 3-1/8"B2/7.9cm | 8-1/8"/20.6cm  | 18.5oz/524.5g | GR    | SA/SH  | FA/CT    | ZM     | 876.00   |
| 386PD       | 163069 | .357/.38 S&V | V+P 7    | A2     | MD    | 2-1/2"B2/6.4cm | 7-1/2"/19.1cm  | 17.5oz/496.1g | GR    | SA/SR  | FA/CT    | ZB     | 872.00   |
|             |        |              |          |        |       |                |                |               |       |        |          |        |          |

# Airweight® Revolvers

When you need a lightweight carry revolver, you turn to Smith & Wesson's Small Frame Airweight Series. They are the original aluminum, small frame revolvers chambered in .38 S&W Special +P or .32 H&R Magnum. They are available in three distinct hammer styles - the "Chiefs Special" with exposed hammer, the "Centennial" frame with fully enclosed hammer and the "Bodyguard" frame (.38 S&W Special +P only) shrouded hammer. Three styles with one idea...perfect personal protection.





# Specifications

www.smitb-wesson.com

| Model     | SKU    | Caliber     | Capacity | Action | Frame | Barrel         | Overall Length | Weight        | Grips | Sights | Material | Finish | MSRP     |
|-----------|--------|-------------|----------|--------|-------|----------------|----------------|---------------|-------|--------|----------|--------|----------|
| 37        | 101602 | .38 S&W +P  | 5        | A2     | SM    | 1-7/8"BO/4.8cm | 6-5/16"/16.0cm | 15.0oz/425.3g | GR    | SF/SB  | FA/CC    | ZB     | \$573.00 |
| 431PD     | 163664 | .32 H&R Mag | . 6      | A2     | SM    | 2"BO/5.1cm     | 6-7/16"/16.4cm | 13.4oz/379.9g | GR    | SF/SB  | FA/CC    | ZB     | 450.00   |
| 432PD     | 163666 | .32 H&R Mag | . 6      | AD     | SM    | 2"BO/5.1cm     | 6-7/16"/16.4cm | 13.5oz/382.7g | GR    | SF/SB  | FA/CC    | ZB     | 469.00   |
| 432PD-CT  | 163669 | .32 H&R Mag | . 6      | AD     | SM    | 2"BO/5.1cm     | 6-7/16"/16.4cm | 13.5oz/382.7g | GC    | SF/SB  | FA/CC    | ZB     | 732.00   |
| 442       | 162810 | .38 S&W +P  | 5        | AD     | SM    | 1-7/8"BO/4.8cm | 6-5/16"/16.0cm | 15.0oz/425.3g | GR    | SF/SB  | FA/CC    | ZB     | 600.00   |
| 637       | 163050 | .38 S&W +P  | 5        | A2     | SM    | 1-7/8"BO/4.8cm | 6-5/16"/16.0cm | 15.0oz/425.3g | GR    | SF/SI  | FA/CS    | ZM     | 450.00   |
| 637 Combo | 163051 | .38 S&W +P  | 5        | A2     | SM    | 1-7/8"BO/4.8cm | 6-5/16"/16.0cm | 15.0oz/425.3g | GR    | SF/SI  | FA/CS    | ZM     | 463.00   |
| 637-CT    | 163052 | .38 S&W +P  | 5        | A2     | SM    | 1-7/8"BO/4.8cm | 6-5/16"/16.0cm | 15.0oz/425.2g | GC    | SF/SI  | FA/CS    | ZM     | 695.00   |
| 638       | 163070 | .38 S&W +P  | 5        | A2     | SM    | 1-7/8"BO/4.8cm | 6-5/16"/16.0cm | 15.0oz/425.3g | GR    | SF/SI  | FA/CS    | ZM     | 620.00   |
| 642       | 163810 | .38 S&W +P  | 5        | AD     | SM    | 1-7/8"BO/4.8cm | 6-5/16"/16.0cm | 15.0oz/425.3g | GR    | SF/SI  | FA/CS    | ZM     | 469.00   |
| 642-CT    | 163811 | .38 S&W +P  | 5        | AD     | SM    | 1-7/8"BO/4.8cm | 6-5/16"/16.0cm | 15.0oz/425.0g | GC    | SF/SI  | FA/CS    | ZM     | 695.00   |



| Model | SKU    | Caliber      | Capacity | Action | Frame | Barrel         | Overall Length | Weight         | Grips | Sights | Material | Finish | MSRP     |
|-------|--------|--------------|----------|--------|-------|----------------|----------------|----------------|-------|--------|----------|--------|----------|
| 60    | 162420 | .357/.38 S&W | +P 5     | A2     | SM    | 2-1/8"BO/5.4cm | 6-9/16"/16.7cm | 22.5oz/637.9g  | GR    | SF/SB  | FS/CS    | ZS     | \$594.00 |
| 60    | 162430 | .357/.38 S&W | +P 5     | A2     | SM    | 3"BO/7.6cm     | 7-1/2"/19.1cm  | 24.0oz./680.4g | GR    | SA/SB  | FS/CS    | ZS     | 630.00   |
| 60    | 162440 | .357/.38 S&W | +P 5     | A2     | SM    | 5"B2/12.7cm    | 9-3/8"/23.8cm  | 30.5oz/864.7g  | GW    | SA/SB  | FS/CS    | ZS     | 671.00   |
| 640   | 163690 | .357/.38 S&W | +P 5     | AD     | SM    | 2-1/8"BO/5.4cm | 6-9/16"/16.7cm | 23.0oz/652.1g  | GR    | SF/SB  | FS/CS    | ZS     | 658.00   |
| 649   | 163210 | .357/.38 S&W | +P 5     | AD     | SM    | 2-1/8"BO/5.4cm | 6-9/16"/16.7cm | 23.0oz/652.1g  | GR    | SF/SB  | FS/CS    | ZS     | 651.00   |




| Model | SKU    | Caliber    | Capacity | Action | Frame | Barrel      | Overall Length  | Weight         | Grips | Sights | Material | Finish | MSRP     |
|-------|--------|------------|----------|--------|-------|-------------|-----------------|----------------|-------|--------|----------|--------|----------|
| 10    | 160125 | .38 S&W +P | 6        | A2     | MD    | 4"BO/10.2cm | 8-7/8"/22.5cm   | 36.0oz/1020.6g | GR    | SF/SB  | FC/CC    | ZB     | \$544.00 |
| 64    | 162504 | .38 S&W +P | 6        | A2     | MD    | 3"B2/7.6cm  | 7-15/16"/20.2cm | 33.0oz/935.6g  | GR    | SF/SI  | FS/CS    | ZS     | 583.00   |
| 64    | 162506 | .38 S&W +P | 6        | A2     | MD    | 4"B2/10.2cm | 8-7/8"/22.5cm   | 36.0oz/1020.6g | GR    | SF/SI  | FS/CS    | ZS     | 583.00   |
| 67    | 162802 | .38 S&W +P | 6        | A2     | MD    | 4"B2/10.2cm | 8-7/8"/22.5cm   | 36.0oz/1020.6g | GR    | SA/SR  | FS/CS    | ZS     | 642.00   |

# **Medium Frame (L) Revolvers**

Smith & Wesson introduced the Model 686 in the early 1980's. It was chambered for .357 Magnum and .38 S&W Special calibers. The 600 series Smith & Wesson revolvers are true workhorses for both duty and sporting use. They are available ported and unported with a choice of 6 or 7 round cylinders.



| Model    | SKU    | Caliber      | Capacity | Action | Frame | Barrel         | Overall Length   | Weight         | Grips | Sights | Material | Finish | MSRP     |
|----------|--------|--------------|----------|--------|-------|----------------|------------------|----------------|-------|--------|----------|--------|----------|
| 619      | 164301 | .357/.38 S&W | '+P 7    | A2     | MD    | 4"B2/10.2cm    | 9-1/2"/24.1cm    | 37.5oz/1063.1g | GR    | SF/SI  | FS/CS    | ZS     | 615.00   |
| 620      | 164401 | .357/.38 S&W | '+P 7    | A2     | MD    | 4"B2/10.2cm    | 9-1/2"/24.1cm    | 37.9oz/1074.5g | GR    | SW/SR  | FS/CS    | ZS     | 669.00   |
| 686      | 164231 | .357/.38 S&W | +P 6     | A2     | MD    | 2-1/2"BF/6.4cm | 7-1/2"/19.1cm    | 35.0oz/992.3g  | GR    | SW/SR  | FS/CS    | ZS     | \$667.00 |
| 686      | 164222 | .357/.38 S&W | +P 6     | A2     | MD    | 4"BF/10.2cm    | 9-9/16"/24.3cm   | 40.0oz/1134.0g | GR    | SW/SR  | FS/CS    | ZS     | 694.00   |
| 686      | 164224 | .357/.38 S&W | +P 6     | A2     | MD    | 6"BF/15.2cm    | 11-15/16"/30.3cm | 44.0oz/1247.4g | GR    | SW/SR  | FS/CS    | ZS     | 700.00   |
| 686PP    | 164272 | .357/.38 S&W | '+P 6    | A2     | MD    | 6"BP/15.2cm    | 11-3/8"/28.9cm   | 44.0oz/1247.4g | GR    | SA/SP  | FS/CS    | ZS     | 747.00   |
| 686 Plus | 164192 | .357/.38 S&W | '+P 7    | A2     | MD    | 2-1/2"BF/6.4cm | 7-1/2"/19.1cm    | 34.5oz/978.1g  | GR    | SW/SB  | FS/CS    | ZS     | 692.00   |
| 686 Plus | 164194 | .357/.38 S&W | +P 7     | A2     | MD    | 4"BF/10.2cm    | 9-9/16"/24.3cm   | 38.5oz/1091.5g | GR    | SW/SR  | FS/CS    | ZS     | 716.00   |
| 686 Plus | 164198 | .357/.38 S&W | '+P 7    | A2     | MD    | 6"BF/15.2cm    | 11-15/16"/30.3cm | 43.0oz/1219.1g | GR    | SW/SR  | FS/CS    | ZS     | 727.00   |




| Model  | SKU    | Caliber      | Capacity | Action | Frame | Barrel      | Overall Length | Weight         | Grips | Sights | Material | Finish | MSRP     |
|--------|--------|--------------|----------|--------|-------|-------------|----------------|----------------|-------|--------|----------|--------|----------|
| 625    | 160927 | .45 ACP      | 6        | A2     | LG    | 5"BF/12.7cm | 10-3/8"/26.4cm | 45.0oz/1275.8g | GR    | SA/SP  | FS/CS    | ZM     | \$817.00 |
| 625    | 160935 | .45 ACP      | 6        | A2     | LG    | 4"BF/10.2cm | 9-3/8"/23.8cm  | 43.0oz/1219.1g | GR    | SA/SP  | FS/CS    | ZM     | 817.00   |
| 625 JM | 160936 | .45 ACP      | 6        | A2     | LG    | 4"BF/10.2cm | 9-3/8"/23.8cm  | 43.0oz/1219.1g | GW    | SA/SP  | FS/CS    | ZS     | 845.00   |
| 629    | 163603 | .44Mag/.44S& | W 6      | A2     | LG    | 4"BT/10.2cm | 9-5/8"/24.4cm  | 41.5oz/1176.5g | GR    | SW/SR  | FS/CS    | ZS     | 787.00   |
| 629    | 163606 | .44Mag/.44S& | W 6      | A2     | LG    | 6"BT/15.2cm | 11-5/8"/29.5cm | 45.0oz/1289.9g | GR    | SW/SR  | FS/CS    | ZS     | 810.00   |



| SKU    | Caliber C                            | apacity  | Action   | Frame   | Barrel   | Overall Length   | Weight  | Grips  | Sights  | Material  | Finish  | MSRP   |
|--------|--------------------------------------|--|--|---|--|--|---|--|---|---|---|--|
| 163636 | .44Mag/.44S&W                        | 1 6  | A2   | LG  | 5"BF/12.7cm  | 10-1/2"/26.7cm   | 45.5oz/1289.9g  | GR   | SA/SP   | FS/CS   | ZS  | \$843.00   |
| 163624 | .44Mag/.44S&W                        | 16   | A2   | LG  | 6-1/2"BP/16.5cm  | 12"/30.5cm   | 54.5oz/1545.1g  | GR   | SA/SP   | FS/CS   | ZS  | 843.00   |
| 163638 | .44Mag/.44S&W                        | 16   | A2   | LG  | 6-1/2"BF/16.5cm  | 12"/30.5cm   | 49.5oz/1403.3g  | GR   | SA/SW   | FS/CS   | ZS  | 869.00   |
| 163640 | .44Mag/.44S&W                        | 16   | A2   | LG  | 8-3/8"BF/21.3cm  | 13-7/8"/35.2cm   | 53.5oz/1516.7g  | GR   | SW/SP   | FS/CS   | ZS  | 871.00   |
| 163698 | .44Mag/.44S&W                        | 16   | A2   | LG  | 6-1/2"BF/16.5cm  | 12"/30.5cm   | 49.5oz/1403.3g  | GR   | SA/SH   | FS/CS   | ZS  | 894.00   |
| 163946 | .41 Rem. Mag                         | 6  | A2   | LG  | 7-1/2"BF/19.1cm  | 11-7/8"/30.2cm   | 52.0oz/1474.2g  | GR   | SA/SB   | FS/CS   | ZS  | 774.00   |
|        | 163624<br>163638<br>163640<br>163698 | 163636 .44Mag/.44S&W<br>163624 .44Mag/.44S&W<br>163638 .44Mag/.44S&W<br>163640 .44Mag/.44S&W<br>163698 .44Mag/.44S&W | 163636 .44Mag/.44S&W 6<br>163624 .44Mag/.44S&W 6<br>163638 .44Mag/.44S&W 6<br>163640 .44Mag/.44S&W 6<br>163698 .44Mag/.44S&W 6 | 163636 .44Mag/.44S&W 6 A2<br>163624 .44Mag/.44S&W 6 A2<br>163638 .44Mag/.44S&W 6 A2<br>163640 .44Mag/.44S&W 6 A2<br>163698 .44Mag/.44S&W 6 A2 | 163636 .44Mag/.44S&W 6 A2 LG<br>163624 .44Mag/.44S&W 6 A2 LG<br>163638 .44Mag/.44S&W 6 A2 LG<br>163640 .44Mag/.44S&W 6 A2 LG<br>163698 .44Mag/.44S&W 6 A2 LG | 163636       .44Mag/.44S&W       6       A2       LG       5"BF/12.7cm         163624       .44Mag/.44S&W       6       A2       LG       6-1/2"BP/16.5cm         163638       .44Mag/.44S&W       6       A2       LG       6-1/2"BF/16.5cm         163640       .44Mag/.44S&W       6       A2       LG       8-3/8"BF/21.3cm         163698       .44Mag/.44S&W       6       A2       LG       6-1/2"BF/16.5cm | 163636       .44Mag/.44S&W       6       A2       LG       5"BF/12.7cm       10-1/2"/26.7cm         163624       .44Mag/.44S&W       6       A2       LG       6-1/2"BP/16.5cm       12"/30.5cm         163638       .44Mag/.44S&W       6       A2       LG       6-1/2"BF/16.5cm       12"/30.5cm         163640       .44Mag/.44S&W       6       A2       LG       8-3/8"BF/21.3cm       13-7/8"/35.2cm         163698       .44Mag/.44S&W       6       A2       LG       6-1/2"BF/16.5cm       12"/30.5cm | 163636     .44Mag/.44S&W     6     A2     LG     5"BF/12.7cm     10-1/2"/26.7cm     45.5oz/1289.9g       163624     .44Mag/.44S&W     6     A2     LG     6-1/2"BP/16.5cm     12"/30.5cm     54.5oz/1545.1g       163638     .44Mag/.44S&W     6     A2     LG     6-1/2"BF/16.5cm     12"/30.5cm     49.5oz/1403.3g       163640     .44Mag/.44S&W     6     A2     LG     8-3/8"BF/21.3cm     13-7/8"/35.2cm     53.5oz/1516.7g       163698     .44Mag/.44S&W     6     A2     LG     6-1/2"BF/16.5cm     12"/30.5cm     49.5oz/1403.3g | 163636         .44Mag/.44S&W         6         A2         LG         5"BF/12.7cm         10-1/2"/26.7cm         45.5oz/1289.9g         GR           163624         .44Mag/.44S&W         6         A2         LG         6-1/2"BP/16.5cm         12"/30.5cm         54.5oz/1545.1g         GR           163638         .44Mag/.44S&W         6         A2         LG         6-1/2"BF/16.5cm         12"/30.5cm         49.5oz/1403.3g         GR           163640         .44Mag/.44S&W         6         A2         LG         8-3/8"BF/21.3cm         13-7/8"/35.2cm         53.5oz/1516.7g         GR           163698         .44Mag/.44S&W         6         A2         LG         6-1/2"BF/16.5cm         12"/30.5cm         49.5oz/1403.3g         GR | 163636         .44Mag/.44S&W         6         A2         LG         5"BF/12.7cm         10-1/2"/26.7cm         45.5oz/1289.9g         GR         SA/SP           163624         .44Mag/.44S&W         6         A2         LG         6-1/2"BP/16.5cm         12"/30.5cm         54.5oz/1545.1g         GR         SA/SP           163638         .44Mag/.44S&W         6         A2         LG         6-1/2"BF/16.5cm         12"/30.5cm         49.5oz/1403.3g         GR         SA/SW           163640         .44Mag/.44S&W         6         A2         LG         8-3/8"BF/21.3cm         13-7/8"/35.2cm         53.5oz/1516.7g         GR         SW/SP           163698         .44Mag/.44S&W         6         A2         LG         6-1/2"BF/16.5cm         12"/30.5cm         49.5oz/1403.3g         GR         SA/SH | 163636         .44Mag/.44S&W         6         A2         LG         5"BF/12.7cm         10-1/2"/26.7cm         45.5oz/1289.9g         GR         SA/SP         FS/CS           163624         .44Mag/.44S&W         6         A2         LG         6-1/2"BF/16.5cm         12"/30.5cm         54.5oz/1545.1g         GR         SA/SP         FS/CS           163638         .44Mag/.44S&W         6         A2         LG         6-1/2"BF/16.5cm         12"/30.5cm         49.5oz/1403.3g         GR         SA/SW         FS/CS           163640         .44Mag/.44S&W         6         A2         LG         8-3/8"BF/21.3cm         13-7/8"/35.2cm         53.5oz/1516.7g         GR         SW/SP         FS/CS           163698         .44Mag/.44S&W         6         A2         LG         6-1/2"BF/16.5cm         12"/30.5cm         49.5oz/1403.3g         GR         SA/SH         FS/CS | 163636         .44Mag/.44S&W 6         A2         LG         5"BF/12.7cm         10-1/2"/26.7cm         45.5oz/1289.9g         GR         SA/SP         FS/CS         ZS           163624         .44Mag/.44S&W 6         A2         LG         6-1/2"BP/16.5cm         12"/30.5cm         54.5oz/1545.1g         GR         SA/SP         FS/CS         ZS           163638         .44Mag/.44S&W 6         A2         LG         6-1/2"BF/16.5cm         12"/30.5cm         49.5oz/1403.3g         GR         SA/SW         FS/CS         ZS           163640         .44Mag/.44S&W 6         A2         LG         8-3/8"BF/21.3cm         13-7/8"/35.2cm         53.5oz/1516.7g         GR         SW/SP         FS/CS         ZS           163698         .44Mag/.44S&W 6         A2         LG         6-1/2"BF/16.5cm         12"/30.5cm         49.5oz/1403.3g         GR         SA/SH         FS/CS         ZS |



| Model | SKU    | Caliber | Capacity | Action | Frame | Barrel          | Overall Length | Weight         | Grips | Sights | Material | Finish | MSRP      |
|-------|--------|---------|----------|--------|-------|-----------------|----------------|----------------|-------|--------|----------|--------|-----------|
| 500   | 163500 | 500 S&W | 5        | A2     | XL    | 8-3/8"B2/21.3cm | 15"/38.1cm     | 72.5oz/2055.4g | GR    | SA/SC  | FS/CS    | ZS     | \$1130.00 |
|       |        |         |          |        |       |                 |                |                |       |        |          |        |           |
| 500   | 163501 | 500 S&W | 5        | A2     | XL    | 8-3/8"B2/21.3cm | 15"/38.1cm     | 72.5oz/2055.4g | GR    | SA/SH  | FS/CS    | ZS     | 1234.00   |
|       |        |         |          |        |       |                 |                |                |       |        |          |        |           |
| 500   | 153504 | 500 S&W | 5        | A2     | XL    | 4"B2/10.2cm     | 10-1/4"/26.0cm | 56.0oz/1587.6g | GR    | SA/SR  | FS/CS    | ZS     | 1196.00   |
|       |        |         |          |        |       |                 |                |                |       |        |          |        |           |
| 460   | 163460 | 460 S&W | 5        | A2     | XL    | 8-3/8"B2/21.3cm | 15"/38.1cm     | 72.5oz/2055.4g | GR    | SA/SH  | FS/CS    | ZS     | 1253.00   |





|          |          |              |        |    |    |                |                |                |    | 9     |       |    |           |
|----------|----------|--------------|--------|----|----|----------------|----------------|----------------|----|-------|-------|----|-----------|
| 327      | 170245   | .357/.38 S&W | / +P 8 | A2 | LG | 2"/5.1cm       | 7"/17.8cm      | 21.0oz/595.3g  | GW | SF/SR | FA    | ZB | \$1226.00 |
| 500      | 170231   | 500 S&W Mag  | g 5    | A2 | XL | 10-1/2"/26.7cm | 10-1/2"/26.7cm | 82.0oz/2324.7g | GR | SA/SR | FS    | ZS | 1391.00   |
| 627      | 170210   | .357/.38 S&W | / +P 8 | A2 | LG | 5"/12.7cm      | 9-1/2"/24.1cm  | 44.0oz/1247.4g | GW | SA/SG | FS    | ZM | 1161.00   |
| SW1911   | 170243   | .45 ACP      | 8+1    | AS | LG | 5"/12.7cm      | 8-3/4"/22.2cm  | 41.0oz/1162.4g | GW | SA/SV | FM/DM | ZL | 2272.00   |
| SW1911 D | к 170257 | .38 Super    | 10+1   | AS | LG | 5"/12.7cm      | 8.7"/22.1cm    | 41.5oz/1176.5g | GW | SA/SV | FS/DS | ZT | 2320.00   |
|          |          |              |        |    |    |                |                |                |    |       |       |    |           |



| Model  | SKU    | Caliber | Capacity | Action | Frame | Barrel        | Overall Length | Weight         | Grips | Sights | Material | Finish | MSRP      |
|--------|--------|---------|----------|--------|-------|---------------|----------------|----------------|-------|--------|----------|--------|-----------|
| 629    | 170181 | .44 Mag | 6        | A2     | LG    | 7-1/2"/19.1cm | 12.6"/32.0cm   | 52.2oz/1479.9g | GW    | SA/SR  | FS       | ZM     | \$1189.00 |
| SW1911 | 170258 | .45 ACP | 8+1      | AS     | LG    | 5"/12.7cm     | 8.7"/22.1cm    | 41.0oz/1162.3g | GW    | SA/SV  | FS/DS    | ZS     | 2112.00   |
| SW1911 | 170261 | .45 ACP | 8+1      | AS     | LG    | 5"/12.7cm     | 8.7"/22.1cm    | 41.0oz/1162.3g | GW    | SA/SV  | FS/DS    | ZT     | 2112.00   |
| 952    | 170244 | 9mm     | 9+1      | AS     | LG    | 5"/12.7cm     | 8-3/4"/22.2cm  | 41.0oz/1162.4g | GW    | SA/SV  | FS       | ZS     | 2032.00   |
| 945    | 170173 | .45 ACP | 8+1      | AS     | LG    | 5"/12.7cm     | 8-3/4"/22.2cm  | 40.5oz/1148.2g | GW    | SA/SV  | FS/DS    | ZT     | 2086.00   |
|        |        |         |          |        |       |               |                | _              |       |        |          |        |           |

# Smith & Wesson Performance Center® Custom Services

New and past Smith & Wesson handgun purchasers always have the opportunity to enhance the performance of a new model, or tune up an older model, through Smith & Wesson Performance Center® Gunsmithing Services. The same master gunsmiths that are acclaimed for the quality and performance of Performance Center handguns apply their expertise to the upgrading, enhancement and refreshing of old and new revolvers and pistols. A variety of gunsmithing services and packages are available and, because it is through Smith & Wesson, your warranty remains fully intact. To discuss Smith & Wesson Performance Center Services call 1-800-331-0852.

### Gunsmithing Services and Packages:

### Pistol (3rd Generation)\*

- Polish Ramp and Hood
- Tune Action
- Install New Magazine Springs
- Test Fire

#### Revolver Performance Package\*

- Install Trigger Stop
- Chamfer Charge Holes
- Polish Rebound Spring and Hammer Stud Boss
- Detail Lockwork Surfaces
- Stone Hammer and Trigger Contact Areas

#### **Revolver Custom Carry Package**

- Includes Bobbed Hammer for D.A. Only
- Reset Barrel and Cylinder Gap, Chamfer Charge Holes, Radius Trigger
- Polish Rebound, Rebound Spring, Hammer Stud Boss, Yoke Barrel Bosses and Forcing Cone
- Detail Lockwork Surfaces
- Stone Hammer and Trigger Contact Areas
- Install Trigger Stop and Duty Action Mainspring

#### Restoration Package (1958 and later)

- Re-blue, Re-nickel or Re-polish stainless
- Install New Lockwork
- Replace Stud as Needed

#### Model SW1911

- Many services are available, please call for information.
- \*Express Service Packages are designed for unaltered guns 1990 and newer. Major component replacement such as barrel, cylinder, frame or slide cannot be done as Express Service.














### **Custom Engraving**

From our very beginning we've been offering custom hand engraving, by some of America's finest master engravers, to our customers. We've been creating family heirlooms with one-of-a-kind designs – commemorating a special date, event or accomplishment. Whether you have a specific design or choose to collaborate with our master engravers each handgun is hand- engraved to a beautiful finish with the finest workmanship possible. These engraving services can be applied to newly ordered guns or any handgun in your personal collection. Let us turn today's handgun into tomorrow's treasure. To discuss custom hand engraving call 1-800-331-0852.

41



### Handcuffs

When you put a pair of handcuffs on a suspect, only one word can describe your expectations... confidence. Confidence in the strength, quality, and reliability will keep you safe and the suspect secure. If you are using Smith & Wesson handcuffs you can be completely confident.

Smith & Wesson handcuffs are made with the finest carbon or stainless steel. All handcuffs. restraint chains and leg irons feature heat-treated internal lock works with double locks to prevent tampering. All of our handcuffs and restraints meet the NIJ Standard for strength. For the extra large or small suspect our Model 1 Handcuffs are universal sized - opening 12% larger and closing smaller than standard handcuffs. Confidence...that's why Smith & Wesson is the world leader in handcuffs and restraints.



### Model 1 Nickel

Model 1 Handcuffs. Universal sized handcuffs open 12% larger and close 11% smaller than standard handcuffs. SKU: 350132



### Model 100 Nickel

Model 100 handcuffs meet NIJ Standard 0307.01 SKU: 350103



Model 300 handcuffs meet NIJ Standard 0307.01 SKU: 350095



# Handcuffs

www.smitb-wesson.com

| Model Number                | 1     | 100   | 300   | 110    | 103   | 104   | 1900   |  |
|-----------------------------|-------|-------|-------|--------|-------|-------|--------|--|
| Wrist Opening               | 2.40" | 2.04" | 2.03" | 2.80"  | 2.03" | 2.03" | 2.80"  |  |
| Fist Notch Inside Perimeter | 9.40" | 8.40" | 8.10" | 10.90" | 8.10" | 8.10" | 10.90" |  |
| Last Notch Inside Perimeter | 5.80" | 5.80" | 5.80" | 8.10"  | 5.80" | 5.80" | 8.10"  |  |
| Tightest Inside Width       | 1.60" | 1.80" | 1.80" | 2.50"  | 1.80" | 1.80" | 2.50"  |  |
| Weight - (ounces)           | 12.0  | 10.0  | 10.0  | 18.0   | 10.0  | 10.0  | 22.0   |  |
| Locking Positions           | 31    | 23    | 23    | 24     | 23    | 23    | 24     |  |
| Distance Between Cuffs      | 2.00" | 2.00" | 2.00" | 2.00"  | 2.00" | 2.00" | 17.30" |  |
| Maximum Overall Length      | 9.85" | 8.98" | 8.13" | 11.24" | 8.98" | 8.98" | 25.63" |  |

# Smith & Wesson® Academy Smith & Wesson Shooting Sports Center and Retail Store

## Smith & Wesson® Academy

For over 35 years the Smith & Wesson Academy has been considered one of America's finest training facilities by our nation's law enforcement agencies. Law enforcement personnel from every state and over 50 foreign countries have come to the Springfield, Massachusetts facility to receive state-of-the-art instruction, to prepare for and exceed the demanding needs of law enforcement. The academy's superior training gives today's police force the tools necessary to handle tomorrow's most extreme situations. To discuss your needs call the Smith & Wesson Academy at (413) 846-6461.

# **Smith & Wesson® Shooting Sports Center**

The Smith & Wesson Shooting Center offers a full range of shooting instruction and activities for the civilian community. Whether the need is for initial qualification for licensing, improved proficiency or expert guidance, the many training ranges and 20 lane rental range deliver a total shooting experience. You'll feel at home on the Smith & Wesson range.



### Smith & Wesson® Retail Store

Within the Smith & Wesson Shooting Center is the Smith & Wesson Retail Store. Fully stocked with Smith & Wesson's finest handguns, ammunition and quality shooting supplies, the retail store supports a total shooting experience. With an extensive collection of Smith & Wesson gear - from apparel to sporting goods to collectibles - a shooter can fully outfit themselves with the quality that Smith & Wesson is known for. For complete details about Smith & Wesson's Shooting Center and Retail Store, call (413) 846-6400.



