



TOUGH SHOTS. ROUGH PLACES.

4424
4422
4421
55'
4420
4419
4418
4417
50 000
FEET



2013 PRODUCT CATALOG



WEAVER'S GRAND SLAM STRIKES AGAIN!
OUR ENHANCED SERIES OF SCOPES HAS ARRIVED.

SLEEK AND SEXY. EXCEPTIONAL PERFORMANCE. FIVE RETICLE OPTIONS.



UNIQUELY MILLED TURRET CAP AND EYEPIECE GRIPS.



ONE-PIECE, MACHINED ALUMINUM, OCULAR-ADJUSTMENT EYEPIECE.



WEAVER'S ENHANCED MICRO TRAC[®] ERECTOR SYSTEM FOR
 PRECISE WINDAGE AND ELEVATION ADJUSTMENTS.

*See the technology
 backing these new
 scopes on page 44.*

TECHNICAL RENDERINGS

OPTICS

ENHANCED GRAND SLAM	4-5
SUPER SLAM	6-7
SUPER SLAM EURO-STYLE	8-9
TACTICAL	10-11
CLASSIC V-SERIES	12-13
CLASSIC K-SERIES	14-15
CLASSIC RIMFIRE	16-17
CLASSIC T-SERIES	18-19
CLASSIC HANDGUN	20-21
40/44 SERIES	22-23
KASPA HUNTING SERIES	24-25
KASPA TACTICAL SERIES	26-27
DOT SIGHTS	28-29
.....	
CLASSIC SPOTTING SCOPE	30-31
SUPER SLAM BINOCULARS	32-33
GRAND SLAM BINOCULARS	34-35
CLASSIC BINOCULARS	36-37
.....	
LASER RANGEFINDERS	38-39

BUCK COMMANDER

SCOPES	40-41
BINOCULARS	42-43

WEAVER DIFFERENCE

MICRO-TRAC SYSTEM	44
-------------------	----

ACCESSORIES

ACCESSORIES/OPTIC GEAR	45
------------------------	----

GUNSMITH TOOLS & KITS

TOOL & KITS	46-47
-------------	-------

TACTICAL

RINGS/MOUNTS/BASES	48-51
--------------------	-------

MOUNTS/RINGS/BASES

TACTICAL-STYLE	52-53
PISTOL/SHOTGUN/SCOUT	54
MUZZLELOADER	55
STEEL TOP MOUNT	56-57
QUAD/LEVER/STEEL LOCK	58
.22 TIP-OFF	59
DETACHABLE	60-61
ALUMINUM BASES	62
RING HEIGHT GUIDES	62

CHARTS

PRODUCT/MOUNTING CHARTS	63-69
-------------------------	-------

SIMMONS

RINGS	70-71
-------	-------

REDFIELD

RINGS & BASES	72
MOUNT CHARTS	73-75



WE APPRECIATE OUR AMERICAN WORKFORCE. LOOK FOR OUR "MADE IN THE U.S.A." ICON STAMPED THROUGHOUT THIS CATALOG.

PRICING

PRICES LISTED IN THIS CATALOG ARE THE MANUFACTURER'S SUGGESTED RETAIL PRICE (MSRP). PRICES SUBJECT TO CHANGE.


FOR WARRANTY DETAILS, VISIT WEAVEROPTICS.COM.




GRAND SLAM RIFlescOPES

NEW!
AND IMPROVED


NEW!
HIGH-PRECISION
MICRO-TRAC®
ADJUSTMENT




DUAL-X




BALLISTIC-X



ENHANCED
BALLISTIC-X
(EB-X)



ENHANCED BALLISTIC-X
CALIBRATED FOR
SHOTGUN/MUZZELOADER
(SH/MZ EB-X)



VARMINT EB-X



GRAND SLAM RIFlescOPES THE CLEAR CHOICE

SEND ROUNDS DOWNRANGE WITH TACK-DRIVING ACCURACY THANKS TO THE NEW AND IMPROVED GRAND SLAM® SERIES. AS THE FLAGSHIP SERIES OF THE WEAVER LINEUP, GRAND SLAM SCOPES HAVE JUST UNDERGONE A COMPLETE TRANSFORMATION—INSIDE AND OUT—FROM ADVANCEMENTS TO THE LEGENDARY MICRO-TRAC® ERECTOR SYSTEM TO A FRESH, SLEEK EXTERIOR LOOK AND FEEL.

WEAVER'S NEWLY REDESIGNED GRAND SLAM® SERIES FEATURES CUTTING-EDGE, MODERN GRAPHICS AND HIGH-PRECISION TECHNOLOGY. THE REVAMPED HIGH-PRECISION MICRO-TRAC® ADJUSTMENT SYSTEM DELIVERS RELIABLE AND REPEATABLE ADJUSTMENT OF WINDAGE/ELEVATION THAT WON'T FALTER UNDER HEAVY RECOIL AND ROUGH USE. RUGGED, VERSATILE AND PACKED WITH ADVANCED TECHNOLOGY TO GIVE SHOOTERS THE BEST SHOOTING EXPERIENCE, WEAVER GRAND SLAM IS REDEFINING THE RIFLESCOPE MARKET. AND WITH EXPANDED RETICLE OFFERINGS, SHOOTERS EVERYWHERE HAVE ADDITIONAL CHOICES FOR THE WOODS, SWAMPS AND OPEN PLAINS.

FEATURES & BENEFITS

- 1-inch tubes
- Fully multi-coated lenses for optimum edge-to-edge clarity
- Argon purged tubes eliminates internal fogging
- Rugged one piece tube construction
- Waterproof / fog-proof / shockproof
- Side focus parallax adjustments (select models)
- High-precision Micro-trac® adjustment system

SPECIFICATIONS

MODEL	DESCRIPTION POWER, OBJECTIVE	SPECIAL FEATURES	FINISH	RETICLE	EXIT PUPIL (MM)	FIELD OF VIEW FT @ 100 YDS/M @ 100M	EYE RELIEF (IN./MM)	LENGTH (IN./MM)	CLICK VALUE MOA	ADJUSTMENT RANGE MOA
NEW! 800610	2-8x36		Matte	Dual-X	13.7-4.6	49.1-12.6/16.4-4.2	3.46-3.31/88-84	10.9/277	1/4	80
NEW! 800612	2-8x36		Matte	SH/MZ EB-X	13.7-4.6	49.1-12.6/16.4-4.2	3.46-3.31/88-84	10.9/277	1/4	80
NEW! 800614	2-8x36		Matte	Ballistic-X	13.7-4.6	49.1-12.6/16.4-4.2	3.46-3.31/88-84	10.9/277	1/4	80
NEW! 800620	3-12x42	Side Focus	Matte	Dual-X	13.6-3.5	33.0-8.4/11-2.8	3.46-3.19/88-81	11.9/303	1/4	60
NEW! 800624	3-12x42	Side Focus	Matte	EB-X	13.6-3.5	33.0-8.4/11-2.8	3.46-3.19/88-81	11.9/303	1/4	60
NEW! 800640	3-12x50	Side Focus	Matte	Dual-X	13.6-4.2	32.7-8.4/10.9-2.8	3.46-3.19/88-81	12.6/320	1/4	60
NEW! 800644	3-12x50	Side Focus	Matte	EB-X	13.6-4.2	32.7-8.4/10.9-2.8	3.46-3.19/88-81	12.6/320	1/4	60
NEW! 800650	4-16x44	Side Focus	Matte	Dual-X	10.8-2.8	23.4-6.3/7.8-2.1	3.46-3.15/88-80	11.0/279	1/4	40
NEW! 800654	4-16x44	Side Focus	Matte	EB-X	10.8-2.8	23.4-6.3/7.8-2.1	3.46-3.15/88-80	11.0/279	1/4	40
NEW! 800656	4-16x44	Side Focus	Matte	Varmint EB-X	10.8-2.8	23.4-6.3/7.8-2.1	3.46-3.15/88-80	11.0/279	1/4	40


NOTE: Weight values not available at time of print.




TOUGH SHOTS. ROUGH PLACES.



A portion of the proceeds of every Grand Slam scope sold goes to benefit the Rocky Mountain Elk Foundation.



SUPERSLAM RIFLESCOPES



2-10 x 50
800325



1-5 x 24
849352



SUPER SLAM RIFLESCOPES THE CLEAR CHOICE

AS THE PREMIER SERIES OF THE WEAVER OPTICS BRAND, THE SUPER SLAM LINE OFFERS HUNTERS AND SHOOTERS THE FEATURES THEY NEED WHEN FACED WITH THE MOST ADVERSE CONDITIONS AND SITUATIONS.

THE SUPER SLAM® SERIES FROM WEAVER. ENGINEERED TO MEET THE STRICT STANDARDS OF THE LEGENDARY WEAVER NAME, THE SUPER SLAM SCOPES ARE LOADED WITH ALL THE LATEST TECHNOLOGICAL ADVANCES OF MODERN HIGH-END OPTICS. IF YOU KNOW AND TRUST THE WEAVER NAME, YOU'LL BE IMPRESSED WITH THIS LINE OF PREMIER RIFLESCOPES DESIGNED FOR THE SERIOUS BIG GAME HUNTER AND SHOOTER.

MAXIMIZE ENHANCED BALLISTIC-X (EB-X) RETICLE PERFORMANCE WITH OUR BALLISTIC CHART FOUND AT WEAVEROPTICS.COM

FEATURES & BENEFITS

- 1-inch tubes (No. 849352 Dangerous Game has 30mm tube)
- Fully multi-coated lenses with extra hard coating on exterior lenses
- Powerful 5 times optical zoom
- Waterproof / shockproof / fogproof
- Side focus parallax adjustment (select models)
- Reset-to-zero, pull-up turrets
- Argon purged tubes to eliminate internal fogging

SPECIFICATIONS

MODEL	DESCRIPTION POWER, OBJECTIVE	SPECIAL FEATURES	FINISH	RETICLE	EXIT PUPIL (MM)	FIELD OF VIEW FT @ 100 YDS/M @ 100M	EYE RELIEF (IN./MM)	LENGTH (IN./MM)	CLICK VALUE MOA	ADJUSTMENT RANGE MOA	WEIGHT (OZ./G)
849352	1-5 x 24	Dangerous Game	Matte	Heavy Dual-X	11.4-4.9	100-19.9/33.3-6.6	4.25-4.17/108-106	10.31/262	1/4	60	14.8/420
800310	2-10 x 42		Matte	Dual-X	10.53-3.82	49.1-9.9/16.4-3.3	4.09-3.94/104-100	13.19/335	1/4	50	19.0/539
800315	2-10 x 42		Matte	EB-X	10.53-3.82	49.1-9.9/16.4-3.3	4.13-3.98/105-101	13.19/335	1/4	50	19.0/539
800320	2-10 x 50		Matte	Dual-X	10.5-4.4	48.1-9.7/16-3.2	4.13-3.98/105-101	14.09/358	1/4	50	21.9/621
800325	2-10 x 50		Matte	EB-X	10.5-4.4	48.1-9.7/16-3.2	4.13-3.98/105-101	14.09/358	1/4	50	21.9/621
800330	3-15 x 42	Side Focus	Matte	Dual-X	10.5-2.34	33.1-6.6/11.-2.2	3.98-3.98/101-101	13.39/340	1/4	40	20.8/590
800335	3-15 x 42	Side Focus	Matte	EB-X	10.5-2.34	33.1-6.6/11.-2.2	3.98-3.98/101-101	13.43/341	1/4	40	20.8/590
800340	3-15 x 50	Side Focus	Matte	Dual-X	10.52-3.32	33.9-6.8/11.3-2.3	3.98-3.94/101-100	13.19/335	1/4	40	23.5/666
800345	3-15 x 50	Side Focus	Matte	EB-X	10.52-3.32	33.9-6.8/11.3-2.3	3.98-3.94/101-100	13.19/335	1/4	40	23.5/666
800348	3-15 x 50	Side Focus	Matte	ill. Dual-X	10.52-3.32	33.9-6.8/11.3-2.3	3.98-3.94/101-100	13.19/335	1/4	40	24.1/683
800350	4-20 x 50	Side Focus	Matte	Dual-X	10.5-2.44	24.5-4.9/8.2-1.6	3.98-3.94/101-100	13.31/338	1/8	34	24.0/680
800355	4-20 x 50	Side Focus	Matte	EB-X	10.5-2.44	24.5-4.9/8.2-1.6	3.98-3.98/101-101	13.31/338	1/8	34	24.0/680



TOUGH SHOTS. ROUGH PLACES.



A portion of the proceeds of every Super Slam scope sold goes to benefit the Rocky Mountain Elk Foundation.



TOUGH SHOTS. ROUGH PLACES.



A portion of the proceeds of every Super Slam scope sold goes to benefit the Rocky Mountain Elk Foundation.

SUPERSLAM EURO-STYLE RIFLESCOPES



DUAL-X



ILLUMINATED GERMAN #4



ILLUMINATED CROSSHAIR GERMAN #4



**1.5-6 x 24
800375**



**3-9 x 56
800378**



SUPER SLAM EURO-STYLE RIFLESCOPES THE CLEAR CHOICE

OUR EURO-STYLE MODELS PROVIDE THE SAME POWERFUL WEAVER SUPER SLAM TECHNICAL PERFORMANCE DELIVERED IN A LARGER 30MM TUBE, AND OFFERED WITH SEVERAL SPECIALIZED RETICLE OPTIONS.

FEATURES & BENEFITS


- Same great features as the 1-inch tube Super Slams
- 30mm tubes (Euro-Style)
- First focal plane reticles
- Illuminated reticles (select models)
- Side focus parallax adjustment (select models)

SPECIFICATIONS


MODEL	DESCRIPTION POWER, OBJECTIVE	SPECIAL FEATURES	FINISH	RETICLE	EXIT PUPIL (MM)	FIELD OF VIEW FT @ 100 YDS/M @ 100M	EYE RELIEF (IN./MM)	LENGTH (IN./MM)	CLICK VALUE MOA	ADJUSTMENT RANGE MOA	WEIGHT (OZ./G)
800375	1.5-6 x 24		Matte	ill. German #4	13-4.4	62.6-16/20.9-5.3	3.82-3.7/97-94	10.04/255	1/4	60	19.9/564
800378	3-9 x 56		Matte	ill. German #4	13-5.94	30.9-10.2/10.3-3.4	3.82-3.82/97-97	14.57/370	1/4	40	28.6/811
800370	4-20 x 50	Side Focus	Matte	Dual-X	9.52-2.44	25.1-5/8.4-1.7	3.94-3.98/100-101	14.88/378	1/4	40	28.0/794
800373	4-20 x 50	Side Focus	Matte	ill. Crosshair German #4	9.52-2.44	25.1-5/8.4-1.7	3.94-3.98/100-101	14.88/378	1/4	40	28.4/805




TOUGH SHOTS. ROUGH PLACES.




MIL DOT



ILLUMINATED CIRT
(CLOSE-INTERMEDIATE RANGE TACTICAL)



ILLUMINATED EMDR
(ENHANCED MILDOT RANGING)



ILLUMINATED MDR
(EXTREME MILDOT RANGING)



TACTICAL

TACTICAL THE CLEAR CHOICE

IF YOUR "DAY AT THE OFFICE" INCLUDES A DRAG BAG INSTEAD OF A BRIEFCASE; A MIL DOT INSTEAD OF A MOUSE; OR A DOOR BREACH INSTEAD OF A BOARDROOM, THEN WEAVER TACTICAL RIFlescOPES ARE RIGHT UP YOUR BACK-ALLEY. OUR TACTICAL SCOPES ARE OPTICS FOR THOSE WHO VALUE MOLLE OVER ARMANI.

FEATURES & BENEFITS

- 30mm tubes for greater range of adjustment
- Illuminated reticles (select models)
- First focal plane reticles
- Waterproof / shockproof / fogproof
- Side focus parallax adjustment (select models)
- Reset-to-zero turrets
- Argon purged tubes to eliminate internal fogging



FOR THOSE INVOLVED IN THE SERIOUS EFFORT OF PROTECTING LIFE AND LIBERTY—BOTH HERE AND ABROAD—WEAVER IS PROUD TO OFFER RUGGED RIFlescOPES DESIGNED SPECIFICALLY FOR TACTICAL APPLICATIONS. AS PART OF THE SUPER SLAM® SERIES, THESE TACTICAL SCOPES ARE MANUFACTURED TO THE STRICTEST TOLERANCES IN ORDER TO PERFORM IN THE HARSHTEST ENVIRONMENTS. ALL SCOPES IN OUR TACTICAL LINEUP FEATURE 30MM TUBES; ONE-PIECE TUBE CONSTRUCTION; POWERFUL 5 TIMES OPTICAL ZOOM; AND FULLY MULTI-COATED LENSES WITH EXTRA HARD COATING ON EXTERIOR LENSES.

S P E C I F I C A T I O N S

MODEL	DESCRIPTION POWER, OBJECTIVE	SPECIAL FEATURES	FINISH	RETICLE	EXIT PUPIL (MM)	FIELD OF VIEW FT @ 100 YDS/M @ 100M	EYE RELIEF (IN./MM)	LENGTH (IN./MM)	CLICK VALUE MOA OR MIL	ADJUSTMENT RANGE MOA	WEIGHT (OZ./G)
800364	1-5 x 24		Matte	ill. CIRT	11.4-4.9	104-21/34.67-7	3.35-3.43/85-87	10.31/262	1/4	90	14.5/411
800368	2-10 x 36		Matte	ill. MDR	10.6-3.5	50.2-10/16.7-3.3	3.9-3.9/99-99	13.10/333	0.1 MIL	100	25.2/714
800362	3-15 x 50	Side Focus	Matte	Mil Dot	10.52-3.34	33.9-6.8/11.3-2.3	3.98-3.98/101-101	13.50/343	1/4	70	27.5/780
800382	3-15 x 50	Side Focus	Matte	Mil Dot	10.52-3.34	33.9-6.8/11.3-2.3	3.98-3.98/101-101	13.50/343	0.1 MIL	70	27.5/780
800363	3-15 x 50	Side Focus	Matte	ill. EMDR	10.52-3.34	33.9-6.8/11.3-2.3	3.98-3.98/101-101	13.50/343	0.1 MIL	100	27.3/774
800360	4-20 x 50	Side Focus	Matte	Mil Dot	9.52-2.44	25.1-5/8.37-1.7	3.94-3.98/100-101	14.88/378	1/4	55	28.0/794
800380	4-20 x 50	Side Focus	Matte	Mil Dot	9.52-2.44	25.1-5/8.37-1.7	3.94-3.98/100-101	14.88/378	0.1 MIL	55	28.0/794



CLASSIC V-SERIES



CLASSIC V-SERIES THE CLEAR CHOICE

DOES THE "V" IN OUR V-SERIES STAND FOR VICTORY? OR DOES IT STAND FOR VISION? PERHAPS VENISON? GO AHEAD, FILL IN THE "V" WITH WHATEVER YOU WISH. ALL WE CAN SAY IS THAT OUR V-SERIES OFFERS SHOOTERS PROVEN PERFORMANCE AND TRUSTED SERVICE. MAYBE IT SHOULD STAND FOR "VALUABLE?"

BUILT TO DELIVER A LARGE FIELD OF VIEW, GENEROUS EYE RELIEF AND FAST POWER CHANGE ADJUSTMENTS, THE CLASSIC V-SERIES™ IS THE ULTIMATE IN VERSATILITY—HELPING HUNTERS SPOT GAME IN EARLY MORNING OR LATE EVENING SHADOWS. WEAVER ALSO OFFERS RETICLE OPTIONS THAT ENHANCE A SHOOTER'S ABILITY TO ESTIMATE DISTANCE AND MAKE THE SHOT. FOR THOSE LOOKING FOR MORE CHOICES IN A PROVEN LINE OF SCOPES, CHECK OUT THE WEAVER V-SERIES.

FEATURES & BENEFITS

- 1-inch tubes
- Fully multi-coated lenses
- Hard coating on exterior lenses
- Nitrogen purged tubes to eliminate internal fogging
- Waterproof/shockproof/fogproof


SPECIFICATIONS

MODEL	DESCRIPTION POWER, OBJECTIVE	SPECIAL FEATURES	FINISH	RETICLE	EXIT PUPIL (MM)	FIELD OF VIEW FT @ 100 YDS/M @ 100M	EYE RELIEF (IN./MM)	LENGTH (IN./MM)	CLICK VALUE MOA	ADJUSTMENT RANGE MOA	WEIGHT (OZ./G)
849400	1-3 x 20		Matte	Dual-X	14.3-6.7	87-29.5/29.0-9.8	4.13-3.66/105-93	9.15/232	1/4	50	8.5/241
849403	2-10 x 38		Matte	Ballistic-X	12.1-3.8	39-8.5/13.0-2.8	3.15-3.19/80-81	12.19/310	1/4	50	11/312
849406	2-10 x 38		Silver	Dual-X	12.1-3.8	39-8.5/13.0-2.8	3.15-3.19/80-81	12.19/310	1/4	50	11/312
849405	2-10 x 38		Matte	Dual-X	12.1-3.8	39-8.5/13.0-2.8	3.15-3.19/80-81	12.19/310	1/4	50	11/312
849399	2.5-7 x 32		Matte	Dual-X	11.6-4.6	40.3-14.6/13.4-4.9	3.62-3.35/92-85	10.98/279	1/4	50	10/283
849402	3-9 x 38		Matte	Dual-X	10.5-4.2	33.8-11.3/11.3-3.8	3.62-3.31/92-84	12.13/308	1/4	50	11.3/320
849407	4-16 x 42	AO; STT	Matte	Ballistic-X	10.5-2.7	26-6.8/8.7-2.3	3.23-3.15/82-80	14.02/356	1/4	40	16.8/476
849410	4-16 x 42	AO; STT	Matte	F/C Dot	10.5-2.7	26-6.8/8.7-2.3	3.23-3.15/82-80	14.02/356	1/4	40	16.8/476
849409	4-16 x 42	AO; STT	Matte	F/C	10.5-2.7	26-6.8/8.7-2.3	3.23-3.15/82-80	14.02/356	1/4	40	16.8/476
849408	4-16 x 42	AO; STT	Matte	Dual-X	10.5-2.7	26-6.8/8.7-2.3	3.23-3.15/82-80	14.02/356	1/4	40	16.8/476
849414	4-16 x 42	AO; STT	Matte	.223 Ballistic-X	10.5-2.7	26-6.8/8.7-2.3	3.23-3.15/82-80	14.02/356	1/4	40	16.8/476
849412	6-24 x 42	AO; STT	Matte	Mil Dot	7-1.75	15.3-4/5.1-1.3	3.74-3.15/95-80	13.94/354	1/8	26	17.6/499
849411	6-24 x 42	AO; STT	Matte	Varminter	7-1.75	15.3-4/5.1-1.3	3.74-3.15/95-80	13.94/354	1/8	26	17.6/499
849413	6-24 x 42	AO; STT	Matte	Ballistic-X	7-1.75	15.3-4/5.1-1.3	3.74-3.15/95-80	13.94/354	1/8	26	17.6/499
849416	6-24 x 42	AO; STT	Matte	.223 Ballistic-X	7-1.75	15.3-4/5.1-1.3	3.74-3.15/95-80	13.94/354	1/8	26	17.6/499

AO = Adjustable Objective, STT = Semi Target Turret



TOUGH SHOTS. ROUGH PLACES.



DUAL-X

CLASSIC K-SERIES



CLASSIC K-SERIES THE CLEAR CHOICE

BE SURE TO CHECK OUT THE LEGENDARY, CLASSIC—AN OLD FAVORITE FOR GENERATIONS—THE STEEL TUBE K4! THIS IS THE ONLY STEEL TUBE OFFERED BY WEAVER OPTICS. A SCOPE THAT IS REMINISCENT OF THE GOOD 'OLE DAYS...YET LOADED WITH MODERN OPTIC TECHNOLOGY.

CRAFTED FROM A ONE-PIECE AIRCRAFT-GRADE ALUMINUM TUBE, THE CLASSIC K-SERIES™ FIXED POWER SCOPES ARE BUILT TO TAKE HEAVY RECOIL PUNISHMENT AND HOLD ZERO TO 10,000 ROUNDS FROM A .375 H&H MAGNUM RIFLE. CLASSIC K-SERIES FIXED SCOPES PRESENT A CONSISTENT FIELD OF VIEW THAT'S PERFECT FOR OPEN FIELD HUNTING AND ARE AMONG THE EASIEST SCOPES ANY INSTINCTIVE SHOOTER WILL EVER USE REGARDLESS OF THE RANGE. CLASSIC K-SERIES ALSO FEATURE FULLY MULTI-COATED OPTICS THAT DRAMATICALLY INCREASE IMAGE BRIGHTNESS AND CONTRAST WHILE ELIMINATING GLARE.

FEATURES & BENEFITS


- 1-inch tubes
- Fixed power for rugged recoil
- One-piece tube construction
- Fully multi-coated lenses
- Aircraft-grade aluminum tubes (most models)

SPECIFICATIONS


MODEL	DESCRIPTION POWER, OBJECTIVE	SPECIAL FEATURES	FINISH	RETICLE	EXIT PUPIL (MM)	FIELD OF VIEW FT @ 100 YDS/M @ 100M	EYE RELIEF (IN./MM)	LENGTH (IN./MM)	CLICK VALUE MOA	ADJUSTMENT RANGE MOA	WEIGHT (OZ./G)
849417	4 x 28	Scout, 50 yd Parallax	Matte	Dual-X	7.0	8.5/2.8	9.45/240	9.17/233	1/4	50	7.0/198
849415	4 x 38		Matte	Dual-X	9.5	26.8/8.9	3.43/87	11.32/288	1/4	50	9.8/278
849419	4 x 38	Steel Tube	Gloss	Dual-X	9.5	26.8/8.9	3.43/87	11.34/288	1/4	50	15.3/434
849418	6 x 38		Matte	Dual-X	6.33	18.3/6.1	3.15/80	11.32/288	1/4	50	9.8/278
849440	8 x 56		Matte	Dual-X	7	12.8/3.9	3.5/89	13.5/342	1/4	50	17.0/482



TOUGH SHOTS. ROUGH PLACES.



TOUGH SHOTS. ROUGH PLACES.



DUAL-X

CLASSIC RIMFIRE



**3-9x32
849398**

**2.5-7x28
849432**



**2.5-7x28
849431**

CLASSIC RIMFIRE THE CLEAR CHOICE

FROM PUNCHING PAPER TO WHACKING VARMINTS, OUR CLASSIC RIMFIRE SERIES TRANSFORMS ANY RIMFIRE RIFLE INTO A TACK-DRIVING TOOL. SHOOTERS YOUNG AND OLD CAN VENTURE AFIELD IN SEARCH OF RIMFIRE ACTION KNOWING THAT WEAVER UNDERSTANDS YOUR PASSION...AND EVEN HAS A DEDICATED SCOPE FOR IT.

WEAVER TAKES RIMFIRE RIFLESCOPES AS SERIOUSLY AS ITS BIG GAME OPTICS. EVERY CLASSIC™ RIMFIRE SCOPE INCORPORATES MANY OF THE EXACT SAME FEATURES FOUND ON WEAVER'S TOP-OF-THE-LINE MODELS. DESIGNED WITH FULLY MULTI-COATED, REDUCED-GLARE LENSES THAT PRODUCE EDGE-SHARP, LOW-LIGHT BRIGHTNESS, EVEN IN THE DUSKIEST OF CONDITIONS. THE CLASSIC RIMFIRE IS ALSO BUILT TO WITHSTAND THE MULTI-DIRECTIONAL RECOIL FROM THE HEAVIEST SPRING-LOADED ADULT AIRGUNS. MOST SCOPES HAVE A PARALLAX SETTING OF 50 YARDS, IDEAL FOR RIMFIRE TARGET ACQUISITION AND ACCURACY.


FEATURES & BENEFITS

- 1-inch tubes
- Fully multi-coated lenses
- One-piece tube construction
- Engineered specifically for rimfire and airgun use
- Rugged, aircraft-grade aluminum
- Waterproof, fog-proof and shockproof


SPECIFICATIONS

MODEL	DESCRIPTION POWER, OBJECTIVE	SPECIAL FEATURES	FINISH	RETICLE	EXIT PUPIL (MM)	FIELD OF VIEW FT @ 100 YDS/M @ 100M	EYE RELIEF (IN./MM)	LENGTH (IN./MM)	CLICK VALUE MOA	ADJUSTMENT RANGE MOA	WEIGHT (OZ./G)
849431	2.5-7 x 28		Matte	Dual-X	9.9-4	40.3-14.6/13.4-4.9	3.62-3.35/92-85	11.00/279	1/4	50	9.8/278
849432	2.5-7 x 28		Silver	Dual-X	9.9-4	40.3-14.6/13.4-4.9	3.62-3.35/92-85	11.00/279	1/4	50	9.8/278
849398	3-9 x 32	AO; 100 Yard Parallax	Matte	Dual-X	10.6	33.2-11/11.1-3.7	3.58-3.23/91-82	11.50/292	1/4	50	12/340
849430	4 x 28		Matte	Dual-X	7.0	25.2/8.4	3.58/91	10.22/260	1/4	50	8.5/241

AO = Adjustable Objective



FINE CROSSHAIR



FINE CROSSHAIR 1/8 MOA DOT

CLASSIC T-SERIES



36 x 40
849981

24 x 40
849976

MICRO-TRAC[®]
ADJUSTMENT



36 x 40
849970

CLASSIC T-SERIES THE CLEAR CHOICE

RELY ON THE PRECISION POWER OF OUR EXCLUSIVE MICRO-TRAC[®] ADJUSTMENT SYSTEM AND ACHIEVE CLOVERLEAFS AT 200 YARDS. OUR T-SERIES ARE FIXED POWER SCOPES THAT BRING OUT THE BEST IN BOTH SHOOTER AND FIREARM. IF YOU HAVE LONG DISTANCE SKILL, YOU NEED A WEAVER T-SERIES TO BACK YOU UP.

WEAVER'S T-SERIES™ FIXED RIFlescOPES GIVE YOU COMPETITION-LEVEL ACCURACY YOU NEED TO BE DEAD ON, SHOT AFTER SHOT. EACH T-SERIES SCOPE FEATURES THE INCREDIBLY ACCURATE MICRO-TRAC[®] ADJUSTMENT SYSTEM THAT GIVES YOU MORE ACCURATE, COMPLETELY INDEPENDENT WINDAGE AND ELEVATION CONTROL. AN ADJUSTABLE OBJECTIVE PROVIDES PARALLAX-FREE SHOOTING – SO NO MATTER HOW OFF-CENTER YOUR EYEPIECE-TO-EYE ALIGNMENT IS, YOUR POINT OF IMPACT WON'T BE AFFECTED. FULLY MULTI-COATED OPTICS INCREASE BRIGHTNESS TO 94% AT 550NM. THESE SUPERIOR OPTICS PUNCH UP THE CONTRAST, ELIMINATE GLARE AND DELIVER UNPARALLELED CLARITY.

FEATURES & BENEFITS

- 1-inch tubes
- Fully multi-coated lenses
- A/O adjustment for parallax-free shooting
- Micro-trac system for precise windage/elevation control
- 1/8 MOA accuracy
- Includes a sunshade, screw-in metal lens caps and an extra pair of oversized benchrest adjustment knobs


SPECIFICATIONS

MODEL	DESCRIPTION POWER, OBJECTIVE	SPECIAL FEATURES	FINISH	RETICLE	EXIT PUPIL (MM)	FIELD OF VIEW FT @ 100 YDS/M @ 100M	EYE RELIEF (IN./MM)	LENGTH (IN./MM)	CLICK VALUE MOA	ADJUSTMENT RANGE MOA	WEIGHT (OZ./G)
849976	24 x 40	A/O; SunShade	Matte	F/C 1/8 Dot	1.67	4.5/1.5	2.99/76	15.04/382	1/8	40	16/454
849970	36 x 40	A/O; SunShade	Matte	F/C	1.1	3/1.0	3.09/78.5	15.04/382	1/8	40	17/482
849981	36 x 40	A/O; SunShade	Silver	F/C	1.1	3/1.0	3.09/78.5	15.04/382	1/8	40	17/482
849974	36 x 40	A/O; SunShade	Matte	F/C 1/8 Dot	1.1	3/1.0	3.09/78.5	15.04/382	1/8	40	17/482
849969	36 x 40	A/O; SunShade	Silver	F/C 1/8 Dot	1.1	3/1.0	3.09/78.5	15.04/382	1/8	40	17/482

A/O = Adjustable Objective



TOUGH SHOTS. ROUGH PLACES.



DUAL-X

CLASSIC HANDGUN



CLASSIC HANDGUN THE CLEAR CHOICE

HANDGUNNERS ARE A SPECIAL BREED. IT DOESN'T MATTER IF IT'S A HANDGUN HUNT FOR BIG WHITETAIL OR A BACK-UP REVOLVER ON A GRIZZLY HUNT, IF YOU BRING A HANDGUN INTO THE FIELD, WE HAVE SCOPES DESIGNED JUST FOR YOU. FROM SMALL RIMFIRES TO BIG BORES, EACH OF OUR CLASSIC HANDGUN SCOPES ARE ENGINEERED TO PERFORM NO MATTER WHAT HANDGUN YOU HAVE.

HANDGUNS DEMAND A SCOPE THAT IS BUILT TO WITHSTAND THE BRUTAL, SHOT-AFTER-SHOT POUNDING FROM TODAY'S MOST POWERFUL REVOLVERS AND SINGLE-SHOT PISTOLS. DESIGNED FOR THE TREMENDOUS RECOIL OF 1,000 ROUNDS FROM A .454 CASULL® REVOLVER, WEAVER'S CLASSIC™ HANDGUN SCOPES DELIVER THE GOODS ON RUGGED, RELIABLE, REPEATABLE ACCURACY. FULLY MULTI-COATED LENSES INCREASE BRIGHTNESS, ELIMINATE GLARE AND TRANSMIT CRISP, CLEAR, EDGE-TO-EDGE IMAGES. FEATURING A 50-YARD PARALLAX SETTING, THE FIXED POWER CLASSIC SCOPES PROVIDE UNLIMITED EYE RELIEF.

FEATURES & BENEFITS

- 1-inch tubes
- Fully multi-coated lenses
- One-piece tube construction
- Set for 50 yard parallax
- Torture tested to withstand the most powerful handgun calibers

SPECIFICATIONS

MODEL	DESCRIPTION POWER, OBJECTIVE	FINISH	RETICLE	EXIT PUPIL (MM)	FIELD OF VIEW FT @ 100 YDS/M @ 100M	EYE RELIEF (IN./MM)	LENGTH (IN./MM)	CLICK VALUE MOA	ADJUSTMENT RANGE MOA	WEIGHT (OZ./G)
849427	1.5-4 x 20	Gloss	Dual-X	13.3-5	19.4-8.9/6.5-3	24.13-18.58/613-472	8.86/225	1/4	40	8.2/232
849424	2 x 28	Silver	Dual-X	15.7	21/6.7	28.86/733	8.44/214	1/4	50	6.7/190
849429	2.5-8 x 28	Matte	Dual-X	11.2-3.5	11.0-4.5/3.7-1.5	24.53-16.5/623-419	9.29/236	1/4	50	9.1/258
849446	2.5-8 x 28	Silver	Dual-X	11.2-3.5	11.0-4.5/3.7-1.5	24.53-16.5/623-419	9.29/236	1/4	50	9.1/258
849425	4 x 28	Gloss	Dual-X	7.3	8.5/2.8	23.31/592	8.19/208	1/4	50	6.4/181



TOUGH SHOTS. ROUGH PLACES.



40/44 SERIES



DUAL-X



BALLISTIC-X



BALLISTIC-X
CALIBRATED FOR
SHOTGUN /
MUZZLELOADER
(SH/MZ B-X)



VARMINTER

4-12 x 44
849540



3-9 x 40
849511



40/44 SERIES THE CLEAR CHOICE

DON'T LET A TIGHT BUDGET AFFECT YOUR HUNTING OR SHOOTING PASSION. IF YOU NEED A QUALITY SCOPE THAT IS EASY ON THE POCKETBOOK, WEAVER HAS A WHOLE SERIES OF RIFlescOPES THAT WILL MAKE YOU SMILE IN THE CHECKOUT LINE. AS A MATTER OF FACT, WE OFFER (14) DIFFERENT SCOPES THAT COST JUST ABOUT THE SAME AS A PAIR OF HUNTING BOOTS. BUT TRUST US, YOU'LL GET MORE MILEAGE FROM OUR AWARD-WINNING OPTICS.

WHEN IT COMES TO VALUE AND PERFORMANCE, WEAVER OFFERS A LINE FOR THE COST-CONSCIOUS SHOOTER. THE 40/44 SERIES™ BOASTS AN INCREASE IN SCOPE OFFERINGS AND INCLUDE A VARIETY OF MAGNIFICATION RANGES AND INCREASED RETICLE CHOICES WHILE MAINTAINING THE SAME TRUSTED PERFORMANCE FOUND IN EACH AND EVERY WEAVER OPTIC.

WINNER OF FIELD & STREAM'S 2009 "BEST OF THE BEST AWARD."

FEATURES & BENEFITS

- 1-inch tubes
- Fully multi-coated lenses
- Ballistic-X reticle (some models)
- Waterproof / shockproof / fogproof
- One-piece tube construction
- Aspherical lens system (some models)

SPECIFICATIONS

MODEL	DESCRIPTION POWER, OBJECTIVE	SPECIAL FEATURES	FINISH	RETICLE	EXIT PUPIL (MM)	FIELD OF VIEW FT @ 100 YDS/M @ 100M	EYE RELIEF (IN./MM)	LENGTH (IN./MM)	CLICK VALUE MOA	ADJUSTMENT RANGE MOA	WEIGHT (OZ./G)
849504	2-7 x 32		Matte	Dual-X	15-4.5	44.7-12.7/14.9-4.2	3.5/89	11.1/282	1/4	60	11.4/323
849505	2-7 x 32	SH/MZ	Matte	SH/MZ B-X	15-4.5	44.7-12.7/14.9-4.2	3.5/89	11.1/282	1/4	60	11.4/323
849507	3-9 x 40	50 Yd Parallax	Matte	Dual-X	13-4.4	33.9-11.3/11.3-3.8	3/76	12.20/310	1/4	60	16.8/476
849508	3-9 x 40	50 Yd Parallax	Matte	Ballistic-X	13-4.4	33.9-11.3/11.3-3.8	3/76	12.20/310	1/4	60	16.8/476
849511	3-9 x 40		Matte	Dual-X	13-4.4	33.9-11.3/11.3-3.8	3/76	12.20/310	1/4	60	14.2/403
849512	3-9 x 40		Matte	Ballistic-X	13-4.4	33.9-11.3/11.3-3.8	3/76	12.20/310	1/4	60	14.2/403
849530	3-10 x 44		Matte	Dual-X	14.7-4.4	33.5-10.3/11.2-3.4	3/76	12.09/307	1/4	44	13.9/394
849531	3-10 x 44		Silver	Dual-X	14.7-4.4	33.5-10.3/11.2-3.4	3/76	12.09/307	1/4	44	13.9/394
849532	3-10 x 44		Matte	Ballistic-X	14.7-4.4	33.5-10.3/11.2-3.4	3/76	12.09/307	1/4	44	13.9/394
849540	4-12 x 44	AO	Matte	Dual-X	11-3.7	23.-7.9/7.7-2.7	3/76	12.64/321	1/4	44	17/482
849541	4-12 x 44	AO	Silver	Dual-X	11.0-3.7	23.-7.9/7.7-2.7	3/76	12.64/321	1/4	44	17/482
849542	4-12 x 44	AO	Matte	Ballistic-X	11.0-3.7	23.-7.9/7.7-2.7	3/76	12.64/321	1/4	44	17/482
849550	6.5-20 x 44	AO	Matte	Dual-X	6.8-2.2	15.5-4.5/5.2-1.5	3/76	14.09/358	1/8	36	20.5/581
849552	6.5-20 x 44	AO	Matte	Varminter	6.8-2.2	15.5-4.5/5.2-1.5	3/76	14.09/358	1/8	36	20.5/581

AO = Adjustable Objective, SH/MZ = Shotgun / Muzzleloader



TOUGH SHOTS. ROUGH PLACES.

OPTICS EXPERTS SINCE 1930



KASPA HUNTING SERIES




DUAL-X



BALLISTIC-X



BALLISTIC-X
CALIBRATED FOR
SHOTGUN /
MUZZLELOADER
(SH/MZ B-X)



VERTICAL ZONE
TURKEY
(VZT)



8 x 42
849825



3-9 x 40
849806



3-12x50
849808

KASPA™ HUNTING SERIES OPTICS THE CLEAR CHOICE

MANUFACTURED TO THE SAME STANDARDS AS ALL WEAVER OPTICS, THESE U.S. ENGINEERED SCOPES AND BINOCULARS DELIVER MANY GREAT FEATURES AT VERY AFFORDABLE PRICES.

FROM UP-CLOSE TO LONG RANGE, THESE QUALITY HUNTING SCOPES PROVIDE BALLISTIC PRECISION AT BARGAIN PRICES, PLUS THEY COME COMPLETE WITH WEAVER'S LIMITED LIFETIME GUARANTEE. ALL KASPA SCOPES FEATURE ONE-PIECE TUBE CONSTRUCTION; FULLY MULTI-COATED LENSES; NITROGEN-PURGED, FOG-FREE VIEWING; AND CRISP ADJUSTMENTS FOR DEPENDABLE ACCURACY. CHOOSE FROM SEVERAL RETICLE OPTIONS—TURKEY, SLUG/MUZZLELOADER, DUAL-X AND MORE—THESE AFFORDABLE SCOPES SATISFY A BROAD RANGE OF SHOOTERS AND SHOOTING ADVENTURES. KASPA BINOCULARS ARE ERGONOMICALLY DESIGNED FOR EASY HANDLING AND EXTENDED COMFORT—ALL WITH A SMALL PRICE TAG.

FEATURES & BENEFITS

HUNTING SCOPES

- 1-Inch Tubes (Except for 1-4 x 24 models)
- Nitrogen purged to eliminate internal fogging
- Fully multi-coated lenses for clarity and light transmission
- Crisp ¼" or ½" MOA adjustments (See chart below)

BINOCULARS

- Fully multi-coated lenses deliver bright, clear images
- Roof prism and open hinge design with twist-out eyecups
- Ergonomically designed for easy handling and comfort

SPECIFICATIONS

MODEL	DESCRIPTION POWER, OBJECTIVE	SPECIAL FEATURES	FINISH	RETICLE	EXIT PUPIL (MM)	FIELD OF VIEW FT @ 100 YDS/M @ 100M	EYE RELIEF (IN./MM)	LENGTH (IN./MM)	CLICK VALUE MOA	ADJUSTMENT RANGE MOA	WEIGHT (OZ./G)	
849802	1 x 20		Matte	Dual-X	16	NA-70.5/NA-23.5	4.33/110	9.84/250	1/4	80	10.6/300	
NEW!	849847	1-4 x 24	SH/MZ; 30mm Tube	Camo	SH/MZ B-X	13-6	109-27/36.3-9.0	4.0"~3.54"/102-90	10.5/267	1/2	120	***
NEW!	849848	1-4 x 24	Turkey; 30mm Tube	Camo	VZT	13-6	109-27/36.3-9.0	4.0"~3.54"/102-90	10.5/267	1/2	120	***
NEW!	849849	1-4 x 24	30mm Tube	Matte	Dual-X	13-6	109-27/36.3-9.0	4.0"~3.54"/102-90	10.5/267	1/2	120	***
	849801	2-7 x 32		Matte	Dual-X	16-4.5	49.6-12/16.5-4.0	4.21"~3.7"/107-94	11.6/295	1/4	80	11/312
	849806	3-9 x 40		Matte	Dual-X	13-4.4	32.6-11/10.9-3.7	4.37"~3.81"/111-97	12.4/315	1/4	50	11.5/326
	849807	3-9 x 40		Matte	Ballistic X	13-4.4	32.6-11/10.9-3.7	4.37"~3.81"/111-97	12.4/315	1/4	50	11.5/326
	849808	3-12 x 50		Matte	Dual-X	16.6-5.5	32.6-8.2/10.9-2.7	4.48"~3.66"/114-93	12.5/318	1/4	50	14.3/405
	849809	3-12 x 50		Matte	Ballistic-X	16.6-5.5	32.6-8.2/10.9-2.7	4.48"~3.66"/114-93	12.5/318	1/4	50	14.3/405
	849810	4-16 x 44	Side Focus	Matte	Dual-X	11-2.75	24.7-6.1/8.2-2.0	4.69"~3.86"/119-98	13.0/330	1/4	40	15/425
	849811	4-16 x 44	Side Focus	Matte	Ballistic-X	11-2.75	24.7-6.1/8.2-2.0	4.69"~3.86"/119-98	13.0/330	1/4	40	15/425


SH/MZ = Shotgun / Muzzleloader, *** Values not available at time of print.

MODEL	MAGNIFICATION	FINISH	EXIT PUPIL (MM)	FIELD OF VIEW FT @ 1000 YDS/M @ 1000M	EYE RELIEF (IN./MM)	LENGTH (IN./MM)	WIDTH (IN./MM)	WEIGHT (OZ./G)	PRISM
849825	8 x 42 Binocular	Rubber Armor	5.25	325/108	19.5	5.7/145	5.0/127	20.98/595	Roof
849827	10 x 50 Binocular	Rubber Armor	5.00	287/96	17.0	6.5/165	5.2/133	22.93/650	Roof







KASPA TACTICAL SERIES




ILLUMINATED TACTICAL BALLISTIC-X (TB-X)



ILLUMINATED ZOMBIE CIRT (ZOMBIE CLOSE-INTERMEDIATE)



ILLUMINATED MIL DOT



ILLUMINATED DUAL-X



1.5-6x32
849813



2.5-10x50
849815



3-12 x 44 SF
849820

KASPA™ TACTICAL SERIES OPTICS THE CLEAR CHOICE

MANUFACTURED TO THE SAME STANDARDS AS ALL WEAVER OPTICS, THESE U.S. ENGINEERED SCOPES AND BINOCULARS DELIVER MANY GREAT FEATURES AT VERY AFFORDABLE PRICES.

GET IN THE TACTICAL GAME AT A PRICE THAT'S TOUGH TO BEAT. WEAVER'S KASPA™ TACTICAL SCOPES OFFER SHOOTERS MANY OF THE FEATURES OF MORE EXPENSIVE TACTICAL SCOPES, BUT AT A BUDGET-FRIENDLY PRICE. WITH THIS MAGNIFIED OPTIC MOUNTED ON YOUR TACTICAL RIFLE, YOU GET TREMENDOUS VALUE AND MANY GREAT OPTIONS, INCLUDING RESET-TO-ZERO, PULL-UP TURRETS AND ILLUMINATED RETICLES TO GET YOU ON TARGET FASTER. ALL KASPA SCOPES COME COMPLETE WITH WEAVER'S LIMITED LIFETIME GUARANTEE.

FEATURES & BENEFITS

- Tactical 30mm tubes
- Illuminated reticles for low light
- Flip-up, protective scope caps
- Crisp ¼" or ½" MOA adjustments (See chart below)
- Fully multi-coated lenses for excellent clarity
- Nitrogen purged helps eliminate internal fogging

STOP THE ZOMBIE HORDES IN THEIR TRACKS WITH THE NEW 1.5-6X32MM ZOMBIE SCOPE, WHICH FEATURES THE ILLUMINATED Z-CIRT RETICLE.



SPECIFICATIONS

MODEL	DESCRIPTION POWER, OBJECTIVE	SPECIAL FEATURES	FINISH	RETICLE	EXIT PUPIL (MM)	FIELD OF VIEW FT @ 100 YDS/M @ 100M	EYE RELIEF (IN./MM)	LENGTH (IN./MM)	CLICK VALUE MOA	ADJUSTMENT RANGE MOA	WEIGHT (OZ./G)
NEW! 849845	1-4 x 24		Matte	ill. Dual-X	13-6	109-27/36.3-9.0	4.0"-3.54"/102-90	10.5/267	1/2	120	***
NEW! 849843	1.5-6 x 32	Zombie	Matte	ill. Z-CIRT	21.3-5.3	65.5-14.8/21.8-4.9	3.54"-3.15"/90-80	10.83/275	1/4	80	16.5/467
849813	1.5-6 x 32		Matte	ill. TB-X	21.3-5.3	65.5-14.8/21.8-4.9	3.54"-3.15"/90-80	10.83/275	1/4	80	16.5/467
849814	2.5-10 x 44	Side Focus	Matte	ill. Mil Dot	17.6-4.4	37.7-10.4/12.6-3.5	3.74"-3.15"/95-80	12.79/325	1/4	80	23.6/670
849815	2.5-10 x 50	Side Focus	Matte	ill. Mil Dot	20-5	37.7-10.4/12.6-3.5	3.74"-3.15"/95-80	12.79/325	1/4	80	25/710
849820	3-12 x 44	Side Focus	Matte	ill. TB-X	14.6-3.7	31.4-7.9/10.5-2.6	3.74"-3.74"/95-95	12.99/330	1/4	80	24.3/690


*** Values not available at time of print.



TOUGH SHOTS. ROUGH PLACES.



4 ILLUMINATED PATTERNS FOR RED/GREEN DOT SIGHT



DOT SIGHTS



NEW!



With Cover

DOT SIGHTS THE CLEAR CHOICE

SMALL, COMPACT AND HIGHLY EFFECTIVE IN THE FIELD, OUR DOT SIGHTS ARE EXACTLY WHAT YOU NEED TO CLOSE THE DEAL ON GAME. JUST PUT THE DOT ON TARGET AND GET RESULTS. IT'S BIG TECHNOLOGY IN A SMALL PACKAGE.

USE ON HANDGUNS, SHOTGUNS OR AR STYLE FIREARMS, OUR CUTTING-EDGE DOT SIGHTS ARE TRUE 1-TIME SIGHTS, PERFECT FOR DEER, TURKEY OR VIRTUALLY ANY OTHER HUNTING ADVENTURE. AND FOR SHOOTERS INVOLVED IN TACTICAL SHOOTING, THESE SIGHTS ARE GREAT ADDITIONS TO ANY PISTOL OR AR PLATFORM. OUR RED/GREEN DOT SIGHT HAS FIVE RED AND FIVE GREEN BRIGHTNESS SETTINGS AND FOUR DIFFERENT ILLUMINATED AIMING PATTERNS. OUR RUGGED MICRO DOT SIGHT ALSO HAS ADJUSTABLE BRIGHTNESS SETTINGS TO ENSURE EASE OF VIEWING IN A VARIETY OF LIGHT CONDITIONS.

FEATURES & BENEFITS

MICRO DOT SIGHT

- Easily mounts to most firearms
- Unlimited eye relief for a variety of uses
- Adjustable brightness settings

RED/GREEN DOT SIGHT

- Removable sunshade
- Spare battery compartment
- Adjustments are 1 MOA and parallax is set for 50-yards

S P E C I F I C A T I O N S

MODEL	DESCRIPTION POWER, OBJECTIVE	SPECIAL FEATURES	FINISH	RETICLE	EXIT PUPIL (MM)	FIELD OF VIEW FT @ 100 YDS/M @ 100M	EYE RELIEF (IN./MM)	LENGTH (IN./MM)	CLICK VALUE MOA	ADJUSTMENT RANGE MOA	WEIGHT (OZ./G)
849250	1	Red & Green Dot Sight	Matte	4 Patterns	30	47.5/15.84	Unlimited	5/127	1	80	8/227
NEW! 849255	1	4 MOA Red Dot	Matte	4 MOA Dot	N/A	N/A	Unlimited	1.9/48	N/A	N/A	2.8/80





CLASSIC SPOTTING SCOPES



The angled eyepiece model is useful when set up on hills or lying in prone position.



849680

CLASSIC SPOTTING SCOPES THE CLEAR CHOICE

SIT BACK. SETTLE IN. GET COMFORTABLE. AND BE PREPARED TO DISSECT EVERY INCH OF TERRAIN FOR SOMETHING TO CHASE. IT'S THE SPOT-N-STALK GAME AND IT ALL STARTS RIGHT HERE, RIGHT NOW, WITH QUALITY GLASS. GO WITH ANYTHING LESS AND YOU WILL SOON REGRET IT. SETTLE IN BEHIND OUR CLASSIC SERIES SPOTTING SCOPE AND LEARN JUST HOW SWEET IT IS TO LET YOUR EYES DO THE WALKING.

WHETHER IT'S SPENDING HOURS GLASSING FOR GAME OR NEEDING TO KNOW EXACTLY WHERE YOUR BULLET IS HITTING ON THE TARGET DOWNRANGE, YOU NEED TO SIT BEHIND A SPOTTING SCOPE THAT GETS RESULTS...AND WEAVER FILLS THE NEED. OUR CLASSIC™ SERIES SPOTTING SCOPES LET YOU COVER GROUND WITHOUT LEAVING YOUR TRUCK OR VANTAGE POINT AND ARE ALSO IDEAL FOR RANGE WORK. NITROGEN FILLED FOR A CRYSTAL CLEAR PICTURE, THEY FEATURE LARGE OCULAR LENSES FOR COMFORTABLE VIEWING AND REDUCED EYE FATIGUE DURING LONG GLASSING SESSIONS. AVAILABLE IN EITHER STRAIGHT OR ANGLED EYEPIECE CONFIGURATIONS, OUR NEW CLASSIC SERIES SPOTTING SCOPES ARE QUALITY OPTICS AT AN AFFORDABLE PRICE.

FEATURES & BENEFITS

- 15-45x65mm magnification
- Large ocular lens for comfortable viewing and reduced eye fatigue
- Fast focus eyepiece for smooth transitions between magnifications
- Straight or angled eyepiece for viewing preference
- Nitrogen-filled for crystal clear images
- Waterproof and fogproof

SPECIFICATIONS

MODEL	DESCRIPTION POWER, OBJECTIVE	SPECIAL FEATURES	FINISH	EXIT PUPIL (MM)	FIELD OF VIEW FT @ 100 YDS/M@1000M)	EYE RELIEF (IN./MM)	PRISM TYPE	LENGTH (IN./MM)	WIDTH (IN./MM)	WEIGHT (OZ./G)
849680	15-45x65	Straight Eye Piece; ETE Microlux Coating	Matte	4.33/1.44	174/58-57/19	0.85/21.7-0.81/20.7	Roof	15.2/385	3.3/84	49.03/1390
849685	15-45x65	Angled Eye Piece; ETE Microlux Coating	Matte	4.33/1.44	174/58-57/19	0.85/21.7-0.81/20.7	Roof	14.4/365	3.3/84	49.03/1390



TOUGH SHOTS. ROUGH PLACES.

OPTICS EXPERTS SINCE 1930



SUPER SLAM BINOCULARS



8.5 x 45
849630

SUPER SLAM BINOCULARS THE CLEAR CHOICE

OPEN YOUR EYES AND DISCOVER WHAT YOU'VE BEEN MISSING. OUR SUPER SLAM BINOCULAR SERIES PENETRATE THE SHADOW, TAME THE GLARE AND BRING CRYSTAL CLEAR IMAGES TO ANY HUNTING ADVENTURE. AS THE ELITE IN OUR LINE OF BINOCULARS, TRUST THE SUPER SLAM LINE TO DELIVER PREMIUM "BIG PICTURE" VIEWING THAT WILL MAKE FRIENDS JEALOUS AND GAME AFRAID.

AS THE PERFECT PARTNER TO THE SUPER SLAM® RIFLESCOPES, THE SUPER SLAM BINOCULARS UP THE ANTE WITH IMPROVEMENTS EVERY OUTDOOR ENTHUSIAST WILL APPRECIATE. FROM AN OPEN BRIDGE DESIGN AND MAGNESIUM BODY TO THE ROOF PRISM SYSTEM WITH SK AND BAK-4 GLASS, THE SUPER SLAM BINOCULARS ARE SLEEK, RUGGED AND READY FOR ANY OUTDOOR ADVENTURE. NITROGEN PURGED TUBES PROVIDE CRYSTAL CLEAR, FOG-FREE VIEWING WHILE THE EXTERIOR LENSES DELIVER SCRATCH RESISTANT SERVICE NO MATTER HOW NASTY THE ENVIRONMENT.

FEATURES & BENEFITS

- Torture tested from -20° to +150° Fahrenheit
- Focus lock so preferred adjustments can be locked in for viewer
- SHR lens coating for increased light transmission
- ED glass for the ultimate in light gathering ability
- Roof prism design with SK and BaK-4 prism glass
- Waterproof / fogproof performance
- Extendable eyecups for comfortable viewing sessions
- Binocular harness system included

SPECIFICATIONS

MODEL	MAGNIFICATION	FINISH	EXIT PUPIL (MM)	FIELD OF VIEW FT @ 1000 YDS/M @ 1000M	EYE RELIEF (IN./MM)	LENGTH (IN./MM)	WIDTH (IN./MM)	WEIGHT (OZ./G)	PRISM
849630	8.5 x 45	Rubber Armor	5.3	367/122	0.73/18.5	6.3/160	5.6/143	31.2/885	Roof
849635	10.5 x 45	Rubber Armor	4.3	325/108	0.59/15	6.3/160	5.6/143	31.6/895	Roof



TOUGH SHOTS. ROUGH PLACES.



GRAND SLAM BINOCULARS



With just a turn of the dials, smoothly transition from 8x to 12x to 16x power



8-12-16 x 42
849669

GRAND SLAM BINOCULARS THE CLEAR CHOICE

CARRYING THE PROUD NAME OF GRAND SLAM, THESE BINOCULARS REPRESENT EVERYTHING THAT IS WEAVER. FROM 80 YEARS OF OPTICS EXPERIENCE TO GENERATIONS OF SATISFIED HUNTERS, THE GRAND SLAM BINOCULAR SERIES IS RIGHT AT HOME IN ANY HUNTING CAMP.

GRAND SLAM® BINOCULARS HAVE GONE AFIELD IN THE PURSUIT OF ALL TYPES OF GAME. AVAILABLE IN BOTH FULL-SIZE AND COMPACT DESIGNS, THE GRAND SLAM BINOS OFFER NITROGEN PURGED TUBES, RUGGED BODY ARMOR AND LENSES THAT GATHER EVERY BIT OF AVAILABLE LIGHT FROM DAWN TO DUSK. OUR GRAND SLAM LINE ALSO INCLUDES A 3-POSITION 8X, 12X, 16X42MM ZOOM BINOCULAR THAT GIVES VIEWERS A RAPID WAY TO MAGNIFY THEIR SURROUNDINGS. WITH JUST A TURN OF THE DIALS, SMOOTHLY TRANSITION FROM 8X TO 12X TO 16X POWER FOR THE ULTIMATE IN GLASSING OPTIONS.

FEATURES & BENEFITS

- Torture tested from -20° to +150° Fahrenheit
- Phase coated prisms for the ultimate in light transmission
- Roof prism design with BK-7/BaK-4 prism glass
- Waterproof / fogproof performance
- Extendable eyecups for comfortable viewing sessions

SPECIFICATIONS

MODEL	MAGNIFICATION	FINISH	EXIT PUPIL (MM)	FIELD OF VIEW FT @ 1000 YDS/M @ 1000M	EYE RELIEF (IN./MM)	LENGTH (IN./MM)	WIDTH (IN./MM)	WEIGHT (OZ./G)	PRISM
849660	8 x 32	Rubber Armor	4	393/131	0.61/15.5	4.8/123	5/127	18.7/530	Roof
849663	8.5 x 45	Rubber Armor	5.3	314/105	0.77/19.5	5.9/150	5.2/133	24.7/700	Roof
849661	10 x 32	Rubber Armor	3.2	314/105	0.6/15.3	5/126	5/127	18.7/530	Roof
849667	10 x 50	Rubber Armor	5	262/87	0.77/19.5	6.7/170	5.4/136	27.2/770	Roof
849664	10.5 x 45	Rubber Armor	4.3	299/100	0.6/15.3	5.8/147	5.2/133	24.7/700	Roof
849668	12 x 50	Rubber Armor	4.2	251/84	0.61/15.5	6.6/167	5.4/136	26.8/760	Roof
849669	8-16 x 42	Rubber Armor	5.3-2.6	220/73 157/52	0.86/21.8 0.61/15.6	6.4/163	5.2/133	26/739	Roof



TOUGH SHOTS. ROUGH PLACES.

OPTICS EXPERTS SINCE 1930



CLASSIC BINOCULARS



8 x 32
849670

CLASSIC BINOCULARS THE CLEAR CHOICE

A CLASSIC WAY TO GET IN THE FIELD WITH QUALITY BINOCULARS, OUR CLASSIC SERIES OFFER CLEAR VIEWING AT AN ATTRACTIVE PRICE. BUT DON'T LET THE PRICE TAG FOOL YOU...THESE BINOS CARRY THE SAME RESPECTED WEAVER TRADITION AND MUCH OF THE SAME TECHNOLOGY AS THEIR MORE PREMIUM BROTHERS.

OUR CLASSIC™ SERIES HAS SERVED HUNTERS WELL FOR YEARS—GIVING THEM THE VERSATILITY THEY NEED AT A REASONABLE PRICE AND OUR CLASSIC SERIES BINOCULARS ARE NO EXCEPTION. THESE BINOS ARE LIGHTWEIGHT, ACCURATE AND WON'T HURT THE POCKETBOOK. THE SLEEK ROOF PRISM DESIGN MEANS VIEWERS CAN SPOT ANY TYPE OF GAME IN EARLY MORNING OR LATE EVENING SHADOWS. NOW HUNTERS AND OUTDOOR ENTHUSIASTS CAN APPRECIATE THE BENEFITS OF MODERN TECHNOLOGY MADE BY OUR OPTICS EXPERTS.

FEATURES & BENEFITS

- Rugged exterior finish
- Sleek roof prism design
- Fully multi-coated lenses
- Extendable eyecups for comfortable viewing
- Waterproof / fogproof / shockproof
- Carry case & strap included

SPECIFICATIONS

MODEL	MAGNIFICATION	FINISH	EXIT PUPIL (MM)	FIELD OF VIEW FT @ 1000 YDS/M @ 1000M	EYE RELIEF (IN./MM)	LENGTH (IN./MM)	WIDTH (IN./MM)	WEIGHT (OZ./G)	PRISM
849670	8 x 32	Rubber Armor	4	409/136	0.61/15.5	5.4/138	5.1/129	20.8/590	Roof
849671	8 x 36	Rubber Armor	4.5	341/114	0.63/16	6.1/155	5.1/129	25.0/720	Roof
849675	8 x 42	Rubber Armor	5.3	330/110	0.77/19.5	6.9/176	5.1/129	27.5/780	Roof
849676	10 x 42	Rubber Armor	4.2	314/105	0.61/15.5	6.8/173	5.1/129	27.5/780	Roof



TOUGH SHOTS. ROUGH PLACES.



TOUGH SHOTS. ROUGH PLACES.

LASER RANGEFINDERS



INTERNAL ELECTRONIC DISPLAY



BUCK COMMANDER SERIES 94577



849620

LASER RANGEFINDER THE CLEAR CHOICE

KNOW YOUR DISTANCE BEFORE YOU MAKE YOUR SHOT. WEAVER'S COMPACT LASER RANGEFINDER FEATURES POWERFUL 8-TIME MAGNIFICATION FOR LONG DISTANCE RANGING AND PROVIDES ACCURATE, RELIABLE AND USER-FRIENDLY PERFORMANCE IN THE FIELD.

BUILT TO THE RIGOROUS STANDARDS OF THE WEAVER NAME, 8X28MM 1,000 YARD RANGEFINDER BRINGS AN ADDED SENSE OF CONFIDENCE TO HUNTING ADVENTURES. FEATURING IPX3 WATERPROOF PERFORMANCE AND THE ABILITY TO RANGE MOVING TARGETS IN SCAN MODE, OUR RANGEFINDER MEASURES DISTANCE IN FEET, YARDS OR METERS. ABLE TO RANGE DEER-SIZED ANIMALS OUT TO 600 YARDS AND REFLECTIVE TARGETS TO 1,000 YARDS, THE WEAVER'S 8X28MM 1,000 YARD RANGEFINDER PROVIDES THE CONFIDENCE YOU NEED TO MAKE YOUR SHOT...AND FILL YOUR TAG.


ENDORSED BY WILLIE ROBERTSON AND THE REST OF THE CREW, THIS PRODUCT IS ALSO AVAILABLE IN THE BUCK COMMANDER SERIES.

FEATURES & BENEFITS


- 8x28mm; handheld, compact design
- IPX3 waterproof
- Low battery indicator
- Scan mode allows for ranging of moving targets
- Measures distance in feet, yards or meters
- Horizontal design for steady viewing
- Adjustable diopter for focusing

SPECIFICATIONS

	MODEL	DESCRIPTION POWER, OBJECTIVE (MM)	DETECTION RANGE DEER/WHITE REFLECTIVE TARGET (YDS)	FIELD OF VIEW FT @ 1000 YDS/M @ 1000M	EXIT PUPIL (MM)	EYE RELIEF (IN/MM)	LENGTH (IN/MM)	WIDTH (IN/MM)	HEIGHT (IN/MM)	WEIGHT (OZ/G)
Weaver	849620	8x28	10-600/10-1000	236/79	3.5	.55/14	4.72/120	3.70/94	1.8/45	10.6/300
Buck Commander	94577	8x28	10-600/10-1000	236/79	3.5	.55/14	4.72/120	3.70/94	1.8/45	10.6/300




BUCK COMMANDER SCOPES



DUAL-X



COMMAND-X



COMMAND-X
CALIBRATED FOR
SHOTGUN /
MUZZLELOADER



2.5-10 x 42
94572



4-16 x 42
94575



2.5-10 x 42
94571

BUCK COMMANDER OPTICS THE CLEAR CHOICE

IF YOU ARE A SHOTGUN HUNTER, GIVE OUR SHOTGUN SCOPE WITH COMMAND-X RETICLE A SERIOUS LOOK. WITH A SET 100-YARD PARALLAX, THIS SCOPE ELIMINATES PARALLAX SHIFT AT THE MOST COMMON SHOTGUN RANGES AND HANDLES SHOTGUN RECOIL WITH NO PROBLEM.

CATCH THE WHITETAIL FEVER WITH THESE SCOPES AND BINOCULARS ENDORSED BY THE BUCK COMMANDER™. DESIGNED BY WEAVER ENGINEERS WITH THE HELP OF WILLIE ROBERTSON AND HIS FANATIC BUCK COMMANDER CREW, THESE SCOPES FEATURE FOUR TIMES OPTICAL ZOOM RANGE AND SUPER FAST FOCUSING POWER. SELECT MODELS FEATURE OUR PROPRIETARY COMMAND-X BALLISTIC DROP CORRECTION RETICLE.


FEATURES & BENEFITS

- 1-inch tubes
- 4-times optical zoom range
- Easy to use reset-to-zero, finger adjustable turrets
- Fully multi-coated lenses
- Fogproof / shockproof / waterproof
- Side focus parallax (select models)

SPECIFICATIONS

MODEL	DESCRIPTION POWER, OBJECTIVE	SPECIAL FEATURES	FINISH	RETICLE	EXIT PUPIL (MM)	FIELD OF VIEW FT @ 100 YDS/M @ 100M	EYE RELIEF (IN./MM)	LENGTH (IN./MM)	CLICK VALUE MOA	ADJUSTMENT RANGE MOA	WEIGHT (OZ./G)
94578	2-8 x 36		Matte	Dual-X	16.84-4.48	44.1-11.3/14.7-3.8	3.5/89	11.4/290	1/4	60	13.6/386
94579	2-8 x 36	SH/MZ	Matte	SH/MZ Command-X	16.84-4.48	44.1-11.3/14.7-3.8	3.5/89	11.4/290	1/4	60	13.6/386
94571	2.5-10 x 42		Matte	Command-X	16.12-4.2	35.1-9.1/11.7-3	3.5/89	11.9/302	1/4	60	13.6/386
94572	2.5-10 x 42		Matte	Dual-X	16.12-4.2	35.1-9.1/11.71-3	3.5/89	11.9/302	1/4	60	13.6/386
94573	3-12 x 50		Matte	Command-X	15.9-4.1	32.9-8.4/11-2.8	3.5/89	12.9/328	1/4	50	14.1/400
94574	3-12 x 50		Matte	Dual-X	15.9-4.1	32.9-8.4/11-2.8	3.5/89	12.9/328	1/4	50	14.1/400
94575	4-16 x 42	Side Focus	Matte	Command-X	10.5-2.6	22.0-5.5/7.33-1.8	3.5/89	13.3/338	1/4	50	15.9/451
94576	4-16 x 42	Side Focus	Matte	Dual-X	10.5-2.6	22.0-5.5/7.33-1.8	3.5/89	13.3/338	1/4	50	15.9/451

SH/MZ = Shotgun / Muzzleloader



BUCK COMMANDER BINOCULARS



8x25
94585



8x42
94587

BUCK COMMANDER BINOCULARS THE CLEAR CHOICE

DESIGNED BY WEAVER ENGINEERS WITH INPUT FROM WILLIE ROBERTSON AND THE BUCK COMMANDER CREW, WEAVER'S NEW BINOCULARS AND GIVES YOU THE UPPER HAND ON BIG GAME.

WEAVER BUCK COMMANDER BINOCULARS ARE DESIGNED TO GET YOU CLOSER TO THE ACTION THAN EVER BEFORE. AVAILABLE IN BOTH STANDARD AND COMPACT OFFERINGS, THESE BINOCULARS HELP YOU SPOT THAT MONSTER WHITETAIL BEFORE HE SLIPS INTO YOUR SHOOTING LANE.

FEATURES & BENEFITS

- Phase coated roof prism system
- Fully multi-coated lenses
- Rugged rubber-armed finish
- Shockproof / fogproof / waterproof

SPECIFICATIONS


MODEL	MAGNIFICATION	FINISH	EXIT PUPIL (MM)	FIELD OF VIEW FT @ 1000 YDS/M @ 1000M	EYE RELIEF (IN./MM)	LENGTH (IN./MM)	WIDTH (IN./MM)	WEIGHT (OZ./G)	PRISM
94585	8x25 Compact Binocular	Rubber Armor	3.1	273/91	0.7/18	4.3/109	4.1/105	10.8/308	Roof+Phase
94586	10x25 Compact Binocular	Rubber Armor	2.5	262/87	0.67/17	4.3/109	4.1/105	10.8/308	Roof+Phase
94587	8x42 Binocular	Rubber Armor	5.3	330/110	0.77/19.5	5.7/146	5/127	24.9/705	Roof+Phase
94588	10x42 Binocular	Rubber Armor	4.2	314/105	0.61/15.5	5.6/143	5/127	24.9/705	Roof+Phase



Buck Commander Series

THE WEAVER® DIFFERENCE

THE RUGGED RELIABILITY OF THE MICRO-TRAC® SYSTEM



- 1 Milled Grip Turret Cap
- 2 Broad Pressure Ridge
- 3 Elevation Adjustment Dial
- 4 Elevation Contact Point
- 5 Micro-Trac® Elevation Spring
- 6 Micro-Trac® Windage Adjustment Spring
- 7 Windage Contact Point
- 8 Windage Adjustment Dial
- 9 Erector Tube


FOUR-POINT WINDAGE AND ELEVATION ADJUSTMENT SYSTEM

UNLIKE MOST RIFLE SCOPES THAT USE ONE SPRING WITH THE WINDAGE AND ELEVATION DIALS TO MAKE ADJUSTMENTS, OUR MICRO-TRAC® SYSTEM USES TWO SPRINGS THAT WORK IN TANDEM WITH THE WINDAGE AND ELEVATION DIALS. THE COUNTER FORCE FROM THE DUAL SPRINGS PROVIDES FOUR POINTS OF CONTACT TO ENSURE EVEN AND CONSISTENT ADJUSTMENTS. THIS DESIGN MAKES ALL THE DIFFERENCE WHEN IT COMES TO ACCURACY AND DURABILITY.

MICRO-TRAC® ADJUSTMENT

HIGH-PRECISION FEATURES OF THE GRAND SLAM® MICRO-TRAC® ADJUSTMENT SYSTEM

- FOUR-POINT, DUAL-SPRING SYSTEM DESIGNED FOR PRECISION ALIGNMENTS AND RUGGED PERFORMANCE
- A SPECIALIZED BULGE IS MACHINED ONTO THE ERECTOR TUBE, TO CREATE THE BROAD PRESSURE RIDGE, KEEPING CONTACT NEAR THE CENTER OF THE ADJUSTMENT SCREW
- CONTACT POINTS ARE ALIGNED WITH THE BULGE AROUND THE ERECTOR TUBE TO ELIMINATE RISK OF SLIPPAGE
- ENHANCED TWO SPRING DESIGN MAXIMIZES FORCE AND UNIFORMITY THROUGHOUT WINDAGE AND ELEVATION TRAVEL ADJUSTMENT RANGE
- HIGHEST-QUALITY MATERIALS ALLOW FOR MORE FORCE ON THE SPRINGS TO WITHSTAND HEAVY RECOIL AND ROUGH HANDLING



See the enhanced Grand Slam® series of scopes on page 5.

ACCESSORIES/OPTICS GEAR

SCOPE CAPS

PROTECT YOUR GLASS WITH POLAR CAPS. LENS COVERS THAT STAY PUT DURING STALKS AND POP-UP QUICK FOR EASY TARGET ACQUISITION. AVAILABLE IN CLEAR OR POLARIZED (YELLOW) OPTIONS.

POLAR PART #	CLEAR PART #	SIZE	OUTSIDE DIAMETER OF OBJ. (INCHES)
71001	71003	A	1.00-1.09
71091	71093	B	1.095-1.10
71221	71223	C	1.22-1.29
71301	71303	D	1.30-1.341
71381	71383	E	1.387-1.429
71431	71433	F	1.432-1.485
71501	71503	G	1.50-1.55
71551	71553	H	1.558-1.66
71611	71613	J	1.612-1.66
71671	71673	K	1.675-1.735
71761	71763	M	1.760-1.820
71841	71843	N	1.840-1.919
71961	71963	P	1.96-2.043
72101	72103	R	2.10-2.22
72221	72223	S	2.225-2.36
72411	72413	T	2.41-2.515
72571	72573	U	2.575-2.725
-	72873	W	2.870-3.000



\$13.49 each

OPTICS WINDOW MOUNT

WITH THIS HANDY MOUNT, YOU CAN CONVENIENTLY SCOUT FOR WILDLIFE FROM A VEHICLE USING A SPOTTING SCOPE, CAMERA OR BINOCULARS.

FEATURES & BENEFITS

- Lightweight aluminum and other durable materials
- Squeeze handle adjustment system
- Padded mounting paddles protect window glass
- Multiple adjustment points allows for unlimited viewing positions

NEW!



PART NO.	DESCRIPTION	MSRP
NEW! 849695	OPTICS WINDOW MOUNT	\$83.49

LENS CLEANING SYSTEM

KEEP YOUR QUALITY WEAVER® OPTICS FREE OF DIRT AND DEBRIS WITH THE WEAVER LENS CLEANING SYSTEM.

FEATURES & BENEFITS

- Soft brush for removing bulk of dust and debris
- Chemically treated chamois pad cleans smudges and fingerprints

PART NO.	DESCRIPTION	MSRP
849715	LENS CLEANING SYSTEM	\$11.49



CLEANING CLOTH

DESIGNED TO GENTLY REMOVE DUST, DIRT AND DEBRIS FROM YOUR LENSES, THIS CLOTH IS A VALUABLE TOOL IN THE CARE AND ONGOING PERFORMANCE OF YOUR QUALITY WEAVER GLASS.

FEATURES & BENEFITS

- Large 6" x 6", micro-fiber cloth
- Embedded with an anti-fog chemical compound

PART NO.	DESCRIPTION	MSRP
849710	CLEANING CLOTH	\$7.49



BINOCULAR SYSTEM

KEEP YOUR BINOCULARS READY FOR ACTION WITH OUR BINOCULAR SYSTEM. ERGONOMICALLY DESIGNED FOR HOURS OF COMFORTABLE WEAR AND CONSTRUCTED OF RUGGED NYLON, THIS SYSTEM GUARANTEES BINOCULARS ARE KEPT OUT OF THE WAY YET CLOSE AT HAND FOR FAST GLASSING ACTION.



FEATURES & BENEFITS

- Perfectly places your binoculars for quick viewing
- Eliminates painful pressure on your neck
- Easily adjusts to custom fit your body style

PART NO.	DESCRIPTION	MSRP
849740	WEAVER® BINOCULAR SYSTEM	\$19.49

GUNSMITHING KITS/TOOLS



TOOL KITS

WHATEVER YOUR SKILL LEVEL. WHATEVER YOUR NEEDS. WE HAVE A PROFESSIONAL-GRADE GUNSMITH TOOL KIT FOR YOU.

FEATURES & BENEFITS

Compact and Soft-Sided Tool Kits feature 36 pieces to address the most common gunsmith needs

Multi Bit is a 77-piece kit for just about any at-home maintenance work

Deluxe kit offers a robust 88-piece gunsmith set for the most advanced and accomplished gunsmith

Hammer & Punch Set includes 8 steel punches to fit just about any pin and a hammer with brass and plastic faces

The 36-piece Buck Commander Soft Sided Kit features a Realtree AP camouflage and BC logo

PART NO.	DESCRIPTION	MSRP
849716	SOFT SIDED TOOL KIT — BLACK	\$30.95
849717	COMPACT TOOL KIT	\$24.49
849718	MULTI BIT TOOL KIT	\$64.49
849719	DELUXE TOOL KIT	\$96.49
849723	HAMMER & PUNCH KIT	\$31.95
NEW! 94521	SOFT SIDED TOOL KIT — BUCK COMMANDER	\$32.95

WINNER OF *FIELD & STREAM'S* 2009 "BEST OF THE BEST AWARD."



Buck Commander's Soft Sided Tool Kit



Hammer & Punch Kit



Deluxe Tool Kit

SCOPE MOUNTING KITS

OUR PROFESSIONAL-GRADE SCOPE MOUNTING KITS CONTAIN EVERYTHING NEEDED FOR PRECISION MOUNTING, ORGANIZED IN ITS OWN RUGGED STORAGE CASE.

FEATURES & BENEFITS

Standard kit features torque wrench, SureThread™, common bits and level system

Deluxe kit includes torque wrench, SureThread, common bits, level system, lapping bar, 1 inch alignment pins and lapping compound

Torque wrench ensures consistent screw pressure to manufacturer's specs (torque range: 10-80 inch-pounds)

PART NO.	DESCRIPTION	MSRP
849722	SCOPE MOUNTING KIT (WITHOUT LAPPING TOOLS)	\$113.49
849721	DELUXE SCOPE MOUNTING KIT (WITH 1-INCH LAPPING TOOLS)	\$134.95
849726	30MM LAPPING KIT	\$62.49
849728	TORQUE WRENCH	\$77.49



Torque Wrench



Deluxe Scope Mounting Kit



NEW!

MAGNETIC BORESIGHTER

DIAL-IN YOUR FIREARM FAST AND EASY, WHILE SAVING TIME AND AVOIDING HASSLES WITH THIS LIGHTWEIGHT, COMPACT AND HANDY TOOL. ALIGN YOUR SCOPE'S RETICLE WITH THE BORESIGHTER'S SPECIALIZED INTERNAL TARGET FOR RELIABLE RESULTS.

FEATURES & BENEFITS

- Mounts easily to most muzzles using a magnet
- Aligns scope reticle with bore for initial sight-in
- Compact design for on-the-go adjustments



NEW!



Mounted on muzzle.

PART NO.	DESCRIPTION	MSRP
NEW! 849745	MAGNETIC BORESIGHTER	\$41.49

G.E.T. (GUNSMITH EVERYDAY TOOL)

BECOME A PORTABLE GUNSMITH WITH THE NEW WEAVER G.E.T. TOOL. PORTABLE AND COMPACT, THIS HANDY TOOL FEATURES EVERYTHING YOU NEED FOR IN-THE-FIELD OR AT-THE-RANGE REPAIRS. THIS IS A TOOL SIMILAR TO A HEX SET, BUT THE FOLD-OUT TOOL IS SPECIFIC TO GUNSMITH APPLICATIONS. THE TOOL EVEN INCLUDES A HAMMER.



FEATURES & BENEFITS

- Gunsmith-grade fold out tools
- Brass headed hammer
- Portable and compact

PART NO.	DESCRIPTION	MSRP
849729	G.E.T. (GUNSMITH EVERYDAY TOOL)	\$21.95

MODULAR LEVEL SYSTEM

THIS SYSTEM IS A SIMPLE, YET EFFECTIVE WAY TO GUARANTEE A SCOPE'S CROSSHAIRS ARE LEVEL TO THE RECEIVER AND HELP ENSURE ACCURACY.



FEATURES & BENEFITS

- Simple to use and extremely reliable
- High strength magnets for secure grip
- Indicates if scope crosshairs are level to receiver for optimum accuracy

PART NO.	DESCRIPTION	MSRP
849724	MODULAR LEVEL SYSTEM	\$19.49

SURETHREAD™

OUR SURETHREAD™ ADHESIVE HELPS PREVENT THE LOOSENING OF MOUNTING SCREWS CAUSED BY THE SHOCK AND VIBRATIONS GENERATED FROM RECOIL.

FEATURES & BENEFITS

- For use when mounting scopes and bases to assure locked-down optics
- Prevents shock and vibration from loosening screws
- Loosens easily with basic hand tools

PART NO.	DESCRIPTION	MSRP
849272	SURETHREAD	\$15.95



TACTICAL RINGS/MOUNTS/BASES



PICATINNY RINGS


THESE RINGS FEATURE FOUR OR SIX SCREWS FOR MAX SECURITY AND CLAMPING PRESSURE BUT GET SERIOUS UPGRADES FOR LE AND MILITARY USE. AN IMPROVED PICATINNY CROSSBOLT DESIGN (FROM WEAVER® TO PICATINNY SPEC), TYPE III HARD COAT ANODIZED FINISH, NO STRIP/SLIP TORX SCREWS AND A NUMBER OF HEIGHT OPTIONS MAKE THESE 4 OR 6-HOLE RINGS THE GO-TO MOUNTS FOR ALL TACTICAL PRECISION RIFLES.



FEATURES & BENEFITS

- Improved crossbolt from Weaver to Picatinny spec
- Four or six screws for extra security and clamping pressure
- Type-3 hard coat anodized finish
- Increase height options for broad applications and firearms

NEW!



FOUR HOLE PICATINNY RINGS

PART NO.	DESCRIPTION	MSRP
NEW! 99511	1" MED MATTE	\$44.95
NEW! 99512	1" HIGH MATTE	\$44.95
NEW! 99513	1" X-HIGH MATTE	\$44.95
NEW! 99514	1" XX-HIGH MATTE	\$44.95
NEW! 99515	30MM LOW, MATTE	\$44.95
NEW! 99516	30MM MED MATTE	\$44.95
NEW! 99517	30MM HIGH MATTE	\$44.95
NEW! 99518	30MM X-HIGH MATTE	\$44.95

SIX HOLE PICATINNY RINGS

PART NO.	DESCRIPTION	SADDLE HEIGHT	MSRP
99688	1" MED	.280"	\$50.95
99689	1" HIGH	.400"	\$50.95
99690	1" XHIGH	.520"	\$50.95
99691	1" XXHIGH	.640"	\$50.95
99692	30MM LOW	.250"	\$50.95
99693	30MM MED	.370"	\$50.95
99694	30MM HIGH	.490"	\$50.95
99695	30MM XHIGH	.610"	\$50.95

PICATINNY RISER SET

BY ADDING AN OPTIMAL 1/2-INCH OF RAIL HEIGHT, OUR NEW WEAVER PICATINNY RISER SET IS A SLEEK, LIGHTWEIGHT OPTION FOR MOUNTING A WIDE RANGE OF OPTIC AND RING COMBINATIONS. THIS NEW RISER SET ALSO FEATURES AN ADDITIONAL MOUNTING SLOT SO YOU CAN POSITION YOUR OPTIC EXACTLY WHERE YOU NEED IT. MADE OF AIRCRAFT-GRADE 6061-T6 ALUMINUM WITH TYPE III HARD COAT ANODIZED FINISH, THIS ACCESSORY IS BUILT FOR DUTY.



PART NO.	DESCRIPTION	MSRP
99658	PICATINNY RISER SET	\$37.95



PICATINNY SYSTEM

SHOOTERS CAN NOW ATTACH A WIDE VARIETY OF ACCESSORIES TO THEIR FIREARM WITH THE SWIVEL STUD PICATINNY RAIL ADAPTOR. THIS ADAPTOR CONNECTS TO THE SWIVEL STUD TO GIVE STANDARD RIFLES A PICATINNY RAIL OPTION.

PART NO.	DESCRIPTION	MSRP
48328	PICATINNY SYSTEM	\$14.95



SCOPE MOUNTED PICATINNY RAIL ADAPTOR

THIS LIGHTWEIGHT AND DURABLE, PICATINNY STYLE RAIL ADAPTOR TURNS YOUR MAGNIFIED OPTIC INTO A MOUNTING PLATFORM. CRAFTED FROM 6061-T6 ALUMINUM WITH A TYPE-III HARDCOAT FINISH, IT'S A CLEVER WAY TO MOUNT A MINI RED DOT, FLASHLIGHT, LASER SIGHT OR OTHER ACCESSORY DIRECTLY ONTO THE TUBE OF YOUR PRIMARY OPTIC.



PART NO.	DESCRIPTION	MSRP
99678	30MM SCOPE MOUNTED PICATINNY RAIL ADAPTOR	\$58.99
99601	1-INCH SCOPE MOUNTED PICATINNY RAIL ADAPTOR	\$58.99

TACTICAL MOUNTS

THESE STURDY, VERSATILE MOUNTS EASILY ATTACH TO VARIOUS AR-15 STYLE WEAPONS. PICATINNY STYLE RAILS ACCEPT WEAVER™ TOP MOUNT RINGS TO SECURE YOUR OPTICS. UTILIZE THE TRI RAIL DESIGN TO MOUNT A VARIETY OF ACCESSORIES INCLUDING TACTICAL LASERS OR FLASHLIGHTS.



PART NO.	DESCRIPTION	MSRP
48320	SINGLE RAIL MOUNT SYSTEM—CARRY HANDLE MOUNT	\$25.95
48321	SINGLE RAIL MOUNT SYSTEM—FLAT TOP MOUNT	\$25.95
48322	TRI RAIL MOUNT SYSTEM—CARRY HANDLE MOUNT	\$43.49
48323	TRI RAIL MOUNT SYSTEM—FLAT TOP MOUNT	\$43.49
48326	CARRY HANDLE/SIGHT FOR AR-15	\$106.95
48327	AR-15 BASE PAIR FOR HAND GUARD	\$26.95
48331	MULTI SLOT SKS (STEEL)	\$37.95

FLAT TOP RISER RAIL-AR-15/M16

TURN YOUR FLAT TOP AR-15 OR M16 INTO THE PERFECT OPTICS PLATFORM WITH OUR FLAT TOP RISER RAIL. THIS RISER RAIL IS MADE FROM AIRCRAFT-GRADE 6061-T6, ALUMINUM AND HAS TYPE III HARD COAT ANODIZING FOR YEARS OF RUGGED USE. ENGINEERED TO PROVIDE THE OPTIMAL MOUNTING HEIGHT FOR ALL TYPES OF OPTIC AND RING COMBINATIONS, THE FLAT TOP RISER RAIL IS AVAILABLE IN BOTH STANDARD AND QUICK DETACH MODELS AND A 20MOA CANT VERSION.



PART NO.	DESCRIPTION	MSRP
99675	AR-15/M16 FLAT TOP RISER RAIL 20MOA	\$60.95
99673	AR-15/M16 FLAT TOP RISER RAIL	\$60.95
99659	AR-15/M16 FLAT TOP RISER RAIL QD	\$66.49

TACTICAL RINGS/MOUNTS/BASES



AR-15/M16 FIXED BACK-UP IRON SIGHT

WHETHER IT'S YOUR PRIMARY OPTIC GOING DOWN, OR SIMPLY THE DESIRE TO TRANSITION TO IRON SIGHTS, LET OUR NEW FIXED BACK-UP IRON SIGHT GET THE CALL. WITH NO VERTICAL OR HORIZONTAL POINT-OF-IMPACT SHIFT WHEN SWITCHING FROM PRECISION TO CQB APERTURE, THE WEAVER BACK-UP FIXED IRON SIGHT KEEPS YOU ON TARGET AND IN THE ACTION. THE MAIN BODY IS CONSTRUCTED FROM 6061-T6 ALUMINUM AND TYPE III HARD COAT ANODIZED WHILE THE STEEL COMPONENTS FEATURE A MANGANESE PHOSPHATE FINISH.

FULLY COMPATIBLE WITH MIL-SPEC FRONT SIGHTS, THE ½ MOA CLICKS ARE CALIBRATED FOR CARBINE LENGTH SIGHT RADIUS.



PART NO.	DESCRIPTION	MSRP
99482	AR-15/M16 FIXED BACK-UP IRON SIGHT	\$80.49

PICATINNY RING CAP

MAKE YOUR RINGS WORK HARDER WITH THE PICATINNY RING CAP. DESIGNED TO REPLACE THE TOP RING SECTION OF OUR TACTICAL 6-HOLE RING OR OUR 6-HOLE PICATINNY RINGS (IN EITHER 1" OR 30MM), THESE RING CAPS CLEVERLY INCORPORATE A SMALL PICATINNY RAIL SECTION THAT'S IDEAL FOR MOUNTING A SMALL DOT OPTIC OVER A MAGNIFIED SCOPE. DON'T LET YOUR NEED FOR SERIOUS MAGNIFICATION KEEP YOU FROM THE CLOSE QUARTER ACTION OF A DOT OPTIC. MOUNT OUR PICATINNY RING CAP AND GET THE BEST OF BOTH WORLDS.



FEATURES & BENEFITS

- Replaces either Weaver Tactical 6 Hole 1" or 30mm ring caps
- Provides a small Picatinny rail section
- Perfect for mounting small dot optics over a magnified scope



PART NO.	DESCRIPTION	MSRP
99665	TACTICAL PICATINNY RING CAP 1"	\$17.95
99664	TACTICAL PICATINNY RING CAP 30MM	\$17.95


TRIJICON® ACOG MOUNTS

COMBINE THE POWER OF TRIJICON'S FAMOUS ACOG WITH THE 80-YEAR EXPERIENCE OF WEAVER. OUR TACTICAL TRIJICON® ACOG MOUNT IS CONSTRUCTED FROM AIRCRAFT-GRADE 6061-T6 ALUMINUM AND TREATED WITH TYPE III HARD COAT ANODIZING TO PERFORM IN THE HARSH ENVIRONMENTS. DESIGNED FOR AR-STYLE FLAT TOP RIFLES, THIS MOUNT FEATURES WIDE, LOW PROFILE KNOBS THAT ALLOW RAPID REMOVAL AND REMOUNTING OF THIS POPULAR OPTIC—EVEN WITH GLOVES.



FEATURES & BENEFITS

- For standard Trijicon® ACOG and Compact ACOG optics
- For use on AR style flat top rifles
- Easy removal and remounting of ACOG optics
- Aircraft Grade 6061-T6 Aluminum Type III hard coat anodized



PART NO.	DESCRIPTION	MSRP
99669	TACTICAL TRIJICON® ACOG MOUNT	\$55.49
99670	TACTICAL TRIJICON® COMPACT ACOG MOUNTS	\$44.49

OFFSET RAIL ADAPTOR

QUICKLY GO FROM A PRIMARY, MAGNIFIED OPTIC TO RED DOT ACTION—WITHOUT HEAD SHIFT—WITH THE OFFSET RAIL ADAPTOR. THIS MOUNT ATTACHES TO ANY PICATINNY SPEC RAIL AND ALLOWS SHOOTERS TO ATTACH A MINIATURE RED DOT IN THE OFFSET POSITION. THIS MOUNT CAN ALSO BE USED FOR LIGHTS OR OTHER ACCESSORIES THAT TYPICALLY ATTACH TO A PICATINNY SPEC RAIL.



FEATURES & BENEFITS

- Mounts on Picatinny spec rails
- Perfect for mounting miniature red dot scopes, lights or other accessories
- Fast transition between magnified and reflex style optics
- Aircraft Grade 6061-T6 Aluminum Type III hard coat anodized



PART NO.	DESCRIPTION	MSRP
99671	TACTICAL OFFSET RAIL ADAPTOR	\$33.49

AIMPOINT® MOUNTS

FLAT TOP AR-15 OWNERS CAN NOW MOUNT THEIR AIMPOINT® OPTICS WITH THE LEGENDARY HOLD OF WEAVER RINGS & BASES. THESE TWO MOUNTS ACCOMMODATE BOTH THE MICRO AND 30MM AIMPOINT AND FEATURE 1/3RD CO-WITNESS WITH MIL-SPEC IRON SIGHTS, AIRCRAFT-GRADE 6061-T6 ALUMINUM AND TYPE-III HARD COAT ANODIZING.



FEATURES & BENEFITS

- TACTICAL AIMPOINT® MICRO MOUNT
- For Aimpoint R1 and T1 Micro style dot optics on AR style flat top rifles
- Aircraft Grade 6061-T6 Aluminum Type III hard coat anodized

- TACTICAL AIMPOINT® RING 30MM
- For 30mm tube, Aimpoint style dot optics on AR style flat top rifles
- Aircraft Grade 6061-T6 Aluminum Type III hard coat anodized
- Integral Storage for 1 spare DL1/3N battery



PART NO.	DESCRIPTION	MSRP
99668	TACTICAL AIMPOINT® MICRO MOUNT	\$49.95
99667	TACTICAL AIMPOINT® RING 30MM	\$94.95

SPR 30MM OPTICS MOUNT

DESIGNED FOR AR-STYLE RIFLES, OUR SPR (SPECIAL PURPOSE RIFLE) 30MM OPTIC MOUNT DELIVERS OPTIMAL HEIGHT AND FORWARD CANTILEVER FOR AR PLATFORM RIFLES. DESIGNED FOR 30MM TUBE OPTICS AND CONSTRUCTED OF AIRCRAFT-GRADE 6061-T6 ALUMINUM WITH TYPE III HARD COAT ANODIZED FINISH THIS NEW MOUNT IS ULTRA-DURABLE WITH MINIMAL WEIGHT AND BULK.



FEATURES & BENEFITS

- Optimal height and forward cantilever for AR platform rifles
- Minimal weight and bulk
- Fits optics with 30mm tubes

PART NO.	DESCRIPTION	MSRP
99674	SPR 30MM OPTIC MOUNT	\$99.95



EXTENDED MULTI-SLOT BASES

ENJOY OPTICAL SUPERIORITY WITH OUR TACTICAL MULTI-SLOT BASES. THESE PICATINNY BASES ARE DESIGNED FOR SPECIFIC MODELS OF FIREARMS AND PROVIDE AN ADDITIONAL 1 INCH OF FORWARD LENGTH FOR MORE MOUNTING OPTIONS. MANUFACTURED FROM 6061-T6 ALUMINUM AND PROTECTED BY A MATTE, TYPE III HARD COAT ANODIZED FINISH, THESE MULTI-SLOT BASES ARE COMPATIBLE WITH PICATINNY OR WEAVER STYLE RINGS. AN INTEGRAL RECOIL LUG, NO SLIP/STRIP TORX® SCREWS ROUND OUT THE FEATURES OF THESE TACTICAL BASES. AVAILABLE WITH 20 MOA CANT FOR EXTENDED RANGE OPTIC ADJUSTMENT AS WELL AS STANDARD ZERO CANT.



FEATURES & BENEFITS

- Available in either Long Action or Short Action
- Made of 6061-T6 Aluminum with matte Type III hard coat anodize finish
- Compatible with Picatinny or Weaver style rings
- Additional 1" of forward length provides more mounting options
- 20 MOA of cant version available for extended range optic adjustment



PART NO.	DESCRIPTION	MSRP
99483	EXTENDED MULTI-SLOT 1 PC BASE WINCHESTER® 70 LA	\$42.95
99484	EXTENDED MULTI-SLOT 1 PC BASE WINCHESTER® 70 SA	\$42.95
99478	EXTENDED MULTI-SLOT 1 PC BASE WINCHESTER® 70 SA 20MOA	\$42.95
99479	EXTENDED MULTI-SLOT 1 PC BASE WINCHESTER® 70 LA 20MOA	\$42.95
99499	EXTENDED MULTI SLOT BASE REMINGTON® 700 LA	\$42.95
99486	EXTENDED MULTI SLOT BASE REMINGTON® 700 LA 20MOA	\$42.95
99500	EXTENDED MULTI SLOT BASE REMINGTON® 700 SA	\$42.95
99485	EXTENDED MULTI SLOT BASE REMINGTON® 700 SA 20MOA	\$42.95
99493	EXTENDED MULTI-SLOT 1 PC BASE SAVAGE® ACCUTRIGGER LA	\$42.95
99494	EXTENDED MULTI-SLOT 1 PC BASE SAVAGE® ACCUTRIGGER LA 20MOA	\$42.95
99495	EXTENDED MULTI-SLOT 1 PC BASE SAVAGE® ACCUTRIGGER SA	\$42.95
99496	EXTENDED MULTI-SLOT 1 PC BASE SAVAGE® ACCUTRIGGER SA 20MOA	\$42.95

TACTICAL-STYLE RINGS/MOUNTS

FOUR HOLE SKELETON RINGS

WEAVER'S 4-HOLE SKELETON RINGS ARE AVAILABLE IN HEIGHTS THAT SATISFY JUST ABOUT ANY SHOOTER AND SHOOTING SITUATION. CHOOSE BETWEEN 1" OR 30MM AND FROM AMONG LOW, MEDIUM, HIGH, EXTRA-HIGH AND XX-HIGH. DRESSED IN MATTE BLACK AND FEATURING NO STRIP/SLIP TORX® SCREWS, THESE RINGS INCORPORATE WEAVER'S FAMOUS CROSS-LOCK DESIGN AND LIGHTWEIGHT AIRCRAFT GRADE ALUMINUM. SKELETAL DESIGN LESSENS WEIGHT WITHOUT LOSING STRENGTH.



PART NO.	DESCRIPTION	SADDLE HEIGHT	MSRP
48360	1" MED MATTE	.280"	\$39.49
48361	1" HIGH MATTE	.400"	\$39.49
48362	1" X-HIGH MATTE	.520"	\$39.49
48363	1" XX-HIGH MATTE	.640"	\$39.49
48364	30MM LOW MATTE	.250"	\$39.49
48365	30MM MED MATTE	.370"	\$39.49
48366	30MM HIGH MATTE	.490"	\$39.49
48367	30MM X-HIGH MATTE	.610"	\$39.49



SIX HOLE TACTICAL RINGS

IN THE TACTICAL WORLD, PERFORMANCE IS MANDATORY—THERE IS NO COMPROMISE. WHETHER IT'S INTENSE TRAINING OR REAL-LIFE ACTION, YOU NEED YOUR ZERO TO STAY TRUE. THESE AIRCRAFT-GRADE ALUMINUM TACTICAL RINGS FEATURE SIX POINTS OF CONTACT FOR MAXIMUM SECURITY AND ARE DESIGNED TO WITHSTAND THE MOST GRUELING ENVIRONMENTS IMAGINABLE. IF YOU DEMAND THE MOST FROM YOUR TACTICAL SCOPE, DEMAND WEAVER. SKELETAL DESIGN LESSENS WEIGHT WITHOUT LOSING STRENGTH.



PART NO.	DESCRIPTION	SADDLE HEIGHT	MSRP
48349	1" MED MATTE	.280"	\$41.49
48350	1" HIGH MATTE	.400"	\$41.49
48351	1" X-HIGH MATTE	.520"	\$41.49
48353	1" XX-HIGH MATTE	.640"	\$41.49
48355	30MM LOW MATTE	.250"	\$41.49
48356	30MM MED MATTE	.370"	\$41.49
48352	30MM HIGH MATTE	.490"	\$41.49
48354	30MM X-HIGH MATTE	.610"	\$41.49



THUMB-NUT SPR OPTICS MOUNT

DESIGNED FOR AR-STYLE RIFLES, OUR SPR (SPECIAL PURPOSE RIFLE) MOUNTS FEATURE A SPECIALIZED, SLEEK DESIGN TO DELIVER OPTIMAL HEIGHT WITH A FORWARD CANTILEVER FOR AR PLATFORM RIFLES. INTEGRAL RECOIL LUG BASE DESIGN FOR IMPROVED ACCURACY AND RETURN-TO-ZERO CAPABILITY.

PART NO.	DESCRIPTION	MSRP
NEW! 48375	THUMB-NUT 30MM SPR OPTICS MOUNT	\$61.49
NEW! 48376	THUMB-NUT 1" SPR OPTICS MOUNT	\$61.49

NEW!



THUMB-NUT FLAT TOP RISER RAIL AR-15 / M16

TURN YOUR FLAT TOP AR-15 OR M16 INTO THE PERFECT HEIGHT FOR OPTICS WITH OUR NEW FLAT TOP RISER RAIL. MADE OF AIRCRAFT-GRADE ALUMINUM FOR REDUCED WEIGHT AND INCREASED STRENGTH WITH THUMB-NUT BOLTS FOR QUICK INSTALLATION AND REMOVAL.

PART NO.	DESCRIPTION	MSRP
NEW! 48372	THUMB-NUT FLAT TOP RISER RAIL – AR-15 / M16	\$47.49

NEW!



THUMB-NUT 30MM AIMPOINT MOUNT

FLAT TOP AR-15 OWNERS CAN NOW MOUNT AIMPOINT 30MM OPTICS WITH THIS CUSTOMIZED ACCESSORY, WHICH ALLOWS FOR 1/3RD CO-WITNESS WHEN USED WITH MIL-SPEC IRON SIGHTS. INTEGRAL RECOIL LUG BASE DESIGN FOR IMPROVED ACCURACY AND RETURN-TO-ZERO CAPABILITY.

NEW!

PART NO.	DESCRIPTION	MSRP
NEW! 48374	THUMB-NUT 30MM AIMPOINT MOUNT	\$41.49



TACTICAL-STYLE SCOPE-MOUNTED PICATINNY ADAPTORS

CRAFTED FROM LIGHTWEIGHT, AIRCRAFT-GRADE, 6061-T6 ALUMINUM, WITH A DURABLE, BLACK MATTE, ANODIZED FINISH, THIS ACCESSORY MOUNT INSTALLS DIRECTLY ONTO THE TUBE OF YOUR SCOPE, PROVIDING A MOUNTING PLATFORM FOR FLASHLIGHTS, LASER SIGHTS OR OTHER GEAR.

NEW!

PART NO.	DESCRIPTION	MSRP
NEW! 48373	TACTICAL-STYLE 30MM SCOPE-MOUNTED PICATINNY ADAPTOR	\$35.95
NEW! 48370	TACTICAL-STYLE 1" SCOPE-MOUNTED PICATINNY ADAPTOR	\$35.95



PISTOL/SHOTGUN/SCOUT MOUNTS

SCOUT SCOPE MOUNTS

WANT TO MOUNT A SCOPE ON YOUR FAVORITE LEVER-ACTION? WE HAVE THE MOUNTS THAT GET THE JOB DONE. OUR THREE NEW BASES ARE DESIGNED SPECIFICALLY FOR THREE SUCH RIFLES: MARLIN MODELS 1894, 1895 AND 336. THESE EASY-TO-INSTALL BASES DELIVER LEGENDARY WEAVER HOLDING POWER AND ARE THE PERFECT CHOICE FOR FORWARD MOUNTED SCOPES. PRECISION MACHINED TO TIGHT TOLERANCES EACH BASE PROVIDES A SECURE FIT AND IS CONSTRUCTED OF LIGHTWEIGHT AIRCRAFT-GRADE ALUMINUM FOR STRENGTH AND WEIGHT REDUCTION.



FEATURES & BENEFITS

- Designed specifically for several models of Marlin lever-action rifles
- Comes with SureThread™ adhesive, brass punch & hardware
- Allows forward mounting of scope ahead of action
- For use with scopes that feature long eye relief capabilities
- Aircraft-grade aluminum for rugged, lightweight performance
- Accepts Weaver-style scope rings

PART NO.	DESCRIPTION	MSRP
48560	SCOUT SCOPE MOUNT KIT - MARLIN 1894	\$46.95
48561	SCOUT SCOPE MOUNT KIT - MARLIN 1895	\$46.95
48562	SCOUT SCOPE MOUNT KIT - MARLIN 336	\$46.95

NO GUNSMITH SHOTGUN MOUNTS

MOUNT YOUR FAVORITE SIGHT DEVICE WITH EASE USING THE WEAVER NO GUNSMITH MOUNTS. THE MULTI SLOT BASES ALLOW YOU TO MOUNT A VARIETY OF OPTICS INCLUDING SCOPES, RED DOTS AND LASER SIGHTS WHILE OBTAINING THE OPTIMUM EYE RELIEF. THE LOW PROFILE, FORM FITTING DESIGN ALLOWS YOU TO SHOOT IN YOUR NATURAL POSITION WITHOUT "PEEKING." STRONG AND LIGHTWEIGHT, MADE OF TOUGH POLYMER COMPOSITE MATERIAL, THESE MOUNTS WILL OPERATE IN TEMPERATURES OF -40°F TO 150°F.

PART NO.	DESCRIPTION	MSRP
48340	REM 870, 1100, 1187 12 AND 20 GAUGE	\$29.95
48341	MOSSBERG 500, 835 12 GAUGE ONLY	\$29.95
48342	REM 870, 1100, 1187 12 AND 20 GAUGE HARDWOODS HD	\$51.49

PISTOL MOUNT BASES

THESE BASES ALLOW YOU TO PURCHASE THE SPECIFIC RINGS YOU WANT TO SUIT YOUR APPLICATION. THE ALL-STEEL, RECOIL-PROOF YOKE DESIGN ALLOWS FOR DURABILITY AND EASY INSTALLATION. A COMPLETE SYSTEM WITH QUICK-DETACHABLE MEDIUM RINGS, MADE FOR A SPECIFIC PISTOL MODEL, IS ALSO AVAILABLE.



PART NO.	DESCRIPTION	MSRP
48638	301 RUGER BLACKHAWK	\$51.49
48641	306 RUGER 22	\$51.49
48497	RUGER SUPER REDHAWK 1-PC BASE-SILVER	\$51.49
48496	S & W X-FRAME 1-PC BASE-NICKEL PLATED	\$51.49
48601	301 RUGER BLACKHAWK (SYSTEM)	\$86.49

Pistol Mount Bases



Pistol Base with Rings System



MUZZLELOADER MOUNTS

SINGLE SHOT TRADITIONALIST WELCOME

GET THE LEGENDARY HOLDING POWER OF WEAVER® FOR YOUR MODERN IN-LINE MUZZLELOADER. THESE RING AND BASE SETS FEATURES LIGHTWEIGHT AIRCRAFT-GRADE ALUMINUM FOR STRENGTH AND WEIGHT REDUCTION. AVAILABLE IN 1-PIECE OR 2-PIECE FORMATS. EASY MOUNTING FOR 1" SCOPES. ALSO AVAILABLE ARE FIREARM-SPECIFIC BASES TO MOUNT ANY RINGS YOU CHOOSE.



MUZZLELOADER RINGS & BASE SETS

PART NO.	DESCRIPTION	MSRP
48540	ONE PIECE TC ENCORE/OMEGA MEDIUM	\$45.49
48541	ONE PIECE TC ENCORE/OMEGA HIGH	\$45.49
48543	ONE PIECE CVA/TRADITIONS/REMINGTON GENESIS MEDIUM	\$45.49
48544	ONE PIECE CVA/TRADITIONS/REMINGTON GENESIS HIGH	\$45.49
48550	TWO PIECE 2010+ CVA MODEL BLACK POWDER MOUNT	\$41.49



MUZZLELOADER BASES

PART NO.	DESCRIPTION	MSRP
48520	TC ENCORE/OMEGA BASES	\$14.49
48521	TRADITIONS IN-LINE/PRE-2010 CVA ROUND BASES	\$14.49
48522	KNIGHT MK-85, BK-92 ETC BASES	\$7.95



STEEL TOP MOUNT RINGS/BASES



GRAND SLAM STEEL TOP MOUNT BASES

OUR PRECISION-BUILT STEEL BASES ARE MACHINED TO TIGHT TOLERANCES FOR A CUSTOM FIT. A SQUARE-CUT NOTCH MATES TO THE STURDY CROSS BOLT IN EVERY WEAVER TOP MOUNT RING. CUSTOM-HARDENED FASTENING SCREWS INCLUDED.

PART NO.	REF. NO.	MSRP
48223	S25	\$12.49
48224	S35	\$12.49
48225	S36	\$12.49
48243	S40A	\$12.49
48226	S45	\$12.49
48227	S46	\$12.49
48228	S47	\$12.49
48244	S49A	\$12.49
48230	S54	\$12.49
48231	S55	\$12.49
48234	S61	\$12.49
48241	S91	\$12.49
48247	S402	\$12.49
48249	S430	\$12.49
48275	S459	\$12.49
48276	S460	\$12.49
48282	S466	\$12.49



NOTE: Use Reference Numbers found in Mount Application Charts starting on page 63 for Product Descriptions.

GRAND SLAM STEEL TOP MOUNT RINGS



WEAVER'S POPULAR GRAND SLAM RINGS WERE RECENTLY REVAMPED FOR AN IMPRESSIVE, SLEEK, MODERN NEW LOOK. WEAVER'S LEGENDARY CROSS-LOCK DESIGN PROVIDES THE ULTIMATE IN SCOPE LOCK-DOWN. MADE OF SOLID STEEL, THESE RINGS STAND STRONG AGAINST AGGRESSIVE RECOIL. OUR WINDAGE ADJUSTABLE RINGS ALLOW FOR A RANGE OF CROSSHAIR MOVEMENT, RIGHT AND LEFT, WHEN SIGHTING IN YOUR SCOPE. TO TOP IT OFF, WEAVER'S NEWLY-DESIGNED GRAND SLAM RINGS ARE PROUDLY MADE TO EXACT TOLERANCES IN THE U.S.A.

FEATURES & BENEFITS

- Solid Steel construction withstands punishing recoil
- Four-hole design adds gripping strength
- Integrated recoil lug helps hold zero
- Torx screws for added security



PART NO.	DESCRIPTION	MSRP
NEW! 49302	1" MED BLACK	\$29.95
NEW! 49303	1" MED MATTE	\$29.95
NEW! 49304	1" HIGH BLACK	\$29.95
NEW! 49305	1" HIGH MATTE	\$29.95
NEW! 49306	1" X-HIGH BLACK	\$29.95
NEW! 49307	1" X-HIGH MATTE	\$29.95
NEW! 49308	30MM HIGH BLACK	\$32.49
NEW! 49309	30MM HIGH MATTE	\$32.49
NEW! 49321	1" MED SILVER	\$31.95
NEW! 49322	1" HIGH SILVER	\$31.95
NEW! 49323	1" X-HIGH SILVER	\$31.95
NEW! 49318	1" MED BLACK (WINDAGE ADJUSTABLE)	\$34.49
NEW! 49319	1" HIGH MATTE (WINDAGE ADJUSTABLE)	\$34.49
NEW! 49320	1" X-HIGH MATTE (WINDAGE ADJUSTABLE)	\$34.49

NOTE: For ring height measurements refer to page 62.

STEEL DOVETAIL RINGS

THESE RINGS FEATURE THE POSITIVE DOVETAIL LOCKING SYSTEM AND BOAST REAR MOUNT WINDAGE ADJUSTMENTS. THEY OFFER MAXIMUM STRENGTH IN STEEL CONSTRUCTION AND TOP-NOTCH RECOIL RESISTANCE FOR THE ULTIMATE HOLD ON YOUR SCOPE.

PART NO.	DESCRIPTION	MSRP
49200	1" LOW BLACK	\$29.49
49201	1" LOW MATTE	\$29.49
49202	1" MED BLACK	\$29.49
49203	1" MED MATTE	\$29.49
49239	1" MED NKL	\$30.95
49204	1" HIGH BLACK	\$29.49
49205	1" HIGH MATTE	\$29.49
49238	1" HIGH NKL	\$30.95
49206	1" X-HIGH BLACK	\$29.49
49207	1" X-HIGH MATTE	\$29.49
49226	30MM MED BLACK	\$32.49
49227	30MM MED MATTE	\$32.49
49208	30MM HIGH BLACK	\$32.49
49209	30MM HIGH MATTE	\$32.49
49210	1" STR XTF HIGH BLACK (EXTENSION)	\$36.95
49274	BR-ABOLT 1PC BASE BLACK (SYSTEM)	\$50.95




Dovetail Rings



Dovetail Rings & Bases System

STEEL DOVETAIL BASES

OFFERED AS A ONE OR TWO-PIECE SYSTEM, THESE ALL-STEEL BASES PROVIDE RECOIL RESISTANCE AND FEATURE THE DOVETAIL LOCKING SYSTEM FOR AN ULTRA-SECURE, POSITIVE LOCK-ON RINGS.



PART NO.	DESCRIPTION	MSRP
48905	2PC BR-A-BOLT LA/SA MATTE	\$24.95
48932	1PC BR-MARK II BLACK	\$24.95
48928	1PC MARLIN 336	\$24.95
48929	1PC MARLIN 336 MATTE	\$24.95
48958	1PC MARLIN 1894 BLACK	\$24.95
48916	1PC MAUSER 98 BLACK	\$24.95
48910	2PC MAUSER 98 BLACK	\$24.95
48900	2PC REM 700 LA/SA & HOWA/VANGUARD	\$24.95
48901	2PC REM 700 LA/SA & HOWA/VANGUARD MATTE	\$24.95
48971	2PC REM 700 LA/SA & HOWA/VANGUARD NKL	\$25.95
48912	1PC REM 700 LA & HOWA/VANGUARD	\$24.95
48913	1PC REM 700 LA & HOWA/VANGUARD MATTE	\$24.95
48930	1PC REM 700 SA BLACK	\$24.95
48931	1PC REM 700 SA MATTE	\$24.95
48948	1PC REM 760	\$24.95
48978	1PC REM 788 LA BLACK	\$24.95
48946	1PC REM 788 XLA BLACK	\$24.95
48914	1PC REM 7400, 4&6	\$24.95
48962	2PC SAKO BLACK	\$24.95
48956	1PC SAV 99 BLACK	\$24.95
48902	2PC SAV 110 LA/SA BLACK	\$24.95
48903	2PC SAV 110 LA/SA MATTE	\$24.95
48906	2PC SAV 110 LA/SA ACU-TRIGGER MATTE	\$24.95
48926	1PC TC ENCORE	\$24.95
48976	2PC WEATHERBY MARK V BLACK	\$24.95
48908	2PC WIN 70 (.860 SPACING) BLACK	\$24.95
48942	1PC WIN 88, 100 BLACK	\$24.95
48944	1PC WIN 94-AE BLACK	\$28.49

QUAD LOCK/SEE-THRU/LEVER LOK RINGS

QUAD LOCK® DETACHABLE RINGS

TWO STRAPS AND FOUR SCREWS PROVIDE ADDED GRIPPING POWER FOR THESE LIGHTWEIGHT, ALL-ALUMINUM RINGS. THUMBSCREWS ALLOW FOR QUICK DETACH.

PART NO.	DESCRIPTION	MSRP
49049	1" X-HIGH MATTE	\$14.49
49074	1" MED BLACK	\$14.49
49046	1" MED MATTE	\$14.49
49052	1" HIGH BLACK	\$14.49
49047	1" HIGH MATTE	\$14.49
49055	1" MED SILVER	\$14.49
49056	1" HIGH SILVER	\$14.49
49048	1" HIGH EXTENSION MATTE	\$16.49
49057	1" HIGH EXTENSION SILVER	\$16.49
49062	1" HIGH EXTENSION BLACK	\$16.49



PART NO.	DESCRIPTION	MSRP
49053	1" .22 TIP-OFF MATTE	\$17.49
49054	1" .22 TIP-OFF SILVER	\$17.49



LEVER LOK™ TOP MOUNT RINGS

THIS DURABLE, RELIABLE RING EASILY DETACHES AND RE-MOUNTS WITHOUT TOOLS SO YOU CAN PROTECT YOUR OPTICS WHILE TRAVELING TO YOUR NEXT HUNT. THE RELIABLE WEAVER CROSS LOCK DESIGN ALLOWS FOR SECURE, TIGHT FIT ON YOUR FAVORITE RIFLE. WITH SOLID STEEL CONSTRUCTION, YOU CAN REST ASSURED THAT THIS RING WILL PERFORM IN THE HEAT OF THE HUNT.

PART NO.	DESCRIPTION	MSRP
49325	1" MED MATTE	\$34.49
49326	1" HIGH MATTE	\$34.49
49327	1" X-HIGH MATTE	\$34.49
49328	1" MED BLACK	\$34.49
49329	1" HIGH BLACK	\$34.49
49330	1" X-HIGH BLACK	\$34.49
49335	30MM HIGH MATTE	\$37.49
49336	30MM HIGH BLACK	\$37.49



Solid Steel

SEE-THRU STEEL LOCK MOUNTS

THESE SEE-THRU RINGS ARE MADE TO MOUNT TO SPECIFIC FIREARM RECEIVERS TO ENHANCE FIT AND PERFORMANCE. NO BASES ARE NEEDED WHEN USING THESE RINGS. MOUNTS HAVE STEEL STRAPS FOR ADDED STRENGTH.

PART NO.	DESCRIPTION	MSRP
49720	1" BAR/LEVER BLACK	\$14.49
49721	1" FN SERIES BLACK	\$14.49
49713	1" MARLIN 336 BLACK	\$14.49
49714	1" REM 7400/7600 BLACK	\$14.49
49712	1" REM 700 BLACK	\$14.49
49715	1" REM 742/760 BLACK	\$14.49
49711	1" RGR 10/22 BLACK	\$14.49
49734	1" RGR 10/22 STAINLESS	\$17.49
49723	1" RGR 77/22 MINI 14 BLACK	\$37.95
49735	1" RGR 77/22 MINI 14 STAINLESS	\$38.49
49717	1" SAVAGE 110 BLACK	\$19.95
49515	1" .22 BLACK	\$14.95
49733	1" .22 STAINLESS	\$17.49
49725	1" WIN 88, 100 BLACK	\$14.49
49716	1" WIN 94 A/E	\$19.95



NOTE: For ring height measurements refer to page 62.

.22 TIP OFF RINGS/BASES

.22 TIP-OFF MOUNTS

THESE MOUNTS ARE MADE FOR .22S THAT HAVE FACTORY GROOVES IN THE RIFLE'S RECEIVER. THEY CLAMP DIRECTLY TO THE RECEIVER OR TIP-OFF BASES.



Sure Grip Rings shown

PART NO.	DESCRIPTION	MSRP
49819	1" SURE GRIP BLACK	\$16.49
49821	1" SURE GRIP SS	\$17.95
49440	1" .22 BLACK	\$30.95
49039	1" .22 SS	\$36.95
49514	1" .22 SEE-THRU BLACK	\$27.95
49517	1" .22 SEE-THRU SS	\$32.49

.22 TIP-OFF ADAPTOR BASES

ALLOWS .22 TIP-OFF MOUNTS TO BE USED ON NON-FACTORY DOVETAILED RIFLES. PROVIDE SURE, TIGHT FIT FOR THE ULTIMATE IN RELIABILITY.



PART NO.	DESCRIPTION	MSRP
48203	TO-1	\$17.95
48201	TO-9	\$6.95
48202	TO-10	\$7.95
48505	TO-9M	\$5.49
48511	TO-11	\$7.49
48009	TO-9S	\$7.95

NOTE: Use Reference Numbers found in Mount Application Charts starting on page 63 for Product Descriptions.



PART NO.	DESCRIPTION	MSRP
48459	T22 BASE CONVERTER	\$12.95

* Fits 3/8" grooved receivers only

GRAND SLAM WINDAGE ADJUSTABLE .22 RINGS

FOLLOWING IN THE TRADITION OF THE SOLID STEEL GRAND SLAM® RINGS, WEAVER ADDS A SOLID STEEL, WINDAGE ADJUSTABLE .22 RING TO AN ALREADY IMPRESSIVE LINEUP. THE DESIGN MOUNTS TO A 3/8" GROOVED RECEIVER AND INCLUDES ALL OF THE FEATURES YOU HAVE COME TO TRUST IN THE GRAND SLAM LINE.

PART NO.	DESCRIPTION	MSRP
49313	1" .22 MEDIUM MATTE	\$34.95
49314	1" .22 HIGH MATTE	\$34.95



.22 RUGER-STYLE RINGS

GRAND SLAM® RINGS ARE CONSTRUCTED OF SOLID STEEL WHICH YIELDS AMAZING STRENGTH AND SCOPE RETENTION.

PART NO.	DESCRIPTION	MSRP
49216	1" .22 MED BLACK	\$35.49
49217	1" .22 MED MATTE	\$35.49
49212	1" .22 HIGH BLACK	\$34.49
49213	1" .22 HIGH MATTE	\$34.49
49218	1" .22 X-HIGH BLACK	\$35.49
49219	1" .22 X-HIGH MATTE	\$35.49



DETACHABLE/TOP MOUNT RINGS/BASES



DETACHABLE TOP MOUNT RINGS

GET THE BEST OF BOTH WORLDS WITH A STEEL STRAP FOR ADDED STRENGTH AND AN ALUMINUM SADDLE FOR REDUCED WEIGHT. THESE QUICK DETACH RINGS ARE THE ORIGINAL WEAVER-STYLE RINGS.

PART NO.	DESCRIPTION	MSRP
49030	1" LOW BLACK	\$27.49
49040	1" LOW MATTE	\$27.49
49034	1" LOW SS	\$41.49
49071	1" MED BLACK	\$27.49
49041	1" MED MATTE	\$27.49
49032	1" MED SS	\$41.49
49050	1" HIGH BLACK	\$27.49
49042	1" HIGH MATTE	\$27.49
49033	1" HIGH SS	\$41.49
49080	1" X-HIGH BLACK	\$27.49
49044	1" X-HIGH MATTE	\$27.49
49036	1" X-HIGH SS	\$41.49
49122	30MM LOW BLACK	\$27.95
49121	30MM LOW MATTE	\$27.95
49110	30MM HIGH BLACK	\$27.95
49120	30MM HIGH MATTE	\$27.95



DETACHABLE EXTENSION TOP MOUNT RINGS

TRY THESE TO GET THE IDEAL EYE RELIEF. THEY LET YOU POSITION YOUR SCOPE FORWARD OR REARWARD.

PART NO.	DESCRIPTION	MSRP
49090	1" MED EXT BLACK	\$32.49
49091	1" MED EXT MATTE	\$32.49
49060	1" EXT HIGH BLACK	\$32.49
49043	1" EXT HIGH MATTE	\$32.49
49035	1" EXT HIGH SS	\$42.95
48448	1" EXT X-HIGH BLACK	\$32.49
48449	1" EXT X-HIGH MATTE	\$32.49
49061	1" DUAL EXT BLACK	\$34.95
49045	1" DUAL EXT MATTE	\$34.95
49038	1" DUAL EXT SS	\$42.49
49155	30MM LOW EXT BLACK	\$39.49
49150	30MM LOW EXT MATTE	\$39.49
49156	30MM HIGH EXT BLACK	\$39.49
49152	30MM HIGH EXT MATTE	\$39.49

NOTE: For ring height measurements refer to page 62.



SURE GRIP WINDAGE ADJUSTABLE

THE FOUR-SCREW SYSTEM AND STEEL CAP OFFER SHOT-OF-A-LIFETIME DEPENDABILITY. WINDAGE ADJUSTABLE MODELS ENSURE THAT ZEROING IN YOUR SCOPE TO CRITICAL ACCURACY IS CERTAIN.

PART NO.	DESCRIPTION	MSRP
49140	1" MED BLACK	\$29.49
49143	1" MED MATTE	\$29.49
49141	1" HIGH BLACK	\$29.49
49144	1" HIGH MATTE	\$29.49
49142	1" X-HIGH BLACK	\$29.49
49145	1" X-HIGH MATTE	\$29.49



SURE GRIP DETACHABLE RINGS

THESE RINGS USE A FOUR-SCREW SYSTEM, AND HAVE STEEL CAPS AND AN ALUMINUM SADDLE FOR ADDED STRENGTH. ALSO FEATURES THE QUICK DETACH SYSTEM, ALLOWING YOU TO LOOSEN THE THUMB SCREWS AND GO TO IRON SIGHTS IN SECONDS.

PART NO.	DESCRIPTION	MSRP
49160	1" MED BLACK	\$27.49
49163	1" MED MATTE	\$27.49
49161	1" HIGH BLACK	\$27.49
49164	1" HIGH MATTE	\$27.49
49162	1" X-HIGH BLACK	\$27.49
49165	1" X-HIGH MATTE	\$27.49



SEE-THRU DETACHABLE RINGS

UTILIZE IRON SIGHTS OR YOUR SCOPE FOR QUICK TARGET ACQUISITION WITH THESE CONVENIENT RINGS. THE SQUARE CROSS LOCK BOLT FITS TIGHTLY AND SECURELY WITH WEAVER TOP MOUNT BASES.

PART NO.	DESCRIPTION	MSRP
49513	1" BLACK	\$27.49
49523	1" MATTE	\$27.95
49522	1" SS	\$32.49
49512	1" EXT BLACK	\$31.95
49510	1" EXT MATTE	\$34.49
49525	1" DUAL EXT MATTE	\$37.95



TOP MOUNT BASE PAIRS

THERE'S NO LONGER A NEED TO SEARCH FOR FRONT AND REAR BASES FOR YOUR MOST POPULAR FIREARMS. WEAVER BASE PAIRS FEATURE TOUGH, LIGHTWEIGHT ALUMINUM CONSTRUCTION TO HOLD UP TO THE MOST POWERFUL RECOIL. THE WEAVER CROSS LOCK DESIGN MEANS A TIGHT, SECURE FIT ON YOUR FIREARM. THESE BASES ACCEPT ALL WEAVER TOP MOUNT CROSS LOCK RINGS.



PART NO.	DESCRIPTION	MSRP
48460	REM 700 MATTE	\$7.49
48461	REM 700 SILVER	\$7.49
48462	BROWNING A-BOLT MATTE	\$7.49
48464	MAUSER 98 MATTE	\$7.49
48465	SAVAGE 110 MATTE	\$7.49
48466	SAVAGE 110 ACCU TRIGGER MATTE	\$7.49
48467	SAVAGE 110 ACCU TRIGGER SILVER	\$7.49
48468	WIN 70 MATTE	\$7.49
48470	BROWNING BAR MATTE	\$7.49
48471	MARLIN 336 MATTE	\$7.49
48472	REM 7400 MATTE	\$7.49
48473	MOSSBERG 500/835 MATTE	\$7.49
48474	RUGER 10/22 MATTE	\$7.49
48475	WIN 94 MATTE	\$7.49
48493	BROWNING X-BOLT MATTE	\$7.49
48495	BROWNING X-BOLT SILVER	\$7.49

MULTI SLOT BASES

THESE VERSATILE BASES FROM WEAVER HELP GIVE YOUR GUN A VERSATILE EDGE. MULTI SLOT BASES ARE CONSTRUCTED OF TOUGH, LIGHTWEIGHT ALUMINUM SO THEY CAN WITHSTAND THE MOST POWERFUL RECOIL. THEY ACCEPT ALL WEAVER TOP MOUNT RINGS AND ACCOMMODATE THE MOUNTING OF DEVICES SUCH AS SCOPES, RED DOTS AND LASER OPTICS, WHILE ALLOWING FOR OPTIMAL EYE RELIEF.

PART NO.	DESCRIPTION	MSRP
48329	MULTI SLOT SAVAGE ACCU-L/A	\$21.49
48330	MULTI SLOT REM 700 S/A	\$21.49
48332	MULTI SLOT MINI 14/NO RINGS	\$46.95
48333	MULTI SLOT MOSSBERG 590	\$9.49
48334	MULTI SLOT REM 700 L/A	\$21.49
48335	MULTI SLOT RUGER 10/22	\$7.49
48336	MULTI SLOT REM 597	\$8.49
48337	MULTI SLOT WIN 1300	\$8.49
48338	MULTI SLOT SAVAGE ACCU-S/A	\$21.49
48339	MULTI SLOT BENELLI SBE II	\$16.49
48345	MULTI SLOT 870 REMINGTON	\$9.95
48347	MULTI SLOT SAVAGE AXIS	\$15.95



DETACHABLE SIDE MOUNTS

SIDE MOUNT BRACKETS DETACH AND ATTACH IN SECONDS, JUST LIKE OUR DETACHABLE TOP MOUNTS (THE BASES THEMSELVES DO NOT). SIDE MOUNT BRACKETS ARE AVAILABLE IN A "HIGH PROFILE" IN A STANDARD OR LONG LENGTH TO ACCEPT A VARIETY OF SCOPES.

PART NO.	REF. NO.	MSRP
48401	1	\$16.95
48402	2	\$16.95
48403	3A	\$16.95
48412	3B	\$17.95
48413	3C	\$16.95
48415	3D	\$21.95
48405	5	\$21.95
48407	7	\$16.95
48408	8	\$16.95
48416	10M	\$16.95
48409	M	\$21.95
49340	1" LONG HIGH BRACKET & RINGS	\$41.49
49350	1" HIGH BRACKET & RINGS	\$34.95

NOTE: Use Reference Numbers found in Mount Application Charts starting on page 63 for Product Descriptions.




ALUMINUM BASES/RING HEIGHT GUIDES

TOP MOUNT ALUMINUM BASES

EACH WEAVER BASE IS MACHINED TO TIGHT TOLERANCES FOR A CUSTOM FIT. THESE ALUMINUM BASES OFFER MAXIMUM STRENGTH FOR RINGS TO HOLD TIGHT.

MSRP Range: \$4.95 - 20.49



PART NO.	REF. NO.	PART NO.	REF. NO.	PART NO.	REF. NO.	PART NO.	REF. NO.	PART NO.	REF. NO.	PART NO.	REF. NO.	PART NO.	REF. NO.	PART NO.	REF. NO.
48011	11	48028	28	48044	44	48058	58	48072	72	48091	91	48106	404	48440	417M
48012	12	48029	29	48045	45	48059	59	48074	74	48092	92A	48105	405	48435	418M
48013	13	48030	30	48510	45S	48064	60A	48075	75	48007	92AS	48110	406	48453	418S
48014	14	48031	31	48046	46	48061	61	48076	76	48093	93	48111	406S	48437	419M
48015	15	48032	32	48004	46S	48060	61A	48079	79	48094	94	48112	408	48438	420M
48016	16	48035	35	48502	46M	48002	61S	48080	80	48095	95	48513	410	48444	421M
48017	17	48006	35S	48047	47	48504	61M	48081	81	48096	96	48452	410S	48443	423M
48018	18	48500	35M	48003	47S	48062	62	48082	82	48097	97	48632	411	48446	424
48019	19	48036	36	48503	47M	48069	63B	48083	83	48098	98	48633	411S	48445	424M
48020	20A	48005	36S	48048	48	48447	63BS	48084	84	48099	99	48425	413	48450	427
48021	21	48501	36M	48049	49A	48065	65	48085	85	48109	401	48442	413M	48451	428
48022	22	48039	39	48050	50	48067	67	48086	86	48001	401S	48426	414M	48454	429M
48023	23	48040	40A	48053	53	48068	68	48087	87	48108	402	48427	414S	48506	93A
48024	24	48428	40AM	48054	54	48070	70	48088	88	48429	402M	48431	415	48455	430M
48025	25	48041	40AS	48055	55	48071	71	48073	89	48430	402S	48432	415M	48456	432M
48026	26	48042	42	48057	57	48010	71A	48090	90	48107	403	48434	416M	48113	505
48027	27	48043	43												

DOVETAIL RING HEIGHT GUIDE

RING SIZE	SADDLE HEIGHT	FITS OBJECTIVE LENS SIZE
1" LOW	0.150	UP TO 40MM
1" MED	0.270	THRU 50MM
1" HIGH	0.400	THRU 56MM
1" X-HIGH	0.520	OVER 56MM
30MM MED	0.320	THRU 56MM
30MM HIGH	0.490	OVER 56MM
1" MED .22 RINGS	0.262	THRU 40MM
1" HIGH .22 RINGS	0.392	THRU 44MM
1" EXTRA HIGH .22 RINGS	0.512	THRU 50MM
1" MED MOD. 77/22 & NO.1	0.453	THRU 50MM
1" MED MOD. 77	STEPPED	THRU 50MM
1" HIGH MOD. 77	STEPPED	THRU 56MM

NOTE: Chart applies to Dovetail Rings.

TOP MOUNT RING HEIGHT GUIDE

RING SIZE	SADDLE HEIGHT	FITS OBJECTIVE LENS SIZE
1" LOW	0.089	THRU 38MM
1" MEDIUM	0.169	THRU 40MM
1" HIGH	0.332	THRU 44MM
1" EXTRA HIGH	0.560	THRU 50MM
1" SEE-THRU	0.750	THRU 50MM
30MM LOW	0.288	THRU 33MM
30MM HIGH	0.500	THRU 44MM
1" TIP-OFF	0.25	THRU 36MM
1" TIP-OFF SEE-THRU	0.750	THRU 50MM

NOTE: Chart applies to Grand Slam, Sure Grip, Detachable, Quad Lock, and Lever Lok Rings.

For basic instructions and notes for using this Mount Application Chart, see page 69.

WEAVER® MOUNT APPLICATIONS CHART	NOTES	TOP MOUNT BASES				STEEL LOCK MOUNTS	SIDE MOUNT	GRAND SLAM® STEEL TOP MOUNT BASES				GRAND SLAM® DOVETAIL BASES		TACTICAL EXTENDED MULTI-SLOT BASES		
		STANDARD		EXTENSION				COMPLETE SYSTEM	USE ONLY WITH SIDE MT BRACKET	STANDARD		EXTENSION			1-PC	2-PC
		REAR	FRONT	1-PC	REAR					FRONT	REAR	FRONT	REAR			
ANSCHUTZ																
▶ MARK 12		16	16													
▶ 54, 54MS, 64, 64MS, 164, 1400 SERIES, 1500 SERIES		91	91							S91	S91			48964		
▶ 153 DELUXE		19	19													
▶ 1568		61	46			402			1							
▶ MATTE		61M	46M			402M	49717			S61	S46		S402			
▶ SILVER		61S	46S			402S	49729									
AUTO SHOTGUNS																
▶ ALL AUTOS EXCEPT REM 11-48, 11-87, 1100, SPTSMN 48	4								7							
BENELLI																
▶ NOVA SHOTGUN (MATTE)				423M												
▶ SBE, SBE II, M1 & M2 FIELD GUNS (MATTE)				93AM												
▶ MATTE				48339												
BERETTA																
▶ MATO RIFLE		49A	46							S49A	S46					
▶ PINTAIL SLUG GUN		35	35		40A	40A										
▶ MATTE		35M	35M		40A-M	40A-M				S35	S35	S40A	S40A			
▶ SILVER		35S	35S		40A-S	40A-S										
BRITISH 303																
▶ WITH ENFIELD ACTION	4, 15			TO-1												
BROWNING																
▶ 1885 HIGH WALL (OCTAGON BARREL)	1, 3	11	29													
▶ 22 AUTO	18			60A												
▶ SAKO ACTIONS IN 243, 308, 22-250, 222 & 222 MAG.		72	71													
▶ A-BOLT, A-BOLT 22 STALKER; MEDALLION		47	47													
▶ BLACK																
▶ MATTE		47M	47M							S47	S47			48905		
▶ SILVER		47S	47S											48905		
▶ A-BOLT SHOTGUN																
▶ MATTE		47M	419M													
▶ A-BOLT (EUROPEAN MODEL), MOD 52, 52C	5	85	85													
▶ BOLT ACTION BBR, HI-POWER, OTHER CAL. (OLDER MOD.)		45	46		402	49721			5	S45	S46		S402			
▶ SILVER		45S	46S		402S											
▶ BAR, BAR II, MARK II, BLR LIGHTNING (LEVER), BPR	5	54	54			49720								48932		
▶ MATTE										S54	S54			48933		
▶ BLR (LEVER ACTION)		25	25							S25	S25					
▶ BLR WITH FLAT TOP RECEIVER (OLDER MODELS)		28	28													
▶ BBR (BOLT ACTION), LONG & SHORT ACTIONS		47	46		402	49718										
▶ MATTE		47M	46M		402M					S47	S46		S402			
▶ SILVER		47S	46S		402S											
▶ A-BOLT WSSM		427	47													
▶ BAR MATTE				432M												
BSA																
▶ MONARCH MEDIUM ACTION IN 222, 243 & 308	25	36	35	97	40A											
▶ MATTE		36M	35M		40A-M	49712				S36	S35		S40A			
▶ SILVER		36S	35S		40A-S											
▶ CF2, MONARCH LONG ACTION IN 7MM, 270 & 30-06	25	36	35	98	40A											
▶ MATTE		36M	35M		40A-M	49712				S36	S35		S40A			
▶ SILVER		36S	35S		40A-S											
▶ OTHER HIGH-POWERS		28	28													
CARCANO																
▶ CARCANO	4, 6								1							
CARL GUSTAF																
▶ MOD 2000										S460	S460					
CHURCHILL																
▶ HIGHLANDER		36	35		40A											
▶ MATTE		36M	35M		40A-M	49712				S36	S36		S40A			
▶ SILVER		36S	35S		40A-S											
▶ CIL																
▶ 830																
▶ 871				62		49715			1							
▶ 900		19	19													
▶ 950 & 950-C		61	46		402				1							
▶ MATTE		61M	46M		402M	49717				S61	S46		S402			
▶ SILVER		61S	46S		402S											
▶ 972-C		45	46		402	49721				S45	S46		S402			
▶ SILVER		45S	46S		402S											

WEAVER® MOUNT APPLICATIONS CHART		NOTES	TOP MOUNT BASES					STEEL LOCK MOUNTS	SIDE MOUNT	GRAND SLAM® STEEL TOP MOUNT BASES				GRAND SLAM® DOVETAIL BASES		TACTICAL EXTENDED MULTI-SLOT BASES
MAKE: MODEL OF FIREARM COLOR INDICATES FINISH: GLOSS BLACK MATTE BLACK SILVER			STANDARD		EXTENSION			COMPLETE SYSTEM	USE ONLY WITH SIDE MT BRACKET	STANDARD		EXTENSION		1-PC	2-PC	
			REAR	FRONT	1-PC	REAR	FRONT			REAR	FRONT	REAR	FRONT			
COLT																
► 57		45	46			402	49721			S45	S46		S402			
► SILVER		45S	46S			402S										
► COLTSMAN IN 223, 243 & 308 CAL. (ROUND RECEIVER)		25	25							S25	S25					
► COLTSMAN IN 264 & 30-06 CAL. (ROUND RECEIVER)		54	54				49720			S54	S54					
► COLTSMAN WITH SAKO STYLE ACTION IN 223 & OTHER CAL.		67	65													
► H BAR	10															
► SHARPS		85	85													
► ANACONDA, PYTHON & KING COBRA PISTOLS (SILVER)	8, 17			412S												
► SAUER		35	35		40A	40A								48960		
► MATTE		35M	35M		40A-M	40A-M				S35	S35	S40A	S40A			
► SILVER		35S	35S		40A-S	40A-S										
COOKEY																
► 60 & 600								2								
► 71		47	46			402	49718		1	S47	S46		S402			
► MATTE		47M	46M			402M				S47	S46		S402			
► SILVER		47S	46S			402S										
CVA																
► OCTAGON BARRELS / RECEIVERS	17	61A	61A													
► PRE-2010 ROUND BARRELS / RECEIVERS (POST '96 MODELS)		418M	418M											48970		
► SILVER		418S	418S													
ENFIELD WITH RECEIVER CUT DOWN LIKE:																
► REMINGTON 30		11	11					1								
► WINCHESTER 70		47	46			402										
► MATTE		47M	46M			402M	49718			S47	S46		S402			
► SILVER		47S	46S			402S										
► REMINGTON 721		36	35			40A										
► MATTE		36M	35M			40A-M	49712			S36	S35		S40A			
► SILVER		36S	35S			40A-S										
GARCIA																
► 73				53			49725									
► 74		67	65													
GOLDEN EAGLE																
► 7000		71	71													
GROOVED RECEIVER WITH 3/8" DOVETAILS																
► SEE .22 RING INFORMATION	12						49515									
► SILVER							49733									
H & R																
► PARDNER PUMP 12GA				505												
► 65, 165, 150 & 151 (AUTO)		18	18					2								
► 250, 251, 264, 265, 365, 450 & 550		18	16					2								
► 232C SHOTGUN (10 GA.) & 980 ULTRA		19	19													
► 155, SB2 ULTRA (.22-250), TOPPER 158C (1973+), 157				82												
► 300, 301, 330 & 370 (PRE 1973)		45	46			402	49721	5		S45	S46		S402			
► SILVER		45S	46S			402S										
► 300 & 301 S.A. IN 22-250, 243 & 308 (1973+)		83	84													
► 300 & 301 L.A. IN 270, 30-06, 7MM & 300 WIN (1973+)		54	46			402				S54	S46		S402			
► 317 & 322		11	35			40A										
► 317 (PRE 1975)		67	65													
► 360 & 361				81												
► 700				87A												
► 755, 765, 852 & 865		17	21					2								
► 800		12	12													
► TOPPER 30, 22 JET, & MOD 158 (PRE 1973)	18			60A												
HERTERS																
► J9		45	46			402	49721	5		S45	S46		S402			
► SILVER		45S	46S			402S										
► U9 BSA ACTION	4	28	28													
► U9 ROUND RECEIVER		36	35			40A										
► MATTE		36M	35M			40A-M	49712			S36	S35		S40A			
► SILVER		36S	35S			40A-S										
HIGH-STANDARD																
► HIGH-POWER		55	46			402		1		S55	S46					
► AUTO SHOTGUN								8								
HOWA																
► HOWA		36	35			40A								48912	48900	
► MATTE		36M	35M			40A-M	49712			S36	S35		S40A	48913	48901	
► SILVER		36S	35S			40A-S										
INTERARMS																
► 92 CARBINE (REPLICA OF WIN. 92)	4								3A							
► ATD	18			60A												
► MARK X	1	55	20A													
► MINI MARK X	1	23	71A													
► VISCOUNT	1	45	46			402	49721			S45	S46		S402			
ITHACA																
► DEERSLAYER, 37 & 87 (12, 16, 20 GA.)				62			49715									
► LSA-55 & LSA-65		61	61													
► MATTE		61M	61M							S61	S61					
► SILVER		61S	61S													
► 49SS, .22	4								3A							
► LIGHTNING X3		39	39													

WEAVER® MOUNT APPLICATIONS CHART		NOTES	TOP MOUNT BASES					STEEL LOCK MOUNTS	SIDE MOUNT	GRAND SLAM® STEEL TOP MOUNT BASES				GRAND SLAM® DOVETAIL BASES		TACTICAL EXTENDED MULTI-SLOT BASES				
MAKE: MODEL OF FIREARM COLOR INDICATES FINISH: GLOSS BLACK MATTE BLACK SILVER			STANDARD		EXTENSION			COMPLETE SYSTEM	USE ONLY WITH SIDE MT BRACKET	STANDARD		EXTENSION		1-PC	2-PC					
			REAR	FRONT	1-PC	REAR	FRONT			REAR	FRONT	REAR	FRONT							
JAPANESE																				
► 6.5MM & 7.7MM	6			70												1				
KNIGHT MUZZLELOADERS																				
► KNIGHT MK-85, BK-92 & T-BOLT (FLAT RECEIVERS)		61	61																	
► MATTE		61M	61M											S61	S61					
► SILVER		61S	61S																	
► LK-93, WOLVERINE, LEGEND, DISC, AMERICAN, REVOLUTION		45	45											S45	S45					
► SILVER		45S	45S																	
KRAG																				
► (OFFSET TO LEFT FOR EASY EJECTION)	4															2				
LAKEFIELD																				
► 22 RIFLE	12																			
LEE-ENFIELD																				
► LEE-ENFIELD	4, 15			T0-1																
MAGNUM RESEARCH																				
► LONE EAGLE SSP 91 PISTOL		16	16																	
MARLIN																				
► 45, 30AS, 336, 444, 1894, 1895, CAMP 9, 308, 338											63B			49713		48928				
► SILVER											63BS									
► MATTE														S466	S466	48929				
► A1 & 50		15	15													2				
► 39A, 39D & CENTURY (OCTAGON BARREL)		28	31																	
► 39A (ROUND BARREL)	21	29	16			90										2				
► 57 MAGNUM						58														
► 88, 89 & 98		18	18													2				
► 80, 81		12	12													2				
► 455		45	46									402	49721	5	S45	S46	S402			
► SILVER		45S	46S									402S								
► 512 SLUG MASTER & 55 (DRILL & TAP) (MATTE)																10M				
► 60, 990L, 70, 995, 882, 25MM, 883	12																			
► MR7		47	46									402								
► MATTE		47M	46M									402M	49718		S47	S46	S402			
► SILVER		47S	46S									402S								
► MLS-50 & MLS-54, (BASES SOLD 2/PACK)		406	406																	
► SILVER		406S	406S																	
► 1894																	48958			
► 900, 917, XT-22, XT-17		12	12									63B								
MAUSER																				
► RECEIVER RING ABOUT 1.410" DIAMETER (98FN)	1, 2	45	46									402	49721	5	S45	S46	S402	48954	48952	
► SILVER		45S	46S									402S								
► RECEIVER RING ABOUT 1.300" DIAMETER (SWEDISH 96)	1, 2	55	46									402		1	S55	S46	S402	48950		
► BAUER 3000 & 4000		68	46									402								
► MARK X	1	55	20A																	
► 98																		48916	48910	
MOSSBERG																				
► 25, 26, 42, 46M, 140, 142 & 146, 45-46 W/ 3/4" DIA. BBLs		12	13																	
► 40		16	21																2	
► 43, 44, 144, 46BT & 35		12	16																2	
► 45, 46 EARLY MODELS WITH 13/16" DIA. BBLs		12	16																2	
► 320, 340, 342 & 620		21	21																2	
► 640												63B							49713	
► 680, 800 & 695-SHOTGUN (USE DUAL EXTENSION RINGS)		55	55																S55	S55
► 50, 51, 151, 152, 350 & 352	</																			

WEAVER® MOUNT APPLICATIONS CHART		NOTES	TOP MOUNT BASES				STEEL LOCK MOUNTS	SIDE MOUNT	GRAND SLAM® STEEL TOP MOUNT BASES				GRAND SLAM® DOVETAIL BASES		TACTICAL EXTENDED MULTI-SLOT BASES
MAKE: MODEL OF FIREARM			STANDARD		EXTENSION		COMPLETE SYSTEM	USE ONLY WITH SIDE MT BRACKET	STANDARD		EXTENSION		1-PC	2-PC	
COLOR INDICATES FINISH: GLOSS BLACK MATTE BLACK SILVER			REAR	FRONT	1-PC	REAR			FRONT	REAR	FRONT	REAR			
PARKER-HALE															
▶ 1000, 1000C, 1100, 1200 & 1700			45	46		402	49721				S45	S46		S402	
▶ SILVER			45S	46S		402S									
▶ 2600			71	85											
▶ MIDLAND			71	75											
PEDER SOLI															
▶ LIGHTNING			75	75											
PUMP SHOTGUNS															
▶ ALL PUMPS EXCEPT WIN. 42		4					8								
RAPTOR ARMS															
▶ SAME AS REMINGTON 700 LONG ACTION		25	36	35	98		40A								
▶ MATTE			36M	35M			40A-M	49712			S36	S35		S40A	
▶ SILVER			36S	35S			40A-S								
REMINGTON															
▶ 700, 78, 40X-L, 721, 725 (ALL LONG ACTIONS)		25, 28	36	35	98		40A							48912 48900	
▶ MATTE			36M	35M	48334		40A-M	49712			S36	S35		48913 48901	99489
▶ SILVER			36S	35S			40A-S							48971	
▶ 700, 78, 40X-S, 722, 725 (ALL SHORT ACTIONS), 700 MZL. LDR		25, 28	36	35	97		40A							48930 48900	
▶ MATTE			36M	35M	48330		40A-M	49712			S36	S35		S40A 48931 48901	99500
▶ SILVER			36S	35S			40A-S								
▶ 710/770			71	71											
▶ 788 ALL CALIBERS			76	75											
▶ 788 IN .222 MAG, .22/.250, .30/.30 CAL														48978	
▶ 788 IN .243, 6MM, .308 CAL														48946	
▶ 7 W/3 HOLES, 600, 660, XP-100 XR-100					70										
▶ 7 W/4 HOLES (NEW IN 1999), 673 (MATTE)			421M	35M							S430	S460			
▶ 740, 742 & 760						62								48948	
▶ 4, 6, 74, 76, 7400, 7600 750						93								48914	
▶ MATTE															
▶ 8 & 81									7						
▶ 10, 11, 12, 34*, 341*, 510, 511, 512 & 521T		6	43	42					2						
▶ 12A, 121 WITH 3/4" DIAMETER BARRELS			18	13					2						
▶ 121 WITH 13/16" DIAMETER BARRELS			18	17					2						
▶ 12C OCTAGON BARREL			18	31											
▶ 14 & 141			20A	27											
▶ 41		6	17	17					2						
▶ 24 & 241		18			60A										
▶ 25			18	21					2						
▶ 30 & 720			11	11					1						
▶ 33		6	17	13					2						
▶ 513S & 513T			43	44					2						
▶ 514			16	21					2						
▶ 514 (NOT DRILLED & TAPPED) & 550		4	12	12											
▶ 541S & 541T			15	15											
▶ 522 VIPER		11													
▶ 5, 552, 572 & 581(S)		12													
▶ 597 (MATTE)						414M									
▶ MATTE		25				48336									
▶ SILVER						414S									
▶ 798			55	20A											
▶ 799			71A	23											
▶ 870, 1100, 11-87 (SEE CONVERTAMOUNT SYSTEMS) (MATTE)														429M	
▶ MATTE		25				48345									
▶ 11-48, 1100, SPORTSMAN 48 & 58 SHOTGUNS									8						
▶ GENESIS			418M	418M											
ROSSI (ALSO SEE INTERARMS)															
▶ .410/.22 LR & .410/.17 HMR SMALL FRAME MATCHED PAIR COMBOS ONLY		7			92A										
RUGER															
▶ NO. 1		1, 3, 4	85	89											
▶ NO. 3		1, 3, 4	85	86											
▶ 10/22 IN 22 LONG RIFLE CAL.		25				48335									
▶ 10/22 IN 22 LONG RIFLE CAL. (3/8 GROOVED)		16				TO-9									
▶ MATTE						TO-9M								49711	
▶ SILVER						TO-9S								49734	
▶ SUPER REDHAWK (SILVER)						48497									
▶ 10/22 MAG & 77/22 (W/BUILT-IN INTEGRAL MOUNTS), 77-50 ML														49723	
▶ SILVER														49735	
▶ 96/22 & 96/22 MAGNUM		16				TO-11									
▶ 44 CARBINE MAGNUM DEERSTALKER			47	68											
▶ M77 (ROUND TOP DRILLED)			79	35										48912 48900	
▶ MATTE														48913 48901	
▶ M77, (W/BUILT-IN INTEGRAL MOUNTS)															
▶ SILVER															
▶ MINI 14/NO RINGS		25				48332									
▶ MINI 14 RANCH & MINI 30 (W/BUILT-IN INTEGRAL MOUNT)														49723	
▶ SILVER														49735	
▶ SINGLE SIX & SUPER SINGLE SIX (314)		8				48643									
▶ BLACKHAWK & SUPER BLACKHAWK (301)		8				48638									
▶ SILVER (301S)		8				48635									
▶ REDHAWK (308S) SILVER		8				48648									
▶ MARK II PISTOL, STANDARD MODELS (306)		8, 13				48641									
SAKO															
▶ L579			72	71											
▶ 72, 75 & 78			85	85											
▶ FINNWOLF														49725	

WEAVER® MOUNT APPLICATIONS CHART		NOTES	TOP MOUNT BASES				STEEL LOCK MOUNTS	SIDE MOUNT	GRAND SLAM® STEEL TOP MOUNT BASES				GRAND SLAM® DOVETAIL BASES		TACTICAL EXTENDED MULTI-SLOT BASES
MAKE: MODEL OF FIREARM			STANDARD		EXTENSION		COMPLETE SYSTEM	USE ONLY WITH SIDE MT BRACKET	STANDARD		EXTENSION		1-PC	2-PC	
COLOR INDICATES FINISH: GLOSS BLACK MATTE BLACK SILVER			REAR	FRONT	1-PC	REAR			FRONT	REAR	FRONT	REAR			
SAKO (CONT.)															
▶ FORESTER, FINNBEAR & VIXEN (TAPERED DOVETAILS)			67	65											48962
▶ WHITETAIL HUNTER			61	61											
▶ MATTE			61M	61M							S61	S61			
▶ SILVER			61S	61S											
SAUER															
▶ 200			35	35									40A		
▶ MATTE			35M	35M									40A-M	40A-M	
▶ SILVER			35S	35S									40A-S	40A-S	
▶ 202															
▶ SHR 970			25	25											
▶ 49720														S459 S460	
▶ S25 S25															
SAVAGE															
▶ AXIS SERIES			46	46										402 402	
▶ MATTE			46M	46M	48347		402M	402M						S46 S46 S402 S402	48906
▶ SILVER			46S	46S			402S	402S							
▶ 3			16	21											2
▶ 4 & 5			12	13											2
▶ 6 & 7			12	12											2
▶ 29 (ROUND BARREL)			11	22											2
▶ 19 & 23			15	16											2
▶ 20, 340, 340E, 342, 840 & 842E		14													1
▶ 24		17						74							
▶ 24 & 900S (.22 CAL RIFLES W/GROOVED RECEIVERS)		12													
▶ 25 (OCTAGON BARREL)			19	31											
▶ 40 & 45			11	11											2
▶ 67 SHOTGUN								93						49714	
▶ 93		5, 26	16	16											
▶ 99, 1895 & 1899		5, 26	16	16											48956
▶ 170								62						49715	
▶															

WEAVER® MOUNT APPLICATIONS CHART		NOTES	TOP MOUNT BASES				STEEL LOCK MOUNTS COMPLETE SYSTEM	SIDE MOUNT USE ONLY WITH SIDE MT BRACKET	GRAND SLAM® STEEL TOP MOUNT BASES				GRAND SLAM® DOVETAIL BASES		TACTICAL EXTENDED MULTI-SLOT BASES
MAKE: MODEL OF FIREARM COLOR INDICATES FINISH: GLOSS BLACK MATTE BLACK SILVER			STANDARD		EXTENSION				STANDARD		EXTENSION		1-PC	2-PC	
REAR	FRONT		1-PC	REAR	FRONT	REAR			FRONT	REAR	FRONT	1-PC	2-PC		
STEVENS															
26		22	22				2								
27 OCTAGON		31	31												
53		16	21				2								
56 & 66		12	13				2								
57, 76, 417 1/2 & 762		12	12				2								
110E		61	46			402	1								
MATTE		61M	46M			402M	49717		\$61	\$46		\$402			
SILVER		61S	46S			402S									
322 & 325															
300, 305, 310, 315, CADET	5,26	16	16				1								
416		18	17				2								
417		15	15				2								
418 & 418 1/2		16	16				2								
SAVAGE/STEVENS 200	22	46	46			402	402								
MATTE	22	46M	46M			402M	402M		\$46	\$46	\$402	\$402		48906	
SILVER	22	46S	46S			402S	402S								
STEVENS - SPRINGFIELD															
83		16	21				2								
85, 87 & 872	4	12	12				2								
840	14						1								
TAURUS															
L, K & N FRAME RVLRS (LIKE S&W, FACTORY DRILLED)	8, 17, 23					401									
SILVER	8, 17, 23					401S									
L & K FRAME RVLRS (307)	8					48642									
THOMPSON CENTER															
CONTENDER, G2 (HANDGUN & CARBINE RIFLE)						92A									
SILVER						92AS									
SCOUT RIFLE & SCOUT PISTOL						404									
TCR						405									
THUNDERHAWK & FIREHAWK (2EA. PER PKG.)		406	406												
SILVER		406S	406S												
TRADITIONAL STYLE MUZZLELOADERS, NEW ENGLANDER	19					408									
ENCORE, OMEGA, IMPACT						410						48926			
SILVER						410S									
SYSTEM 1 & BLACK DIAMOND (2EA. PER PKG.)		411	411												
SILVER		411S	411S												
TIKKA															
TIKKA W/FLAT RECEIVER		61	61												
MATTE		61M	61M						\$61	\$61					
SILVER		61S	61S												
SAKO DESIGN W/TAPERED DOVETAIL		67	65												
TRADITIONS															
WHITETAIL W/OCTAGON RECEIVERS	17	61A	61A												
IN-LINE MUZZLELOADERS W/ROUND RECEIVERS - MATTE		418M	418M												
SILVER		418S	418S												
U. S. CARBINE															
M1 CARBINE 30 CAL.	20						M								
VALMET															
TAPERED DOVETAIL, SAKO DESIGN		67	65												
VOERE															
2130	4	28	28												
2150, 2165/1, 2165/2, 2165/3 & 2165/4 (MAUSER ACTION)		45	46			402	49721		\$45	\$46		\$402			
SILVER		45S	46S												
WEATHERBY															
VANGUARD	1, 22	36	35			40A					48912	48900			
MATTE	1, 22	36M	35M			40A-M			\$36	\$35		\$40A	48913	48901	
SILVER	1, 22	36S	35S			40A-S									
MARK V STD. CAL INCL. 240MAG, CENTERFIRE PISTOL, 224 VARMINTMASTER, ULTRA LIGHTWEIGHT		36	415												
MATTE		36M	415M												
SILVER		36S	415S												
FN MAUSER STYLE ACTIONS		45	46			402	49721	5	\$45	\$46		\$402			
SILVER		45S	46S			402S									
MARK V MAG. CAL EXCEPT 240 MAG.		424	35									48976			
MATTE		424M	35M			40A-M									
WESTERN FIELD															
712	6						1								
730		25	11												
740						63B						49713			
SILVER						63BS									
750		67	65												
770		55	20A												
772						80									
775 & 780		55	55						\$55	\$55					
WINCHESTER (INCLUDES RANGER MODELS)															
03 & 63		19	22				2								
06, 62, 62A & 90 W/OCTAGON BARREL		32	32												
05, 07 & 10		20A	17												
42							2								
43		18	18												
52 (HOLE SPACING DIFFERENT)	6, 9	25	57				2								
52 (HOLE SPACING SAME)	6, 9	46	46			402	2								
MATTE	6, 9	46M	46M			402M	402M		\$46	\$46	\$402	\$402			
SILVER	6, 9	46S	46S			402S	402S								
LEVER ACTIONS 53, 55, 64, 65, 66, 71, 1886, 1892, 95 & 1895	4						3A								

WEAVER® MOUNT APPLICATIONS CHART		NOTES	TOP MOUNT BASES				STEEL LOCK MOUNTS COMPLETE SYSTEM	SIDE MOUNT USE ONLY WITH SIDE MT BRACKET	GRAND SLAM® STEEL TOP MOUNT BASES				GRAND SLAM® DOVETAIL BASES		TACTICAL EXTENDED MULTI-SLOT BASES
MAKE: MODEL OF FIREARM COLOR INDICATES FINISH: GLOSS BLACK MATTE BLACK SILVER			STANDARD		EXTENSION				STANDARD		EXTENSION		1-PC	2-PC	
REAR	FRONT		1-PC	REAR	FRONT	REAR			FRONT	REAR	FRONT	1-PC	2-PC		
WINCHESTER (INCLUDES RANGER MODELS) (CONT.)															
54, & EARLY MOD. 70 W/SERIAL NO. BELOW #66 350	6	48	46			402									
57 & 69		12	13												
60, 67 & 68	6	21	21												
61 W/ROUND BARREL		19	13												
61 W/OCTAGON BARREL		25	32												
69A, 72 & 47		12	17												
SXR	5	54	54												
70 LONG ACTION (HOLE SPACING SAME), 670, 770	9	47	46	96		402						48908			
MATTE	25, 28	47M	46M			402M	49718		\$47	\$46		\$402	48909	99483	
SILVER		47S	46S			402S									
70 LONG ACTION (HOLE SPACING DIFFERENT) & 70 SUPER EXPRESS	9	49A	46			402			\$49A	\$46		\$402			
70 SHORT ACTION (1984+)		47	46	99		402						48940	48908		
MATTE	25, 28	47M	46M			402M	49718		\$47	\$46		\$402	-	99484	
SILVER		47S	46S			402S									
70 WSM		47	46			402									
MATTE		47M	46M			402M									
SILVER		47S	46S			402S									
70 WSSM		428	46												
70 W/SERIAL NO BELOW 66 350 (PRE '64)												48936			
74		12	12										2		
75 SPORTER		15	30										2		
75 TARGET		15	16										2		
77		15	32										2		
88 & 100				53								48942			
94 PRE '64													3D		
94 POST '64 & 94 TRAPPER													3B		
94 BIG BORE 375													3C		
94 ANGLE-EJECT BIG BORE		95	403												
94 ANGLE-EJECT (EXCEPT EARLIEST MODELS)		95	94									48944			
94/22	16					TO-10									
520		85	85												
777		71	71												
1200 & 1500 SHOTGUNS (SEE CONVERTA MOUNT SYSTEMS)															
1300 & 1400 SHOTGUNS (ALSO SEE CONVERTA MOUNT SYS) MATTE						416M									
MATTE						48337									
50 SHOTGUN													8		
X-150, APEX MUZZLELOADERS (MATTE)		418M	418M												
SILVER		418S	418S												

BASIC INSTRUCTIONS FOR APPLICATION CHART

To find the correct base or mount to fit your firearm, you need to know the Product Number. To do this, follow these steps:

1. In the firearm column, find the manufacturer and make/model of your firearm (for example, Browning A-Bolt).
2. Next, find the 5-digit Product Number (for example: 48955), in the desired Product Category column (for example Grand Slam Dovetail

Bases). NOTE: in some cases, you will find a short reference number (for example, 60A) listed in the chart. Use this reference number to find the appropriate Product Number.

3. Product Numbers are found near the appropriate product description sections placed throughout the catalog. If necessary, match the reference numbers to Product Numbers.

NOTES

1. Shimming is probably required for perfect scope alignment.
2. Rear base may require modifications for correct fit to military actions.
3. Front base may require modification for correct fit.
4. Gun will have to be drilled and tapped.
5. Front base screws must be shortened by grinding.
6. May require bolt and/or safety alteration, otherwise firearm cannot function safely and properly. Consult with a qualified gunsmith.
7. BASE DOES NOT FIT ROSSI LARGE FRAME MATCHED PAIR COMBOS (ALL MODELS WITH 20 OR 12 GA SHOTGUN BARRELS).
8. Remove rear sight to use.
9. The handiest way to pinpoint the correct base for the Win. 52 & Win. 70 Long action Rifles is to check the spacing of the tapped holes for the rear base and compare it to the hole spacing for the front base. Does it have:
 - HOLE SPACING THE SAME Model 52 Use 46+ 46 Model 70 Use 47+ 46
 - HOLE SPACING IS DIFFERENT Model 52 Use 25+ 57 Model 70 Use 49A+ 46
10. The Weaver type base built into this rifle will accept Weaver rings but our highest ring (1" See-Thru #49513) still isn't high enough to clear the front sight.
11. The Weaver type base built into this firearm will accept any Detachable Top Mount Weaver Ring.
12. Rifle has Grooved Receiver for Tip-Off Rings.
13. Ruger Mark II Pistols. Weaver only offers a clamp on base with 1" rings (Pistol Mount System #306). Ruger supplies a short or long base and 1" or 30mm rings w/factory drilled and tapped pistols. Contact Ruger for these items.
14. Bolt clearance problem may exist and scope will not be centered.
15. Base accepts Tip-Off Rings only.
16. TO-9, TO-10 & TO-11 bases accept either Detachable Top Mount Rings or Tip-Off Rings. Each have crossbolt slots and 3/8" grooves for both applications.
17. Must be factory drilled and tapped.
18. One-Piece base attaches to barrel and extends back over receiver.
19. Requires the use of Thompson/Center base adapter.
20. Requires drilling and tapping 4 holes in receiver and relief space cut in stock to clear base.
21. Rear base is positioned on top of receiver and front base is positioned on the barrel. Drilling & tapping required. One-piece base mounts with 2 set screws & newer guns are factory drilled & tapped.
22. For shorter tube scopes or red dot scopes use #402 extension front base or one-piece base if available. Extension base allows an extra .689".
23. WARNING: NOT FOR USE WITH X-FRAME REVOLVERS. USE ON FIREARMS OTHER THAN THOSE LISTED MAY CAUSE INJURY.
24. Top mount base is designed to fit 12GA models only.
25. Can be used with Tactical Multi Slot Base.
26. Rear base screws must be shortened by grinding.
27. Not available or discontinued.
28. Tactical Extended Multi-Shot Bases have 20 MOA versions as well. See product information section on page 51 for details.



SIMMONS RINGS



SIMMONS RINGS THE CLEAR CHOICE

SIMMONS RINGS HAVE BEEN A PART OF HUNTING CAMPS FOR DECADES. AND WE CONTINUE THE TRADITION WITH OUR LINE UP OF QUALITY OFFERINGS.

SIMMONS RINGS HAVE LONG HELD A PLACE OF DISTINCTION AMONG SHOOTERS WHO DEMAND A RUGGED HOLD AND EASY INSTALLATION. AVAILABLE IN BOTH 1-INCH TUBE AND 30MM OFFERINGS, SHOOTERS CAN CHOOSE BETWEEN A VARIETY OF FINISHES OF MATTE, GLOSS OR SILVER.

FEATURES & BENEFITS

- Precisely machined for excellent fit
- Variety of styles to fit all of your shooting needs
- Made of strong aircraft grade aluminum
- Lightweight, yet rock solid mounting options

S I M M O N S R I N G C H A R T


PART NO.	DESCRIPTION	MSRP	PART NO.	DESCRIPTION	MSRP	PART NO.	DESCRIPTION	MSRP
49166	1" SILVER/MEDIUM	\$7.95	49170	1" SILVER/22 MEDIUM	\$7.95	49174	30MM/MATTE BLACK/MEDIUM	\$14.95
49167	1" BLACK GLOSS/MEDIUM	\$7.95	49171	1" BLACK GLOSS/HIGH	\$7.95	49175	30MM/MATTE BLACK/HIGH	\$14.95
49168	1" MATTE BLACK/MEDIUM	\$7.95	49172	1" MATTE BLACK/HIGH	\$7.95	49176	1" MATTE BLACK/SEE-THRU	\$10.49
49169	1" MATTE BLACK/22 MEDIUM	\$7.95	49173	1" SILVER/HIGH	\$7.95	49178	1" BLACK GLOSS/22 MEDIUM	\$7.95



Use the charts on the following pages to match your firearm with the right rings and bases for your next hunting or shooting adventure. These quality Redfield® mounts are manufactured to rigorous tolerances and provide guaranteed performance time after time, hunt after hunt, year after year. If your next day afield requires a rock solid hold, mount your scope with Redfield.



Aluminum Base Pairs		MSRP
47510	Savage 110 ACU black matte	\$7.49
47511	Redfield Remington 700 black matte	\$7.49
47512	Ruger 10/22 black matte	\$7.49
47513	Winchester 70 black matte	\$7.49
47514	Marlin 336 black matte	\$7.49
47515	Mauser 98 black matte	\$7.49
47516	Browning X-Bolt black matte	\$7.49
47517	Browning A-Bolt black matte	\$7.49
47518	Browning Bar black matte	\$7.49
47519	Remington 870 black matte	\$7.49
47520	Traditions / CVA In-Line black matte	\$7.49
47521	Winchester 1894 black matte	\$7.49
47522	Remington 7400 black matte	\$7.49
47523	Mossberg 500 black matte	\$7.49



47510
Redfield Base Pair Savage 110

Redfield Aluminum Rings		MSRP
47311	1" medium gloss	\$7.95
47312	1" medium matte	\$7.95
47313	1" medium silver	\$7.95
47315	1" high gloss	\$7.95
47316	1" high matte	\$7.95
47317	1" high silver	\$7.95
47320	1" .22 matte	\$7.95
47321	1" 22 silver	\$7.95
47322	1" 22 gloss	\$7.95
47323	30mm med.matte	\$14.95
47324	30mm high matte	\$14.95
47325	1" see-thru matte	\$10.49
Redfield 4 Hole Aluminum Rings		MSRP
47330	1" med matte 4 hole	\$14.49
47332	1" high matte 4 hole	\$14.49
47334	1" x-high matte 4 hole	\$14.49
47335	1" x-high silver 4 hole	\$14.49
Ruger Rifle Steel Rings		MSRP
47234	1" med ruger 77 black	\$47.49
47236	1" high ruger 77 black matte	\$52.49
47237	1" high ruger 77 black	\$47.49
47240	30mm high ruger 77 black matte	\$61.49
.22 Caliber Ring Mounts (Grooved Receiver)		MSRP
47432	1" med .22 black	\$40.49
47430	1" med .22 matte	\$42.49
47285	1" high .22 black	\$40.49
47287	1" high .22 matte	\$42.95
47431	1" x-high .22 matte	\$43.49
See-Thru Rings		MSRP
47327	3/8" Dovetail	\$11.49



Redfield 4 Hole Aluminum Rings.

Redfield Aluminum Rings.

Rotary Dovetail Steel Rings (1")		MSRP
47218	1" std rear/ext front med black	\$47.49
47220	1" std rear ext front high black	\$47.49
47221	1" ext rear ext front med black	\$61.49
47223	1" low black	\$32.49
47224	1" med black	\$32.49
47226	1" high black	\$32.49
47228	1" high black matte	\$34.49
47230	1" med black matte	\$34.49
47231	1" extra high black	\$34.49
47232	1" extra high black matte	\$36.95
47378	1" low black matte	\$34.49
Redfield Twin-Dovetail Style Rings		MSRP
47425	1" med td matte	\$37.95
Rotary Dovetail Steel Rings (30mm)		MSRP
47250	30mm med black matte	\$54.49
47251	30mm high black	\$52.49
47256	30mm high black matte	\$53.49

Redfield Steel Bases											
Gun	JR - 1 Piece Base			SR - 2 Piece Bases			SR - 2 Piece Extension Bases			Twin Dove-Tail	
	Black	Matte	Nickel	Black	Matte	Nickel	Black	Matte	Nickel	Matte	M. Ext.
ANSCHUTZ											
54, 64, 153, 1400, 1500	-	-	-	47365	-	-	-	-	-	-	-
BROWNING											
.264 thru.458 FN Mauser Action	47154	-	-	47345	-	-	-	-	-	-	-
Semi-Auto (BAR), Mark II, BPR, BA	-	-	-	-	-	-	-	-	-	-	-
BBR Long & Short Actions	-	-	-	47347	-	-	-	-	-	-	-
A-Bolt LA (Use SR models for Left Hand)	-	-	-	-	-	-	-	-	-	-	-
A-Bolt SA	-	-	-	-	-	-	-	-	-	-	-
A-Bolt 22	-	-	-	-	-	-	-	-	-	-	-
BSA											
Monarch LA Round Receiver	47152	47266	-	47193	47270	-	-	-	-	-	-
Monarch SA	47169	47273	-	47193	47270	-	-	-	-	4744	-
CHURCHILL											
Long & Short Action	-	-	-	47193	47270	-	-	-	-	-	-
COLT											
57, 30-06 & FN Mauser	47154	-	-	47345	-	-	-	-	-	-	-
Coltsman Sako Action (med. & short)	-	-	-	47349	-	-	-	-	-	-	-
Sauer	-	-	-	47185	-	-	-	-	-	-	-
DICKSON-HOWA											
Golden Bear	-	-	-	47349	-	-	-	-	-	-	-
H & R											
300, 301, 330, 370 (Prior to 1973)	47154	-	-	47345	-	-	-	-	-	-	-
INTERARMS											
Mark X	47154	-	-	47345	-	-	-	-	-	-	-
HOWA 1500	47152	47266	-	47193	47270	-	-	-	-	-	-
ITHACA (Tikka)											
.37	47170	-	-	-	-	-	-	-	-	-	-
KNIGHT											
Disc Rifle (round receivers)	-	-	-	-	-	-	-	-	-	-	-
MARLIN											
36, 36A, 336,444 Sporter, 336T, 375 1895, 9, 922	47343	-	-	-	-	-	-	-	-	-	-
455	47154	-	-	47345	-	-	-	-	-	-	-
1894, 1894C, 1894M	47166	-	-	-	-	-	-	-	-	-	-
MAUSER											
98	47156	-	-	-	-	-	-	-	-	-	-
FN, Mark 10	47154	-	-	47345	-	-	-	-	-	-	-
Kar & Swedish after 1906 & Small Ring 95, Mexican & Matte Black	47157	-	-	-	-	-	-	-	-	-	-

Redfield Steel Bases											
Gun	JR - 1 Piece Base			SR - 2 Piece Bases			SR - 2 Piece Extension Bases			Twin Dove-Tail	
	Black	Matte	Nickel	Black	Matte	Nickel	Black	Matte	Nickel	Matte	M. Ext.
MOSSBERG											
1500, 1700 (Short Action)	47169	47273	-	47193	47270	-	-	-	-	-	-
1500, 1700 (Long Action)	47152	47266	-	47193	47270	-	-	-	-	-	-
MUSGRAVE											
Mark III, Mark IV	-	-	-	47345	-	-	-	-	-	-	-
PARKER HALE											
1000, 1100, 1200	47154	-	-	47345	-	-	-	-	-	-	-
REMINGTON											
7 Lightweight; 600, 660, XP100	47169	47273	-	-	-	-	-	-	-	-	-
4, 6, 74, 7400, 7600	-	-	-	-	-	-	-	-	-	-	-
700 (Short Action); 40X, 78, 722, 725, 22/250, 222, 243, 308, 6mm, 6.5, 350 Mag.; 700 Varmint Cals.: 222 Mag., 223, 243, 6mm, 22/250, 308	47169	47273	-	47193	47270	-	-	-	-	-	-
700 (Long Action - Right Hand): 40X, 78, 721, 725, 270, 280, 30-06 & 264, 7mm, 300 Mag.	47152	47266	-	47193	47270	-	-	-	-	-	-
700 (Long Action - Left Hand) 270, 30-06, 7mm Mag.	-	-	-	47193	47270	-	-	-	-	-	-
740, 742, 760	47170	-	-	-	-	-	-	-	-	-	-
788 Cals.: 222 Mag., 22/250, 30/30	47162	-	-	-	-	-	-	-	-	-	-
788 Cals.: 243, 6mm, .308	47163	-	-	-	-	-	-	-	-	-	-
710	-	-	-	47396	-	-	-	-	-	-	-
RUGER											
77 Round Receiver (Long Action)	47152	47266	-	47193	47270	-	-	-	-	-	-
SAKO											
Tapered Dovetail (short+med action), A-1, L-416-All, L579(Long action) AV, L61	-	-	-	47349	-	-	-	-	-	-	-
Finnwolf	47148	-	-	-	-	-	-	-	-	-	-
Mauser Actions	47159	-	-	47345	-	-	-	-	-	-	-
SAUER											
90, 200 (Sigrams)	-	-	-	47185	-	-	-	-	-	-	-
SAVAGE											
Anschutz 64MS	-	-	-	47365	-	-	-	-	-	-	-
Anschutz 153 & 54	-	-	-	47365	-	-	-	-	-	-	-
110, 110C, 111LA (pre 2003 models)	47150	-	-	-	-	-	-	-	-	-	-
110, 110C, 112-V SA (pre 2003 models)	-	-	-	-	-	-	-	-	-	-	-
110 Long & Short Action (LH) (pre 2003 models)	-	-	-	-	-	-	-	-	-	-	-

Redfield Steel Bases											
Gun	JR - 1 Piece Base			SR - 2 Piece Bases			SR - 2 Piece Extension Bases			Twin Dove-Tail	
	Black	Matte	Nickel	Black	Matte	Nickel	Black	Matte	Nickel	Matte	M. Ext.
SEARS											
(J.C. Higgins) 53	-	-	-	47347	-	-	-	-	-	-	-
(J.C. Higgins) 50, 51 (Before Jan. 1955)	47154	-	-	47345	-	-	-	-	-	-	-
SPRINGFIELD											
03	47386	-	-	-	-	-	-	-	-	-	-
03A3, A4	47159	-	-	-	-	-	-	-	-	-	-
SMITH & WESSON											
1500,1600,1700	47152	47266	-	47193	47270	-	-	-	-	-	-
TED WILLIAMS											
73	-	-	-	47347	-	-	-	-	-	-	-
THOMPSON / CENTER											
Contender & Carbine (with 3 rings)	-	-	-	-	-	-	-	-	-	-	-
Encore (with 3 rings)	-	-	-	-	-	-	-	-	-	-	-
Encore	47173	-	-	-	-	-	-	-	-	-	-
Contender	-	-	-	-	-	-	-	-	-	-	-
WEATHERBY											
Mark V mag. cal except 240 mag	-	-	-	-	-	-	-	-	-	-	-
Mark V std cal inc 240 mag, Ctrfire Pistol	-	-	-	-	-	-	-	-	-	-	-
Vanguard	47152	47266	-	47193	47270	-	-	-	-	-	-
FN	-	-	-	47345	-	-	-	-	-	-	-
224 Varmintmaster	-	-	-	-	-	-	-	-	-	-	-
WESTERN FIELD											
30-06	47154	-	-	47345	-	-	-	-	-	-	-
740	47343	-	-	-	-	-	-	-	-	-	-
WINCHESTER											
70 Target	-	-	-	-	-	-	-	-	-	-	-
70 in .300 Win Mag & .375 H&H Only	-	-	-	-	-	-	-	-	-	-	-
Serial # 66,350 to 700,000 (one hole in rear of action)	-	-	-	-	-	-	-	-	-	-	-
Serial # 1,896,476 and up &/or rear hole spacing .860	-	-	-	47347	-	-	-	-	-	-	-
70 (rear hole spacing .860) Includes M70, M70XTR, 670, 770, Ranger & Lightweight. Also .458 Win Mag & Weatherby Mags above serial #66,350.	-	-	-	47347	-	-	-	-	-	-	-
70 Short Actions introduced in 1984	-	-	-	47347	-	-	-	-	-	-	-
88, 100	47148	-	-	-	-	-	-	-	-	-	-
BLANK GUNSMITHING SR BASES											
	-	-	-	-	-	-	-	-	-	-	-



Look for these other fine products to complement your purchase:



Federal Premium®
Trophy® Copper



BLACKHAWK!®
Knox® Axiom™ II UL Rifle Stock



Champion™
Mini-Gorilla Range Bag



ATK Sporting features a unique collection of brands that give shooting, tactical and outdoor enthusiasts everything they need in one place. From ammunition, optics and reloading equipment to gun care, hunting and tactical gear, we offer advanced, high-performance products. Look for these leading brands.

A M M U N I T I O N & R E L O A D I N G

O P T I C S & A C C E S S O R I E S



federalpremium.com
1-800-322-2342



cci-ammunition.com
1-800-256-8685



speer-ammo.com
1-800-256-8685



speer-bullets.com
1-800-256-8685



rcbs.com
1-800-533-5000



alliantpowder.com
1-800-276-9337



weaveroptics.com
1-800-831-0850



blackhawk.com
1-800-694-5263



championtarget.com
1-800-831-0850



buckcommander.com
1-800-831-0850



outers-guncare.com
1-800-831-0850



gunslickpro.com
1-800-831-0850

Your purchase helps us financially support many outdoor conservation organizations that protect our habitats and heritage.

Thank you.

Weaver • Anoka, MN 55303 • 1-800-831-0850

weaveroptics.com

© 2012 Weaver Inc. • Printed in U.S.A.